

# INNIVITA™ MNP

PEEL BACK BOOK HERE ▲



## GUARANTEED ANALYSIS

Boron (B) .....	0.125%
Manganese (Mn) .....	1.0%
1.0% Chelated Manganese (Mn)	
Molybdenum (Mo) .....	0.01%
0.01% Water Soluble Molybdenum (Mo)	
Zinc (Zn) .....	2.0%
2.0% Chelated Zinc (Zn)	

**DERIVED FROM:** Sodium Tetraborate Decahydrate, Manganese EDTA, Ammonium Dimolybdate, Zinc EDTA

**DENSITY:** 9.47 lb/gal @ 68 °F

**F2186**

**KEEP OUT OF REACH OF CHILDREN  
WARNING**

**SHAKE WELL BEFORE USING**

### PRECAUTIONARY STATEMENTS

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Read label before use.

### HAZARD STATEMENTS

May be harmful if swallowed

Causes mild skin irritation.

Causes eye irritation.

### Prevention:

Wash hands, face and other affected areas thoroughly after handling.

### Response:

**Call a POISON CENTER or doctor/physician if you feel unwell.**

**If INHALED:** Call a POISON CENTER/doctor if you feel unwell.

**If skin irritation occurs:** Get medical advice/attention

**If IN EYES:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

**If eye irritation persists:** Get medical advice/attention

**WARNING:** This product contains boron. Its use on any crop other than those recommended may result in serious injury to the crop(s).

**WARNING:** This product is to be used only on crops which respond to molybdenum. Crops high in molybdenum are toxic to grazing animals.



**NET CONTENTS: 2.5 Gal (9.46 L)  
NET WEIGHT: 23.7 lb (10.75 kg)**



**INNIVICTIS™ CROP CARE, LLC**  
1880 Fall River Drive, Suite 100  
Loveland, CO 80538  
855-466-8428

20621RD090517A

## HANDLING AND STORAGE

Store in cool, dry place in original container above 32 °F. If frozen allow product to thaw and shake well before using. Keep out of reach of children.

**CONTAINER DISPOSAL: DO NOT** reuse empty containers. Triple rinse (or equivalent) then offer for recycling or disposal by procedures approved by state or local authorities.

**IN CASE OF SPILL:** Contain spill and maximize recovery. Keep spill out of water sources. Exercise caution in area of spill for slippery conditions. Dispose of spilled material in accordance with regulatory requirements.

## DIRECTIONS FOR USE

Apply *INNVIITA MNP* by sprayer or sprinkler or drip irrigation systems. Calibrate the system accurately. Base dilution rates on sprayer calibration and irrigation system output.

## COMMERCIAL APPLICATIONS

Apply as a foliar spray, or via drip or sprinkler irrigation to plants every 30 to 45 days. Utilize 13 ounces per acre per application, or about 0.3 to 0.5 ounces per 1,000 sf.

## IN-FURROW

In-Furrow applications of *INNVIITA MNP* may be made utilizing up to 13 ounces per acre.

## Field and orchard crops:

1. Test the soil if possible to determine deficiencies or imbalances. Correct mineral deficiency but treat nitrogen separately (see point 2).

2. Consider soil organic matter, previous crop, degree of compaction, and soil nitrate level, to determine nitrogen application rates.

3. Apply *INNVIITA MNP* to the seeds, transplant roots, or root stock before planting.

### Seeds:

(a) Spray or mix the concentrate on the seeds when filling the seed box at 6 to 8 ounces per acre,

(b) dip or spray seeds in a 5% *INNVIITA MNP* solution, and dry before planting, or

(c) apply 13 ounces per acre of *INNVIITA MNP* directly on the seeds at planting.

**Transplants:** Dip or spray transplant roots in a 1 to 2% *InnVita MNP* solution before planting. Tree and shrub plantings:

(a) Dip bare-root stock in a 1 to 2% *INNVIITA MNP* solution before planting, or

(b) apply 1 ounce *INNVIITA MNP* in 2 to 5 gallons of water, and soak into the root zone.

4. Apply *INNVIITA MNP* to the soil and/or foliage. In most cases use 13 ounces per acre per application for field crops. Consult product literature for specific crop recommendations.

### Field crops:

**Short-cycle crops (<45 days):** at planting and within 7 days.

**Medium-cycle crops (45 to 120 days):** at planting and 60 days (or at flowering or midseason), and 100 days if recommended.

**Long-term crops (pastures, hay, some vegetables (>120 days)):** at spring greenup and every 60 days during active growth.

**For hay:** at spring greenup and after each cutting.

**Orchard and tree crops:** Apply 20 ounces per acre each time as recommended. Seasonal crops and trees: at bud break (on the soil) and midway through fruit development (on the leaves and soil).

**Continuously growing crops (bananas, tropical fruits):** every three months during active growth.

5. Apply other sound, sustainable management practices.

### Horticulture crops:

**Nursery, house plants, lawns, and gardens:** Mix 1 tbsp. of *INNVIITA MNP* in 1 gallon of water. Use 0.5 cup of this solution for 1-gallon containers and 1 cup for larger containers. The solution may also be misted on leaf and soil surfaces. Generally, apply 13 ounces per acre over leaves and soil every 30 to 60 days during active growth. Treat seeds and transplants as described above.

Information regarding the contents and levels of metals in this product is available on the internet at <http://www.aapfco.org/metals.htm>.

## WARRANTY AND LIMITATION OF DAMAGES

INNVICTIS CROP CARE, LLC warrants only that this product conforms to the product description on the label and is reasonably fit for the purposes stated in the Directions For Use. The Directions For Use of this product are believed to be adequate and must be followed carefully. It is, however, impossible to eliminate all risks associated with this product. Crop injury, ineffectiveness, or other unintended consequences may result due to such factors as weather conditions, presence or absence of other materials, or the manner or use or application, all of which are beyond the control of INNVICTIS CROP CARE, LLC. All such risks must be assumed by the buyer or user. Except as warranted on this label, INNVICTIS CROP CARE, LLC makes no representation, warranty or guarantee, whether expressed or implied including, but not limited to, warranty of merchantability, fitness for a particular purpose, or otherwise. No agent or representative of INNVICTIS CROP CARE, LLC or the seller of the product is authorized to amend the terms of this Warranty disclaimer or the product's label or to make a representation or recommendation different or inconsistent with the label of this product. To the extent consistent with applicable law, INNVICTIS CROP CARE, LLC's maximum liability for breach of its warranty or for use of this product, regardless of the form of action, shall not exceed the purchase price of this product. To the extent permitted by applicable law, INNVICTIS CROP CARE, LLC shall not be liable for consequential, special or indirect damages resulting from the use, handling, application, storage, or disposal of this product or for damages in the nature of penalties, and the buyer and the user waive any right that they may have to such damages. If the warranty and liability limitations or disclaimer are not acceptable, return the unopened container to the place of purchase for full refund. To the extent not inconsistent with applicable law or the label, the purchase, delivery, acceptance and use of this product by the buyer is subject to the terms and conditions of seller's sales invoice for this product. DC 51147961.2