

Supplemental Labeling



Dow AgroSciences

Dow AgroSciences LLC

9330 Zionsville Road

Indianapolis, IN 46268-1054 USA

Instinct[®] II

EPA Reg. No. 62719-657

This supplemental label expires on May 15, 2017, and must not be used or distributed after this date.

Preplant, Preemergence, At-Plant Row or Band Injection Application in Spring Wheat or Winter Wheat

ATTENTION

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- This labeling must be in the possession of the user at the time of application.
- Read the label affixed to the container for Instinct[®] II insecticide before applying. Carefully follow all precautionary statements and applicable use directions.
- Use of Instinct II according to this supplemental labeling is subject to all use precautions and limitations imposed by the label affixed to the container for Instinct II.

Directions for Use

Refer to product label for Instinct II for General Use Precautions, Mixing, and Application

Spring Wheat or Winter Wheat

Preplant, Preemergence, At-Plant Row or Band Injection Application

Instinct[®] II may be mixed with liquid fertilizer, liquid manure, urea, insecticides, herbicides and/or water and applied as a preplant incorporated or preemergence (pre to wheat emergence). Instinct II may be used at the rate of 37 to 74 fl oz per acre when fall applied or a minimum of 37 fl oz per acre when applied in the spring.

Restrictions:

- Do not apply more than a total of 74 fl oz of Instinct II (1 lb ai nitrapyrin) per acre per year on wheat.
- **Replant restriction:** All crops (except for leafy vegetables and root and tuber crops) may be planted 30 days or more after last application. Leafy vegetable crops are not to be planted less than 120 days after last application. Root and tuber crops are not to be planted less than one year after last application.

Postplant (Side Dress) Application

Instinct II may be applied at 37 fl oz per acre to actively growing wheat from emergence and up to 1st detectable joint (Feekes 6 or Zadock 31 growth stage). The Instinct[®] II application may be broadcast, injected, dribbled, or applied as a band with sidedress liquid fertilizers. Instinct II may also be impregnated onto dry fertilizer and applied.

Restrictions:

- Any postplant application of Instinct II must be applied prior to 1st detectable joint (Feekes 6 or Zadock 31 growth stage).
- Do not apply more than a total of 74 fl oz of Instinct[®] II (1 lb ai nitrapyrin) per acre per year on wheat.
- **Replant restriction:** All crops (except for leafy vegetables and root and tuber crops) may be planted 30 days or more after last application. Leafy vegetable crops are not to be planted less than 120 days after last application. Root and tuber crops are not to be planted less than one year after last application.

[®]Trademark of The Dow Chemical Company (“Dow”) or an affiliated company of Dow

R902-001

EPA accepted: 05/22/14

Initial printing.