

Supplemental Labeling

Corteva Agriscience

9330 Zionsville Road

Indianapolis, IN 46268-1054 USA

Instinct NXTGEN™

NITROGEN STABILIZER

OPTINYTE™ TECHNOLOGY

EPA Reg. No. 62719-741

This supplemental label expires on August 1, 2024, and must not be used or distributed after this date.

For Use On Bulb Vegetables (Crop Group 3-07)¹

¹ Bulb vegetables (Crop Group 3-07) including chive, fresh leaves; chive, Chinese, fresh leaves; daylily, bulb; elegans hosta; fritillaria, bulb; fritillaria, leaves; garlic, bulb; garlic, great-headed, bulb; garlic, serpent, bulb; kurrat; lady's leek; leek; leek, wild; lily, bulb; onion, Beltsville bunching; onion, bulb; onion, Chinese, bulb; onion, fresh; onion, green; onion, macrostem; onion, pearl; onion, potato, bulb; onion, tree, tops; onion, Welsh, tops; shallot, bulb; shallot, fresh leaves; including cultivars, varieties, and/or hybrids of these.

ATTENTION

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- This labeling must be in the possession of the user at the time of application.
- Read the label affixed to the container for this product before applying. Carefully follow all precautionary statements and applicable use directions.
- Use of this product according to this supplemental labeling is subject to all use precautions and limitations imposed by the label affixed to the container for this product.

Keep Out of Reach of Children

CAUTION

Directions for Use

Use this product at 24 to 48 fl oz (0.5 to 1.0 lb ai) per acre applied as a broadcast or banded application applied to the soil or through chemigation equipment as outlined in this label, up to 45 days prior to harvest. Alternatively, apply one application at 24 fl oz up to 75 days prior to harvest followed by one application of 24 fl oz up to 45 days prior to harvest.

The rates specified are on a broadcast per acre basis. For application methods other than broadcast, per-acre rates must be concentrated in the treatment area such as the bed or band.

Restrictions

- Do not apply more than 48 fl oz (1.0 lb ai) per acre per application.
- Do not apply more than a total of 48 fl oz (1.0 lb ai) per acre per year.
- **Preharvest Interval:** Do not apply within 45 days of harvest.
- **Rotational Crop Restrictions:** All crops that are not already registered for nitrapyrin use, except Crop Subgroup 1B Root Vegetables**, may be planted 30 days or more after the last application of this product. Crop Subgroup 1B Root Vegetables may be planted 12 months or more after the last application.

** beet, garden; burdock, edible; carrot; celeriac; chervil, turnip-rooted; chicory; ginseng; horseradish; parsley, turnip-rooted; parsnip; radish; radish, oriental (daikon); rutabaga; salsify; salsify, black; salsify, Spanish; skirret; turnip

™® Trademarks of Corteva Agriscience and its affiliated companies

R456-001

EPA accepted: 07/30/2021

Initial