

SAFETY DATA SHEET

INTERLINK GUILD™

SDS DATE: 01/27/2020

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: INTERLINK GUILD™

DISTRIBUTOR: ELITE TECHNOLOGIES
ADDRESS: 1900 S. FM 2381 BUSHLAND, TEXAS 79012
PHONE: 806.349.1031
EMERGENCY CHEMTREC PHONE: US & CANADA: 1-800-424-9300

CHEMICAL NAME: Proprietary mixture
CHEMICAL FAMILY: Agricultural high surfactant oil concentrate
CHEMICAL FORMULA: Mixture

PRODUCT USE: Adjuvant

SECTION 1 NOTES: None

SECTION 2: HAZARDS

GHS Ratings:

Eye damage/irritation

Toxicity Categories

Skin corrosion/irritation
Category 2A

Category 2



Signal Word: WARNING

GHS Hazards

H315 Causes skin irritation.
H319 Causes serious eye irritation.

GHS Precautions

P102 Keep out of reach of children.
P103 Read label before use.
P233 Keep container tightly closed.
P234 Keep only in original container.
P261 Avoid breathing vapors or spray.
P264 Wash hands thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well ventilated area.
P280 Wear protective gloves, protective clothing, eye protection and face protection.
P301+310 IF SWALLOWED: Immediately call a POISON CENTER or physician.
P330 Rinse mouth.
P302+352 IF ON SKIN: Wash with plenty of soap and water.
P304+340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P304+340 IF INHALED: Call a POISON CENTER, or physician if you feel unwell.
P305+351+338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do then continue rinsing cautiously.
P337+313 If eye irritation persists: Get medical advice or attention.
P332+313 If skin irritation persists: Get medical advice or attention.
P362 Take off contaminated clothing and wash it before reuse.
P403+235 Store in a well-ventilated place. Keep cool.
P501 Dispose of contents in container to an approved waste disposal facility in accordance with local/regional/national/international regulations.

SAFETY DATA SHEET

INTERLINK GUILD™

SDS DATE: 01/27/2020

SECTION 3: INFORMATION ON COMPONENTS

<u>INGREDIENT</u>	<u>CAS NO.</u>	<u>% WT</u>
Distillates, petroleum, hydrotreated light	64742-58-1	50 – 60%
Proprietary	Proprietary	10 – 20%
Proprietary	Proprietary	5 – 10%
Proprietary	Proprietary	1 – 5%

NOTE: Product does NOT contain any pesticides or pest control agents.

SECTION 3 NOTES: These specific chemical identities and /or exact percentage (concentration) of composition have been withheld as a trade secret.

CARCINOGENICITY

OSHA: No **ACGIH:** No **NTP:** No **IARC:** No **OTHER:** No

SECTION 4: FIRST AID MEASURES

Call a poison control center or doctor immediately for treatment advice. Have the product container with you when calling a poison control center or doctor, or going for treatment.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do then continue rinsing. If eye irritation persists: Get medical advice or attention.

IF ON SKIN OR CLOTHING: Take off contaminated clothing and wash it before reuse. Wash with plenty of soap and water for several minutes. If skin irritation persists: Get medical advice or attention.

IF SWALLOWED: Immediately call a poison center OR doctor to specify the appropriate source of emergency medical advice. Rinse mouth. Unless advised otherwise by a poison control center or doctor, have person rinse mouth with water, if able. Do not give anything by mouth to an unconscious person.

IF INHALED: If breathing is difficult, remove person to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or physician if you feel unwell.

NOTES TO PHYSICIANS OR FIRST AID PROVIDERS:

SECTION 4 NOTES: None

SECTION 5: FIRE FIGHTING MEASURES

NFPA HAZARD CLASSIFICATION

HEALTH: 1 **FLAMMABILITY:** 1 **REACTIVITY:** 0 **OTHER:** -

IN CASE OF FIRE: Water, carbon dioxide, dry chemical or foam.

SPECIAL FIRE FIGHTING PROCEDURES: Wear self-contained breathing apparatus when fire fighting in confined space.

UNUSUAL FIRE AND EXPLOSION HAZARDS: Burning may produce carbon monoxide. Decomposition or combustion products may be toxic. Empty containers may retain residue and may be dangerous. Heated containers may rupture.

HAZARDOUS DECOMPOSITION PRODUCTS: Oxides of carbon

SECTION 5 NOTES: None

SECTION 6: ACCIDENTAL RELEASE MEASURES

ACCIDENTAL RELEASE MEASURES: Surround and absorb all spills. Material should be collected and disposed in proper manner. Dike the area to prevent spill from spreading. Soak up spill with a suitable absorbent such as clay, sawdust or kitty litter. Sweep up absorbed material and place in a chemical waste container for disposal. Wear suitable protective equipment.

SECTION 6 NOTES: None

SECTION 7: HANDLING AND STORAGE

HANDLING Keep out of reach of children. Read label before use. Do not eat, drink or smoke when using this product. Wear protective gloves, protective clothing, eye protection and face protection. Wash hands thoroughly after handling. Take off contaminated clothing and wash it before reuse. Use only outdoors or in a well-ventilated area.

STORAGE: Store in a cool well-ventilated place. Keep in original container tightly closed. Do not reuse empty container. Do not store with food, feed, or other material to be used or consumed by humans or animals. Do not contaminate water supplies. **STORE BETWEEN 40° AND 90° F.**

SECTION 7 NOTES: None

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Contains no substances with occupational exposure limit values. HMIS = B

VENTILATION: Use only outdoors or in a well-ventilated area. Avoid breathing dust/fume/gas/mist/vapors/spray.

RESPIRATORY PROTECTION: Not necessary unless ventilation is inadequate. Then use OSHA or NIOSH approved respirator, as appropriate.

EYE PROTECTION: Safety glasses.

SKIN PROTECTION: Chemical gloves, long-sleeved shirts and pants.

OTHER PROTECTIVE CLOTHING OR EQUIPMENT: Eye wash and safety shower should be easily accessible.

WORK HYGIENIC PRACTICES: Wash thoroughly with soap and water after handling product and before eating, drinking, or using tobacco products. Clean affected clothing, shoes, and protective equipment before reuse.

EXPOSURE GUIDELINES: If exposed, see section 4 for acute exposure first aid.

SECTION 8 NOTES: None

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE:	Clear, amber	FLAMMABLE LIMITS IN AIR, UPPER:	Unknown
		(% BY VOLUME)	LOWER: Unknown
ODOR:	Mild	VAPOR PRESSURE (mmHg):	@
ORDER THRESHOLD:	Not known		F: Unknown
			C: Unknown
PHYSICAL STATE:	Liquid	VAPOR DENSITY (AIR = 1):	@
pH AS SUPPLIED:	Not applicable		F: Unknown
pH (Other):			C: Unknown
INITIAL BOILING POINT:	F: Unknown	RELATIVE DENSITY:	0.903 to 0.909
	C: Unknown		
BOILING POINT RANGE:	F: Unknown	EVAPORATION RATE:	Unknown
	C: Unknown	BASIS (butyl acetate=1):	
MELTING POINT:	F: Unknown	SOLUBILITY IN WATER:	Dispersible
	C: Unknown		
FREEZING POINT:	F: Unknown	PARTITION COEFFICIENT: (n-octanol/water):	Unknown
	C: Unknown		
FLASH POINT:	F: >200	AUTO-IGNITION TEMPERATURE:	Unknown
	C: >93	DECOMPOSITION TEMPERATURE:	Unknown
METHOD USED:	PMCC	VISCOSITY:	@ Not determined
FLAMMABILITY (solid, gas):	Can burn		F: Unknown
			C: Unknown

SECTION 9 NOTES: VALUES ARE NOT PRODUCT SPECIFICATIONS.

Note: These physical data are typical values based on material tested but may vary from sample to sample. Typical values should not be construed as a guaranteed analysis of any specific lot or as specification items.

SECTION 10: STABILITY AND REACTIVITY

STABILITY: Stable Unstable

CONDITIONS TO AVOID (STABILITY): None known

INCOMPATIBILITY (MATERIAL TO AVOID): None known.

HAZARDOUS DECOMPOSITION OR BY-PRODUCTS: Under fire conditions, oxides of carbon.

HAZARDOUS POLYMERIZATION: Will not occur

CONDITIONS TO AVOID (POLYMERIZATION): None known

SECTION 10 NOTES: None

SECTION 11: TOXICOLOGICAL INFORMATION

TOXICOLOGICAL INFORMATION: Not available

MIXTURE TOXICITY Not available

COMPONENT TOXICITY Not available

SECTION 11 NOTES: None

SECTION 12: ECOLOGICAL INFORMATION

ECOLOGICAL INFORMATION: Not available

ECOTOXICITY: Not available

BIOACCUMULATIVE POTENTIAL: Not available

MOBILITY IN SOIL: Not available

OTHER ADVERSE EFFECTS: Not available

SECTION 12 NOTES: None

SECTION 13: DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHOD: Do not contaminate water, food or feed by storage or disposal. Dispose of contents in container to an approved waste disposal facility in accordance with all local, regional, national and international regulations.

CONTAINER DISPOSAL: Triple rinse (or equivalent) adding rinse water to application tank. Offer container for recycling or dispose of in a sanitary landfill or by other procedures approved by local regulations.

RCRA HAZARD CLASS: None

SECTION 13 NOTES: None

SECTION 14: TRANSPORT INFORMATION

U.S. DEPARTMENT OF TRANSPORTATION

DOT Shipping Description: Not Regulated

U.S. Surface Freight Classification: ADHESIVES, ADJUVANTS, SPREADERS OR STICKERS (NMFC 4610; CLASS: 60) Consult appropriate ICAO/IATA and IMDG regulations for shipment requirements in the Air and Maritime shipping modes.

OTHER AGENCIES: None

SECTION 14 NOTES: None

SECTION 15: REGULATORY INFORMATION

U.S. FEDERAL REGULATIONS

TSCA (TOXIC SUBSTANCE CONTROL ACT): Mixture not listed

CERCLA (COMPREHENSIVE RESPONSE COMPENSATION, AND LIABILITY ACT): Not Regulated

SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT): Not Regulated

311/312 HAZARD CATEGORIES: None

313 REPORTABLE INGREDIENTS: None
Immediate Health Hazard

313 REPORTABLE INGREDIENTS:

CAS Number	Chemical Name	Concentration
Mixture	Glycol ethers (fraction of product matching EPA definition)	1.00-2.00

STATE REGULATIONS:

WARNING! This product contains a detectable amount of ethylene oxide, which is known to the State of California to cause cancer and/or reproductive toxicity.

Ethoxylated products may contain residual amounts of ethylene oxide (EO) which can accumulate in the container headspace and be released into the ambient environment. This process is enhanced when the product is agitated, as during tank car loading and unloading, and blending operations. Ethylene oxide causes tumors in laboratory animals. The Occupational Safety and Health Administration (OSHA) Permissible Exposure Level (PEL) for EO is 1 ppm for an eight-hour time weighted average exposure. The standard regulates occupational exposure to EO from all sources, including products containing residual EO. It is the responsibility of the employer to comply with OSHA ethylene oxide standard (29) CFR 1910.1047).

INTERNATIONAL REGULATIONS: None

SECTION 15 NOTES: None

SECTION 16: OTHER INFORMATION

OTHER INFORMATION: None

DISCLAIMER:

The recommendation for safe handling and protection procedures is believed to be generally suitable for the standard uses of this compound. However, each user should identify his intended uses of this material and determine whether they are appropriate. All data included in this document is released as typical values and should not be utilized to determine the suitability of this material for a particular use or purpose. No warranty, either expressed or implied, is hereby made, nor do we give permission, inducement, or recommendations to practice any patented invention without a license. All data is offered for consideration, investigation and verification purposes only.