

# Supplemental Labeling



Dow AgroSciences LLC

9330 Zionsville Road

Indianapolis, IN 46268-1054 USA

## Intrepid<sup>®</sup> 2F

EPA Reg. No. 62719-442

### Control of Lepidoptera Larvae Infesting Peanut

#### ATTENTION

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- This labeling must be in the possession of the user at the time of application.
- Read the label affixed to the container for Intrepid<sup>®</sup> 2F insecticide before applying. Carefully follow all precautionary statements and applicable use directions.
- Use of Intrepid 2F according to this supplemental labeling is subject to all use precautions and limitations imposed by the label affixed to the container for Intrepid 2F.

#### Directions for Use

Refer to product label for General Use Precautions, Mixing and Application instructions.

Pests	Application Rate (fl oz/acre)	Application Timing	Restrictions
armyworms cabbage looper green clover worm saltmarsh caterpillar soybean loopers velvet bean caterpillar	6 - 10 (0.09 - 0.16 lb ai/acre)	Apply when first signs of feeding damage appear or when threshold levels of feeding damage occur.	<ul style="list-style-type: none"><li>• Do not apply more than 64 fl oz of Intrepid 2F (1 lb ai) per acre per calendar year.</li><li>• Do not make more than 3 applications per acre per calendar year.</li><li>• <b>Pre-harvest Interval:</b> Do not harvest within 7 days of application.</li><li>• <b>Re-treatment Interval:</b> 7 days</li><li>• Do not use this product on peanut in New York State.</li><li>• See Rotational Crop Restrictions below.</li></ul>

**Ground Application:** Apply a minimum of 10 gallons per acre by conventional ground equipment. Equipment and spray volume should be calibrated to assure uniform coverage of infested parts of the crop.

**Aerial Application:** Apply a minimum of 5 gallons per acre. Use of higher carrier volume is recommended for heavy infestations and in situations where thorough coverage is difficult to achieve.

**Rotational Crop Restrictions:** Crops with registered uses may be replanted at any time. All other crops grown for food or feed may be replanted after 7 days.

**Note:** Drift and runoff from applications of this product may be hazardous to sensitive aquatic invertebrates in water bodies adjacent to the treatment area. Refer to the Environmental Hazards section of the product label attached to the product container for required protective measures.

®Trademark of Dow AgroSciences LLC

R846-069

EPA accepted 02/27/08

Replaces R846-040