

1. Identification

Product identifier	K-PAM® HL
Other means of identification	
SDS number	279
Product registration number	
EPA	5481-483 5481-484
Synonyms	AMV 540 * Metam Potassium Manufacturing Use Concentrate
Recommended use	Soil Fumigant.
Recommended restrictions	None known.
EPA Registration number	EPA: 5481-483, 5481-484

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name	AMVAC Chemical Corporation	
Address	4695 MacArthur Court Suite 1200 Newport Beach, CA 92660 United States	
Telephone	AMVAC Chemical Corp	949-260-1200
	AMVAC Chemical Corp	949-260-6270(FAX)
E-mail	CustServ@amvac.com	
Emergency phone number	Medical	888-681-4261
	CHEMTREC® (USA+Canada)	800-424-9300
	Product Use	888-462-6822
	CHEMTREC® (Outside USA)	+1-703-527-3887

2. Hazard(s) identification

Physical hazards	Corrosive to metals	Category 1
Health hazards	Acute toxicity, oral	Category 4
	Acute toxicity, dermal	Category 4
	Skin corrosion/irritation	Category 1C
	Serious eye damage/eye irritation	Category 1
Environmental hazards	Hazardous to the aquatic environment, long-term hazard	Category 1
	Hazardous to the ozone layer	Category 1
OSHA defined hazards	Not classified.	

Label elements



Signal word

Danger

Hazard statement May be corrosive to metals.
Harmful if swallowed.
Harmful in contact with skin.
Harmful if inhaled.

Causes serious eye damage.
Very toxic to aquatic life.
Very toxic to aquatic life with long lasting effects.

Precautionary statement

Prevention

Do not handle until all safety precautions have been read and understood.
Keep only in original container.
Avoid breathing mist or vapor.
Do not get in eyes, on skin, or on clothing.
Wash thoroughly after handling.
Do not eat, drink or smoke when using this product.
Use only outdoors or in a well-ventilated area.
Contaminated work clothing must not be allowed out of the workplace.
Wear protective gloves/protective clothing/eye protection/face protection.

Response

Absorb spillage to prevent material damage.
If swallowed: Call a poison center/doctor if you feel unwell. Rinse mouth.
If on skin: Wash with plenty of water. Take off contaminated clothing and wash before reuse. If skin irritation or rash occurs: Get medical advice/attention.
If inhaled: Remove person to fresh air and keep comfortable for breathing.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Call a poison center/doctor if you feel unwell.
Collect spillage.

Storage

Store in corrosive resistant container with a resistant inner liner.
Store in a well-ventilated place. Keep container tightly closed.
Store away from incompatible materials.

Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise classified (HNOC)

None known.

Supplemental information

This is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The hazard information required on the pesticide label is reproduced in section 15. The pesticide label also includes other important information, including directions for use. Contact with acids liberates toxic gas.

3. Composition/information on ingredients

Substances

Chemical name	Common name and synonyms	CAS number	%
Potassium Methylthiocarbamate		137-41-7	54

Composition comments All concentrations are in percent by weight.

4. First-aid measures

Inhalation

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Administer oxygen or artificial respiration if needed. Call a POISON CENTER or doctor/physician if you feel unwell. Do not use mouth-to-mouth method if victim inhaled the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.

Skin contact

Remove contaminated clothing immediately and wash skin with soap and water. In case of eczema or other skin disorders: Seek medical attention and take along these instructions. Wash contaminated clothing before reuse.

Eye contact

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

Ingestion

Call a physician or poison control center immediately.
Rinse mouth. Do not induce vomiting without advice from poison control center. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.
Never give anything by mouth to a victim who is unconscious or is having convulsions.

Most important symptoms/effects, acute and delayed

Overexposure to K-PAM HL as sold may result in damage to the skin, skin irritation, excessive salivation, sweating, fatigue, weakness, nausea, headache, dizziness, eye, nose, throat and respiratory tract irritation. In addition, dilution to use levels results in the release of methyl isothiocyanate (MITC) and/or hydrogen sulfide. Overexposure to MITC may result in strong skin and eye irritation, running nose, dizziness, cramps, nausea, vomiting, and mild to severe disturbances of the nervous system. Overexposure to hydrogen sulfide may result in severe irritation to the eyes and mucous membranes. In addition, exposure may result in headache, dizziness, excitement, staggering gait, diarrhea, difficult or painful urination, difficult breathing, chronic pulmonary edema, coma and death.

Chronic exposure may also cause conjunctivitis, photophobia, digestive disturbances, weight loss, general bodily weakness, and blurred vision. In addition, laboratory studies have shown that exposure to the active ingredient, followed by ingestion of alcohol, may cause an adverse reaction, including low blood pressure, rapid heartbeat, and flushing of the skin. Consumption of alcohol during and after exposure to this product should be avoided.

Indication of immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Keep victim warm. Keep victim under observation. Symptoms may be delayed. Contact your local or State Poison control Center for further information.

General information

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Wash contaminated clothing before reuse.

5. Fire-fighting measures

Suitable extinguishing media

Use fire-extinguishing media appropriate for surrounding materials.

Unsuitable extinguishing media

Material reacts with water. Dilution with water may cause generation of flammable and toxic fumes of MITC and Hydrogen sulfide. See Chemical Stability information in SECTION 10.

Specific hazards arising from the chemical

Material reacts with water. This product can release toxic fumes of methyl isothiocyanate (MITC) and hydrogen sulfide, as well as nitrogen oxides, when heated to decomposition or diluted with water. Fire may produce irritating, corrosive and/or toxic gases.

Special protective equipment and precautions for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting equipment/instructions

Evacuate the area promptly. Move containers from fire area if you can do so without risk.

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during clean-up. Avoid breathing mist or vapor. Avoid contact with eyes, skin, and clothing. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Siphon the majority of the liquid into drums for use or disposal, depending on the circumstances. Clean the area as described for a small spill.

Small Spills: Absorb spillage with non-combustible, absorbent material. Scoop up used absorbent into drums or other appropriate container. Scrub the area with detergent and water. Rinse with water. Pick up wash liquid with additional absorbent and place in a disposable container.

Never return spills to original containers for re-use.

Environmental precautions

Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground. Inform appropriate managerial or supervisory personnel of all environmental releases.

7. Handling and storage

Precautions for safe handling

Read label before use. Keep out of the reach of children. Keep away from food, drink and animal feedstuffs. Keep away from heat and sources of ignition. Avoid breathing mist or vapor. Avoid contact with eyes, skin, and clothing. Do not taste or swallow. When using, do not eat, drink or smoke. Use only outdoors or in a well-ventilated area. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Avoid release to the environment.

Conditions for safe storage, including any incompatibilities

Keep away from food, drink and animal feedstuffs. Store in a cool, dry place out of direct sunlight. Store in corrosive resistant container with a resistant inner liner. Keep only in the original container. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits	This substance has no PEL, TLV, or other recommended exposure limit.
Biological limit values	No biological exposure limits noted for the ingredient(s).
Appropriate engineering controls	Mechanical ventilation or local exhaust ventilation may be required. Eye wash facilities and emergency shower must be available when handling this product.
Individual protection measures, such as personal protective equipment	
Eye/face protection	Safety glasses with side shields or tight fitting chemical goggles should be used whenever hazardous chemicals are being handled. A full face respirator should be worn whenever there is a chance of splashing or misting.
Skin protection	
Hand protection	Wear chemical resistant gloves (preferably nitrile)
Other	Wear appropriate chemical resistant clothing (see label). Long-sleeved shirt and long pants or coveralls, socks and closed toe shoes are required. If there is a possibility of splashing or spillage, a chemical resistant apron or chemical resistant coverall should also be worn.
Respiratory protection	For exposures that may exceed the TLV, a respirator with either an organic vapor-removing cartridge with a prefilter approved for pesticides (MSHA/NIOSH approval number prefix TC-23C), or canister approved for pesticides (MSHA/NIOSH approval number prefix TC-14G) is required. A full-face respirator or a SCBA may be required if misting or splashing are possible.
Thermal hazards	Not applicable.
General hygiene considerations	Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

9. Physical and chemical properties

Appearance	
Physical state	Liquid.
Form	Liquid.
Color	Light yellow-green
Odor	Essentially odorless to fairly strong odor of amine or sulfur.
Odor threshold	Not available.
pH	9 - 11.5
Melting point/freezing point	Not available.
Initial boiling point and boiling range	234 °F (112 °C)
Flash point	> 200 °F (> 93 °C) Closed Cup
Evaporation rate	1 compared to water
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or explosive limits	
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	2.40E+01 mm Hg at 25 C
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	miscible
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.

Other information

Bulk density	10.6 lb/gal
Flammability class	Combustible IIIB estimated
Molecular formula	C ₂ H ₅ NS ₂ .K
Molecular weight	145.29 g/mol
Specific gravity	1.27 20 C/4 C

10. Stability and reactivity

Reactivity	May be corrosive to metals.
Chemical stability	Material is stable under normal conditions.

K-PAM HL decomposes, when diluted with water, to methyl isothiocyanate (MITC, a lachrymator and moderate poison) and/or to hydrogen sulfide (a highly poisonous gas). Use the solution promptly after mixing. Do not allow the solution to stand.
K-PAM HL can also decompose to carbon disulfide and monomethylamine (both highly flammable) if contacted with a strong acid.

Possibility of hazardous reactions	Hazardous polymerization does not occur.
---	--

Conditions to avoid	Contact with incompatible materials. Contact with water liberates flammable gas.
----------------------------	--

Incompatible materials	This product is incompatible with additional water and strong aqueous acids. In addition, it is corrosive to copper, brass, and zinc, and may soften and/or discolor iron.
-------------------------------	--

Hazardous decomposition products	When treated with water or heated to decomposition, this product will give off toxic fumes of methyl isothiocyanate (MITC), hydrogen sulfide, and nitrogen oxides. If treated with strong acids, fumes of carbon disulfide and monomethylamine will be given off.
---	---

11. Toxicological information

Information on likely routes of exposure

Inhalation	Harmful if inhaled.
Skin contact	Harmful in contact with skin. Causes skin burns. May cause an allergic skin reaction.
Eye contact	Causes serious eye damage.
Ingestion	Harmful if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics

Overexposure to K-PAM HL as sold may result in damage to the skin, skin irritation, excessive salivation, sweating, fatigue, weakness, nausea, headache, dizziness, eye, nose, throat and respiratory tract irritation. In addition, dilution to use levels results in the release of methyl isothiocyanate (MITC) and/or hydrogen sulfide. Overexposure to MITC may result in strong skin and eye irritation, running nose, dizziness, cramps, nausea, vomiting, and mild to severe disturbances of the nervous system. Overexposure to hydrogen sulfide may result in severe irritation to the eyes and mucous membranes. In addition, exposure may result in headache, dizziness, excitement, staggering gait, diarrhea, difficult or painful urination, difficult breathing, chronic pulmonary edema, coma and death.

Chronic exposure may also cause conjunctivitis, photophobia, digestive disturbances, weight loss, general bodily weakness, and blurred vision. In addition, laboratory studies have shown that exposure to the active ingredient, followed by ingestion of alcohol, may cause an adverse reaction, including low blood pressure, rapid heart beat, and flushing of the skin. Consumption of alcohol during and after exposure to this product should be avoided. Impaired pulmonary function and preexisting eye problems may be aggravated. Preexisting skin diseases may also be aggravated by exposure to the decomposition products.

Information on toxicological effects

Acute toxicity	Harmful if swallowed. Harmful if inhaled. Harmful in contact with skin. Causes severe skin burns and eye damage. May cause an allergic skin reaction.
-----------------------	---

Product	Species	Test Results
K-PAM® HL		
Acute Dermal		
LD50	Rabbit	> 1000 mg/kg
Oral		
LD50	Rat	630 mg/kg
Skin corrosion/irritation	Corrosive to skin and eyes.	

Irritation Corrosion - Skin	
K-PAM® HL	, Corrosive
Serious eye damage/eye irritation	Causes serious eye damage.
Eye	
K-PAM® HL	, Corrosive
Respiratory or skin sensitization	
Respiratory sensitization	Not available.
Skin sensitization	May cause an allergic skin reaction.
Skin sensitization	
K-PAM® HL	, Probable sensitizer
Germ cell mutagenicity	No evidence of mutagenicity has been observed in animal testing.
Carcinogenicity	Based on available data, the classification criteria are not met. Limited evidence of a carcinogenic effect.

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicity	This product has not shown any reproductive effects in laboratory animals.
Specific target organ toxicity - single exposure	Not classified.
Specific target organ toxicity - repeated exposure	Not classified.
Aspiration hazard	Not available.

12. Ecological information

Ecotoxicity	Very toxic to aquatic life with long lasting effects. This product is toxic to fish. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.
Persistence and degradability	Product decomposes rapidly in wet environments.
Bioaccumulative potential	Decomposes rapidly - will not bioaccumulate.
Mobility in soil	This product decomposes when diluted with water and the decomposition products will leach from the soil.
Other adverse effects	None known.

13. Disposal considerations

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site according to all applicable regulations. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with all applicable local/regional/national/international regulations.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	D002: Waste Corrosive material [pH ≤2 or ≥12.5, or corrosive to steel] The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose of in accordance with all applicable regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal methods/information). Avoid discharge into water courses or onto the ground.
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal according to all applicable regulations. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

14. Transport information

DOT	
UN number	UN3266

UN proper shipping name Corrosive liquid, basic, inorganic, n.o.s. (Potassium methyldithiocarbamate), MARINE POLLUTANT

Transport hazard class(es)

Class 8

Subsidiary risk -

Label(s) 8

Packing group III

Environmental hazards

Marine pollutant Yes

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Special provisions IB3, T7, TP1, TP28

Packaging exceptions 154

Packaging non bulk 203

Packaging bulk 241

IATA

UN number UN3266

UN proper shipping name Corrosive liquid, basic, inorganic, n.o.s. (Potassium methyldithiocarbamate)

Transport hazard class(es)

Class 8

Subsidiary risk -

Packing group III

Environmental hazards No.

ERG Code 8L

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Other information

Passenger and cargo aircraft Allowed with restrictions.

Cargo aircraft only Allowed with restrictions.

Read safety instructions, SDS and emergency procedures before handling.

IMDG

UN number UN3266

UN proper shipping name CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (Potassium methyldithiocarbamate), MARINE POLLUTANT

Transport hazard class(es)

Class 8

Subsidiary risk -

Packing group III

Environmental hazards

Marine pollutant Yes

EmS F-A, S-B

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not established.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code


DOT



IATA; IMDG



Marine pollutant



General information

DOT Regulated Marine Pollutant. IMDG Regulated Marine Pollutant.

15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The hazard information required on the pesticide label is reproduced below. The pesticide label also includes other important information, including directions for use.

United States Environmental Protection Agency (EPA) Labeling Requirements: This product is registered under EPA/FIFRA Regulations as a RESTRICTED USE PESTICIDE. It is a violation of Federal Law to use this product in any manner inconsistent with its labeling. Read and follow all label directions. This product is excluded from listing requirements under EPA/TSCA.

HAZARD TO HUMANS AND DOMESTIC ANIMALS.

DANGER: Fatal if absorbed through skin. CORROSIVE. Causes skin burns and irreversible eye damage, Do not get in eyes, on skin, or on clothing. May be fatal if inhaled or swallowed. Do not breathe mist/vapors/spray. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to mammals, birds, fish, and aquatic invertebrates. Do not apply directly to water, or to areas where surface water is present (except for application to cranberry bogs) or to intertidal areas below the mean high water mark. Do not allow this material to drift onto neighboring crops or non crop areas or use in a manner or at a time other than in accordance with label directions because animal, plant or crop injury, illegal residues, or other undesirable results may occur.

K-PAM has certain properties and characteristics in common with chemicals that have been detected in groundwater (highly soluble in water and has low adsorption to soil).

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous chemical Yes

Classified hazard categories Corrosive to metal
Acute toxicity (any route of exposure)
Skin corrosion or irritation
Serious eye damage or eye irritation

SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.
Potassium Methyldithiocarbamate	137-41-7	54

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act (SDWA) Not regulated.

US state regulations

California Proposition 65



WARNING: WARNING: This product contains a chemical known to the State of California to cause cancer and birth defects or other reproductive harm. This product can expose you to Potassium Methyldithiocarbamate, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

California Proposition 65 - CRT: Listed date/Carcinogenic substance

Potassium Methyldithiocarbamate (CAS 137-41-7) Listed: December 31, 2010

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	No

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date Apr-06-2015

Revision date Jul-20-2021

References ACGIH®: American Conference of Governmental Industrial Hygienists
CERCLA: Comprehensive Environmental Response, Compensation, and Liability Act
EPA: Environmental Protection Agency
FIFRA: Federal Insecticide, Fungicide, and Rodenticide Act
IARC: International Agency for Research on Cancer
NTP: National Toxicology Program
OSHA: Occupational Safety and Health Agency
SARA: Superfund Amendments and Reauthorization Act
TSCA: Toxic Substances Control Act
DOT: Department of Transportation
IMDG: International Maritime Dangerous Goods
IATA: International Air Transport Association

Version # 3.0

HMIS® ratings Health: 2
Flammability: 1
Physical hazard: 1
Personal protection: C

NFPA ratings

Health: 2
Flammability: 1
Instability: 1

Disclaimer

This information is provided for the limited guidance to the user. While AMVAC believes that the information is, as of the date hereof, reliable, it is the user's responsibility to determine the suitability of the information for its purposes. The user is advised not to construe the information as absolutely complete since additional information may be necessary or desirable when particular, exceptional, or variable conditions or circumstances exist (like combinations with other materials), or because of applicable regulations. No express or implied warranty of merchantability or fitness for a particular purpose or otherwise is made hereunder with respect to the information or the product to which the information relates.

AMVAC Chemical Corporation cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use.

©2021 AMVAC Chemical Corporation. All Rights Reserved. AMVAC and the AMVAC Logo are trademarks owned by AMVAC Chemical Corporation.

K-PAM is a trademark owned by AMVAC Chemical Corporation.

ACGIH is a trademark of the American Conference of Governmental Industrial Hygienists.

CHEMTREC is a trademark of the American Chemistry Council, Inc.

HMIS is a trademark of the American Coatings Association.

NFPA is a trademark of the National Fire Protection Association, Inc.

Revision information

Product and Company Identification: Product and Company Identification

Hazard(s) identification: Hazard statement

Hazard(s) identification: Hazard(s) not otherwise classified (HNOC)

Hazard(s) identification: Supplemental information

Transport information: IMDG classification

Transport information: IATA classification

Regulatory Information: United States

Regulatory information: California Proposition 65

Regulatory information: Water Pollution Control Act

Other information, including date of preparation or last revision: Disclaimer

GHS: Classification