

GENERAL INFORMATION

KEYLATE IRON is designed for soil and/or foliar application. KEYLATE IRON is formulated to be used independent of or along with fertilizer solutions. Broadcast, in furrow, or fertilizer band/strip applications are acceptable.

DIRECTIONS FOR USE

It is a violation of the law to use this product inconsistent with its labeling.

RECOMMENDED USES:

FOR SOIL APPLICATION:
KEYLATE IRON can be incorporated in liquid fertilizer or applied separately at the following rates:
Maintenance application: 1 quart per acre
Moderate micronutrient deficiency: 2 to 3 quarts per acre
Heavy micronutrient deficiency: 4 to 5 quarts per acre

FOR FOLIAR APPLICATION:
Field Crops: Alfalfa, barley, canola, corn, cotton, flax, milo, oats, soybeans, sugar beets, sugar cane, wheat. Apply 1 quart per acre (2.4 liters per hectare) per application
Vegetables: All beans, broccoli, cabbage, cauliflower, carrots, celery, lettuce, melons, onions, peppers, potatoes, peanuts, sweet corn, spinach, strawberries, tomatoes, turnips, watermelons. Apply 0.5-1 quart per acre (1.2 liters per hectare) per application.
Vegetables: All beans, broccoli, cabbage, cauliflower, carrots, celery, lettuce, melons, onions, peppers, potatoes, peanuts, sweet corn, spinach, strawberries, tomatoes, turnips, watermelons. Apply 0.5-1 quart per acre (1.2 liters per hectare) per application.
Tree and Vine Crops: Almonds, apples, avocados, citrus, grapes, nectarines, pears, peaches, pecans, plums, walnuts. Apply 1 quart of KEYLATE IRON in 100 gallons of water.
► Do not exceed two quarts per acre per application for foliar sprays.

Foliar apply KEYLATE IRON in minimum of 20 gallons of water per acre (180 liters/hectare) through conventional equipment or 5 gallons of water per acre (45 liters/hectare) when using ultra low volume equipment.

MIXING INSTRUCTION: Follow this mixing order 1. Water 2. KEYLATE IRON 3. Pesticide.
KEYLATE IRON will disperse in water with little agitation. KEYLATE IRON is compatible with most fertilizers and pesticides. Always conduct a jar test when using new or untried combinations. The addition of 0.5% (total solution) of nitrogen solution, ammonium sulfate, or low biuret urea may aid leaf absorption.

Notice: The information contained herein is true and accurate to the best of our knowledge and belief, but is presented without guarantee since field conditions and use are beyond our control. Neither the manufacturer nor the seller make any warranty, expressed or implied concerning the use of this product other than indicated on the label. Buyer assumes all risk of use of this material when such use is contrary to label instruction. Read and follow the label directions carefully.

CONDITIONS OF SALE: 1. Seller warrants that this product consists of the ingredients specified and is reasonably fit for the purpose stated on this label when used in accordance with directions under normal conditions of use. No one, other than an officer of Seller, is authorized to make any warranty, guarantee of direction concerning this product. 2. Because of time, place, rate of application and other conditions of use are beyond sellers control, Sellers liability from handling, storage and use of this product is limited to replacement of product or refund of purchase price.

Keylate Iron

GUARANTEED ANALYSIS
Iron (Fe):.....5%
5% Chelated Iron

Derived from ferrous chloride and ethanol,
2-amino 2 hydroxy-1,2,3-propanetricarboxylate

CAUTION

KEEP OUT OF REACH OF CHILDREN; MAY BE HARMFUL IF SWALLOWED, INHALED OR IN CONTACT WITH SKIN; MAY CAUSE EYE IRRITATION. MAY CAUSE DAMAGE THROUGH PROLONGED EXPOSURE.

PRECAUTIONS: Do not breathe dust/fume/gas/mist/vapors/spray. Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in well-ventilated area. Avoid release to environment. Wear protective gloves/protective clothing/eye protection/face protection. Keep container tightly closed. Keep cool and protected from sunlight.

If medical advice is needed, have product container or label at hand. For more details regarding the safe use/handling, storage and disposal of this product as well as additional hazards and first aid measures, please obtain the current Safety Data Sheet at www.stollerusa.com.

STORAGE AND DISPOSAL

KEYLATE Micronutrients are chelates with low corrositivity. It is recommended that Keylates (9% Zn, 5% Fe, 5% Mn, and 5% Cu) be stored in fiberglass, polyethylene or polyolefin. We recommend storing pails a maximum of three pails high. Do not stack pallets. Store container tightly closed in a cool/well-ventilated dry place protected from sunlight above 40°F. Do not allow container to freeze. Store locked up. DISPOSE of contents/container at a permitted facility or as advised by your local regulatory authority. Do not contaminate water, food or feed by storage or disposal. Do not apply directly to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment wash water. Do not reuse empty container.

Information regarding the contents and levels of metals in this product is available on the internet at <http://www.aapfco.org/metals.html>

Keylate[®]
Iron

5% Iron

F2399

Density: 10.3 lb/gal (1.24 kg/L) @ 68°F (20°C)

NET CONTENT	NET WEIGHT
<input type="checkbox"/> 2.50 gal (9.5 L)	25.8 lb (11.7 kg)
<input type="checkbox"/> 2.64 gal (10.0 L)	27.2 lb (12.4 kg)
<input type="checkbox"/> 5.00 gal (18.9 L)	51.5 lb (23.4 kg)
<input type="checkbox"/> 5.28 gal (20.0 L)	54.4 lb (24.7 kg)
<input type="checkbox"/> 55.00 gal (208.2 L)	566.5 lb (257.3 kg)
<input type="checkbox"/> 275.00 gal (1041.0 L)	2832.5 lb (1286.7 kg)
<input type="checkbox"/> BULK	

Z- KEYFE
Rev: 20G17

Manufactured and Guaranteed by
Stoller Enterprises, Inc.

9090 Katy Freeway, Suite 400
Houston, TX 77024
Phone: 1-800-539-5283 or 713-461-1493

EMPOWERING
PLANTS
EMPOWERING
PEOPLE

stollerusa.com

Stoller[®]

Fe

Keylate[®]
Iron