

Supplemental Label



EPA Reg. No. 59639-95
(For Use in Florida Only)

KNACK® INSECT GROWTH REGULATOR FOR USE ON CITRUS FRUIT

This supplemental label expires April 24, 2020 and must not be used or distributed after this date.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

THIS LABELING MUST BE IN THE POSSESSION OF THE USER AT THE TIME OF APPLICATION. READ THE LABEL AFFIXED TO THE CONTAINER FOR *KNACK* INSECT GROWTH REGULATOR BEFORE APPLYING. USE OF *KNACK* INSECT GROWTH REGULATOR ACCORDING TO THIS LABELING IS SUBJECT TO THE USE PRECAUTIONS AND LIMITATIONS IMPOSED BY THE LABEL AFFIXED TO THE CONTAINER FOR *KNACK* INSECT GROWTH REGULATOR.

CITRUS FRUIT (Crop Group 10-10)

Australian Desert Lime; Australian Finger-lime; Australian Round Lime; Brown River Finger Lime; Calamondin; Citron; Citrus hybrids; Grapefruit; Japanese Summer Grapefruit; Kumquat; Lemon; Lime; Mediterranean Mandarin; Mount White Lime; New Guinea Wild Lime; Orange, Sour; Orange, Sweet; Pummelo; Russell River Lime; Satsuma Mandarin; Sweet Lime; Tachibana Orange; Tahiti Lime; Tangelo; Tangerine (mandarin); Tangor; Trifoliate Orange; Uniq Fruit; cultivars, varieties, and/or hybrids of these.

GENERAL: *Knack* Insect Growth Regulator acts by suppressing embryogenesis within the insect egg and by inhibiting metamorphosis and adult emergence of target insects. *Knack* Insect Growth Regulator has no activity on adult insects, but hatching of eggs laid by treated adults will be suppressed. Since *Knack* is an Insect Growth Regulator (IGR) and activity depends on the insect's development, evidence of activity will be slower than typical contact insecticides.

MANAGING INSECT RESISTANCE: Repeated use of the same class of insecticides with similar modes of action can lead to the buildup of resistant insect strains. To optimize resistance management practices, Valent U.S.A. LLC is restricting *Knack* Insect Growth Regulator to no more than two applications per growing season. *Knack* Insect Growth Regulator may be used in alternation with other IGR materials possessing dissimilar modes of action and/or with other chemical classes of insecticides. Follow local, state, and federal IPM and IRM recommendations. Read and follow all product labels before applying any insecticide.

CITRUS FRUIT (Crop Group 10-10) continued

PESTS	PRODUCT RATES PER ACRE	SPECIAL INSTRUCTIONS
Black Scale Brown Soft Scale California Red Scale Florida Red Scale Snow Scale	16 fl oz	Apply with ground equipment in 200 to 1500 gal/A. Apply in sufficient water volume for tree size. Thorough coverage is critical for control. It is essential to use adequate water volume to ensure thorough coverage. Apply any time prior to fruit becoming infested when scale is in the crawler stage. Application at the 2 nd or 3 rd generation of scale may result in excessive dead scale remaining on the fruit at harvest. Thorough coverage is essential for good control. <i>Knack</i> Insect Growth Regulator may be applied with superior spray oils at 1/2 to 1%. Follow the manufacturer's directions and recommendations on timing and rates. NOTE: For scale apply during emergence of scale crawlers, do not apply more than 16 fl oz of <i>Knack</i> Insect Growth Regulator per acre per calendar year.
Citrus Black Fly Citrus Leafminer Citrus Whitefly	10 fl oz	Apply with ground application in 200 to 1500 gal/A. Apply in sufficient water volume for tree size. Thorough coverage is critical for control. It is essential to use adequate water volume to ensure thorough coverage. Apply when pests are just beginning to build and before infestation has occurred. Thorough coverage is essential for good control. NOTE: Do not make more than 2 applications of <i>Knack</i> Insect Growth Regulator per acre per year.
<p><i>Knack</i> Insect Growth Regulator may be mixed and/or alternated with commonly used insecticides to comply with local Integrated Pest Management (IPM) and Insect Resistance Management (IRM) programs.</p> <ul style="list-style-type: none"> • Do not apply within 1 day of harvest. • Do not exceed 26 fl oz of <i>Knack</i> Insect Growth Regulator per acre per calendar year. • Do not apply earlier than 21 days after last <i>Knack</i> Insect Growth Regulator treatment. • Regardless of formulation do not apply more than 0.175 lb pyriproxyfen per acre per calendar year. 		

PLEASE CONTACT VALENT U.S.A. LLC AT 800-6-VALENT (682-5368) TO DETERMINE IF THIS USE IS REGISTERED IN YOUR STATE.

©2017 Valent U.S.A. LLC

Knack is registered trademark of Valent U.S.A. LLC

Manufactured for
Valent U.S.A. LLC

P. O. Box 8025
 Walnut Creek, CA 94596-8025

Made in U.S.A.

Form 2017-KNK-0010