

## SECTION 1 IDENTIFICATION

**Company Name** KALO, Inc.  
**Address** 13200 Metcalf Ave., Suite 250  
**City, State, Zipcode** Overland Park, KS 66213  
**Phone Numbers** 800-255-5196 / 913-491-9146 (fax)  
**Website** www.kalo.com

**24 HOUR EMERGENCY NUMBER/CHEMTREC (USA)**  
 1-800-424-9300

**Poison Control Center (USA)**  
 1-800-222-1212

**Product Identity** Leeway Ultra  
**Reference/Item Number** LWYU01, LWYU02, LWYU30, LWYU55, LWYU265  
**Intended Use** Agricultural Spray  
**Application Method** Agricultural Spray

## SECTION 2 HAZARD(S) IDENTIFICATION

Using the toxicity data listed in Sections 11 and 12, the product is labeled as follows:

**[ACUTE TOX. 4]:**

**H302:** Harmful if swallowed.

**[SKIN IRRITANT 2]:**

**H315:** Causes skin irritation.

**[EYE DAMAGE 2B]:**

**H320:** Causes eye irritation.

**[PREVENTION]:**

**P264:** Wash thoroughly after handling.  
**P270:** Do not eat, drink or smoke when using this product.  
**P280:** Wear protective gloves and eye/face protection.

**[RESPONSE]:**

**P301+312:** IF SWALLOWED: Call a poison center or doctor/physician if you feel unwell.  
**P330:** Rinse mouth.  
**P302+352:** IF ON SKIN: Wash skin with plenty of soap and water.  
**P332+313:** If skin irritation occurs: Get medical advice/attention.  
**P305+351+338:** IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do; continue rinsing.  
**P337+313:** If eye irritation persists: Get medical advice/attention.  
**P363:** Take off contaminated clothing and wash before reuse.

**HAZARD COMMUNICATION STANDARD (HCS) PICTOGRAM(S)**



**WARNING**

## SECTION 3 COMPOSITION/INFORMATION ON INGREDIENTS

This product is labeled with the following GHS classifications, as it contains substances that present a hazard within the meaning of the relevant State and Federal Hazardous Substances regulations. This product is a proprietary blend and the ingredients and mixture percentages are being withheld as confidential business information.

Ingredient/Chemical Designations	CAS No.	Weight %	Notes
Proprietary blend of water conditioners and buffers	Trade secret	100	[1] [2]

[1] Substance classified with a health or environmental hazard.

[2] Substance with a workplace exposure limit.

## SECTION 4 FIRST AID MEASURES

**[DESCRIPTIONS]:**

**General:** In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person.  
**Inhalation:** Remove to fresh air. Keep patient warm and at rest. If breathing is irregular or stopped, give artificial respiration. If unconscious, place in the recovery position and obtain immediate medical attention. Give nothing by mouth.  
**Eyes:** Irrigate copiously with clean fresh water for at least 10 minutes, holding the eyelids apart and seek medical attention.  
**Skin:** Remove contaminated clothing. Wash skin thoroughly with soap and water or use a recognized skin cleanser. Do NOT use solvents or thinners.  
**Ingestion:** If accidentally swallowed, obtain immediate medical attention. Keep at rest. Do NOT induce vomiting.

**[MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED]:**

**Overview:** No adverse symptoms or effects anticipated under normal handling conditions. See section 2 for further details.  
**Eyes:** Causes eye irritation.  
**Skin:** Causes skin irritation.  
**Ingestion:** Harmful if swallowed.

**SECTION 5****FIRE FIGHTING MEASURES**

<b>Extinguishing Media:</b>	Recommended extinguishing media: alcohol resistant foam, CO <sub>2</sub> , powder, water spray. Do not use water jet.
<b>Special Hazards:</b>	Combustion may yield smoke, carbon monoxide and other products of incomplete combustion. Oxides of sulfur, nitrogen or phosphorus may also be formed.
<b>Advice For Firefighters:</b>	Evacuate area. Prevent contamination from run-off of adjacent areas, streams, drinking water and sewers. Do not flush down sewers or other drainage systems. Exposed firefighters must wear standard protective equipment and in enclosed areas self-contained breathing apparatus. Use water-spray to cool fire exposed surfaces and personnel.

**SECTION 6****ACCIDENTAL RELEASE MEASURES**

<b>Personal Precautions, Protective Equipment and Emergency Procedures:</b>	Keep all sources of ignition away from spill/release. In case of a major spill or spillage in a confined space, evacuate the area and check vapor levels.
<b>Environmental Precautions:</b>	Do not allow spills to enter drains or water courses.
<b>Methods and Material For Containment and Cleaning Up:</b>	Ventilate the area and avoid breathing vapors. Take the personal protective measures listed in Section 8. Contain and absorb spillage with non-combustible materials (e.g. sand/earth/vermiculite). Place in closed containers outside buildings and dispose of according to the Waste Regulations (see Section 13.) Clean, preferably with a detergent. Do not use solvents. Do not allow spills to enter drains or water courses. If drains, sewers, streams or lakes are contaminated, inform the local water company immediately. In the case of contamination of rivers, streams, or lakes, the Environmental Protection Agency should also be informed.

**SECTION 7****HANDLING AND STORAGE**

<b>Precautions For Safe Handling:</b>	Do not get in eyes on skin or on clothing. Do not breathe vapors or mists. Keep container closed. Use only with adequate ventilation. Use good personal hygiene practices. Wash hands before eating, drinking or smoking. Remove contaminated clothing and clean before reuse. Destroy contaminated belts and shoes and other items that cannot be decontaminated. See Section 2 for further details [PREVENTION].
<b>Conditions For Safe Storage:</b>	Store in tightly closed containers in dry, well-ventilated area away from excessive heat and incompatibles.
<b>Incompatible Materials:</b>	Alkalis and susceptible metals (aluminum, tin, lead and zinc). Strong acids, strong bases, oxidizing agents.
<b>Specific End Use(s):</b>	See technical data sheet.

**SECTION 8****EXPOSURE CONTROLS/PERSONAL PROTECTION**

Ingredients with established limits for exposure under OSHA, ACGIH and/or NIOSH are listed below:

Exposure Data:	CAS No.	Ingredient	Source	Value
Proprietary	Glycerol		OSHA	TWA: 5mg/m3 (total), TWA: 5mg/m3 (respirable)
			ACGIH	TWA: 3mg/m3 (respirable), TWA: 10mg/m3 (mist)
			NIOSH	No established RELs
Proprietary	Ethanolamine		OSHA	TWA: 3ppm (6mg/m3)
			ACGIH	TWA: 3ppm, STEL: 6ppm
			NIOSH	TWA: 3ppm (8 mg/m3), ST: 6ppm (15mg/m3)
Proprietary	Potassium hydroxide		OSHA	No established limit
			ACGIH	Ceiling: 2mg/m3
			NIOSH	C 2mg/m3

**Carcinogen Data:** This product contains no ingredients that are suspected of being or known to be a carcinogen under OSHA, NTP or IARC at greater than 0.1%.

**[EXPOSURE CONTROLS]:**

<b>Respiratory:</b>	If workers are exposed to concentrations above the exposure limit they must use the appropriate, certified respirators.
<b>Eyes:</b>	Wear safety eyewear (e.g. safety spectacles/goggles/visors) to protect against the splash of liquids.
<b>Skin:</b>	Overalls, which cover the body, arms, and legs, should be worn. Skin should not be exposed. All parts of the body should be washed after contact.
<b>Engineering Controls:</b>	Provide adequate ventilation. Where reasonably practicable, this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates, and any vapor below occupational exposure limits, suitable respiratory protection must be worn.
<b>Other Work Practices:</b>	See technical data sheet. See Section 2 for further details [PREVENTION].

**SECTION 9****PHYSICAL AND CHEMICAL PROPERTIES**

<b>Appearance:</b>	Clear pale yellow liquid	<b>Upper Flammability Limits:</b>	Upper Explosive Limit: Not measured
<b>Odor:</b>	Fatty	<b>Lower Flammability Limits:</b>	Lower Explosive Limit: Not measured
<b>Odor Threshold:</b>	Not measured	<b>Vapor Pressure (Pa):</b>	Not measured
<b>pH:</b>	2.5-3.5	<b>Vapor Density:</b>	Not measured
<b>Melting/Freezing Points (°C):</b>	Not measured	<b>Solubility in Water:</b>	Not measured
<b>Initial Boiling Point/Range (°C):</b>	Not measured	<b>Partition Co-efficient n-octanol/water (Log Kow):</b>	Not measured
<b>Flash Point:</b>	>93°C / >200°F Seta Flash Closed Cup (SFCC)	<b>Auto-Ignition Temperature (°C):</b>	Not measured
<b>Evaporation Rate (Ether=1):</b>	Not measured	<b>Decomposition Temperature:</b>	Not measured
<b>Flammability (Solid, Gas):</b>	Not applicable	<b>Viscosity (cSt):</b>	Not measured
<b>Specific Gravity @ 20°C</b>	1.16-1.17	<b>Volatiles %:</b>	Not measured
<b>Other Information:</b>	No other relevant information	<b>VOC%:</b>	Not measured

## SECTION 10 STABILITY AND REACTIVITY

**Reactivity:** Not chemically reactive.

**Chemical Stability:** Stable under normal ambient and anticipated conditions of use.

**Hazardous Reactions:** Hazardous reactions not anticipated.

**Conditions To Avoid:** Extended exposure to high temperatures can cause decomposition. Avoid all possible sources of ignition.

**Incompatible Materials:** Alkalis and susceptible metals (aluminum, tin, lead and zinc), strong acids, strong bases and oxidizing agents.

**Hazardous Decomposition Prod.:** Not anticipated under normal conditions of use.

## SECTION 11 TOXICOLOGICAL INFORMATION

Acute Toxicity Estimate:	Ingredients	Oral LD50 mg/kg	Skin LD50mg/kg	Inhalation Vapor/Dust/Mist LC50mg/L/4hr
	Proprietary blend of water conditioners and buffers	500.00/Category: 4	>5,000.00/Category: NA	No data

**Category 4:** Item: Acute Toxicity (mouth) / Hazard: **Harmful if swallowed.**

**Category --:** Item: Acute Toxicity (skin) / Hazard: Not applicable.

**Category --:** Item: Acute Toxicity (inhalation) / Hazard: Not applicable.

**Category 2:** Item: Skin Corrosion/Irritation / Hazard: **Causes skin irritation.**

**Category 2B:** Item: Eye Damage/Irritation / Hazard: **Causes eye irritation.**

**Category --:** Item: Sensitization (skin) / Hazard: Not applicable.

**Category --:** Item: Germ Toxicity / Hazard: Not applicable.

**Category --:** Item: Carcinogenicity / Hazard: Not applicable.

**Category --:** Item: Reproductive Toxicity / Hazard: Not applicable.

**Category --:** Item: Specific Target Organ Systemic Toxicity (single exposure) / Hazard: Not applicable.

**Category --:** Item: Specific Target Organ Systemic Toxicity (repeated exposure) / Hazard: Not applicable.

**Category --:** Item: Aspiration Hazard / Hazard: Not applicable.

## SECTION 12 ECOLOGICAL INFORMATION

**Toxicity:** Ecotoxicity studies have not been conducted on this preparation.

**Persistence and Degradability:** There is no data available on the preparation itself.

**Results of PBT and vPvB Assess:** This product contains no PBT/vPvB chemicals.

**Bioaccumulative Potential:** Not measured.

**Mobility in Soil:** No data available.

**Other Adverse Effects:** No data available.

## SECTION 13 DISPOSAL CONSIDERATIONS

**Waste Treatment Methods:** Do not allow into drains or water courses. Wastes and emptied containers should be disposed of in accordance with regulations made under the Control of Pollution Act and the Environmental Protection Act. Using information provided in this data sheet advice should be obtained from the Waste Regulation Authority, whether the special waste regulations apply. Dispose of contents in accordance with local and national regulations.

## SECTION 14 TRANSPORT INFORMATION

**DOT Proper Shipping Name:** Not regulated

**DOT Hazard Class:** Not applicable

**DOT Packing Group:** Not applicable

**DOT Label:** None

**IMDG Proper Shipping Name:** Not regulated

**IMDG Hazard Class:** Not applicable

**IMDG Packing Group:** Not applicable

**IMDG Marine Pollutant:** Yes (amines, tallow alkyl, ethoxylated)

**ICAO/IATA:** See bill of lading

**SECTION 15****REGULATORY INFORMATION**

**Regulatory Overview:** The regulatory data in Section 15 is not intended to be all-inclusive, only selected regulations are represented.

**TSCA:** All ingredients of this product are listed on the TSCA (Toxic Substance Control Act) inventory or are not required to be listed on the TSCA inventory.

**WHMIS Classification:** D2B

**US EPA Tier II Hazards:** Fire: No / Sudden Release of Pressure: No / Reactive: No / Immediate (acute): Yes / Delayed (chronic): No

**EPCRA 311/312:** Chemicals and RQs (>0.1%): Ethylene glycol (5,000.00), Phosphoric acid (5,000.00), Potassium hydroxide (1,000.00)

**EPCRA 302:** Extremely Hazardous (>0.1%): To the best of our knowledge there are no chemicals at levels which require reporting under this statute.

**EPCRA 313** Toxic Chemicals (>0.1%): Ethylene glycol (<0.3%)

**Proposition 65** Carcinogens (>0.0%): Acetaldehyde, Oxirane, Diethanolamine, 1,4-dioxane

**Proposition 65:** Developmental Toxins (>0.0%): To the best of our knowledge there are no chemicals at levels which require reporting under this statute.

**Proposition 65:** Female Repro Toxins (>0.0%): Oxirane

**Proposition 65:** Male Repro Toxins (>0.0%): Oxirane

**N.J. RTK Substance (>1%):** Ethanolamine, Glycerol, Potassium hydroxide

**Penn RTK Substances (>1%):** Ethanolamine, Glycerol, Potassium hydroxide

**SECTION 16****OTHER INFORMATION**

*The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.*