

## **LEVERAGE® 360 INSECTICIDE**

Version 4.0 / USA Revision Date: 05/10/2022 102000019505 Print Date: 05/11/2022

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

**Product identifier** 

Trade name LEVERAGE® 360 INSECTICIDE

Product code (UVP) 79521359

**SDS Number** 102000019505

EPA Registration No. 264-1104

Relevant identified uses of the substance or mixture and uses advised against

**Use** Insecticide

**Restrictions on use**See product label for restrictions.

Information on supplier

**Supplier** Bayer CropScience LP

800 North Lindbergh Blvd. St. Louis, MO 63167

USA

Responsible Department Email: SDSINFO.BCS-NA@bayer.com

Emergency telephone no.

Emergency Telephone Number (24hr/ 7 days)

1-800-334-7577

Product Information Telephone Number

1-866-99BAYER (1-866-992-2937)

#### **SECTION 2: HAZARDS IDENTIFICATION**

Classification in accordance with regulation HCS 29CFR §1910.1200

Acute toxicity(Oral, Inhalation): Category 4

Labelling in accordance with regulation HCS 29CFR §1910.1200



Signal word: Warning

**Hazard statements** 

Harmful if swallowed or if inhaled.



# **LEVERAGE® 360 INSECTICIDE**

 Version 4.0 / USA
 Revision Date: 05/10/2022

 102000019505
 Print Date: 05/11/2022

#### **Precautionary statements**

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Avoid breathing mist/ spray.

Use only outdoors or in a well-ventilated area.

IF SWALLOWED: Call a POISON CENTER/doctor/physician if you feel unwell.

Rinse mouth.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Call a POISON CENTER/doctor/physician if you feel unwell.

Dispose of contents/container in accordance with local regulation.

## **Hazards Not Otherwise Classified (HNOC)**

No physical hazards not otherwise classified.

No health hazards not otherwise classified.

## **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

Hazardous Component Name Imidacloprid		CAS-No.	Concentration % by weight	
	Imidacloprid	138261-41-3	21.0	
	Beta-Cyfluthrin	1820573-27-0	10.5	
	Alkylnaphthalenesulfonic acid, polymer with	68425-94-5	2.7	
	formaldehyde, sodium salt			

#### **SECTION 4: FIRST AID MEASURES**

#### Description of first aid measures

General advice When possible, have the product container or label with you when

calling a poison control center or doctor or going for treatment.

**Inhalation** Move to fresh air. If person is not breathing, call 911 or an ambulance,

then give artificial respiration, preferably mouth-to-mouth if possible.

Call a physician or poison control center immediately.

Skin contact Take off contaminated clothing and shoes immediately. Wash off

immediately with plenty of water for at least 15 minutes. Call a

physician or poison control center immediately.

**Eye contact** Hold eye open and rinse slowly and gently with water for 15-20

minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center

immediately.

**Ingestion** Call a physician or poison control center immediately. Rinse out mouth

and give water in small sips to drink. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Do not leave victim

unattended.

Most important symptoms and effects, both acute and delayed



## **LEVERAGE® 360 INSECTICIDE**

Version 4.0 / USA Revision Date: 05/10/2022 102000019505 Print Date: 05/11/2022

**Symptoms** To date no symptoms are known.

Indication of any immediate medical attention and special treatment needed

**Treatment** Appropriate supportive and symptomatic treatment as indicated by the

patient's condition is recommended.

## **SECTION 5: FIREFIGHTING MEASURES**

**Extinguishing media** 

Suitable Water spray, Foam, Carbon dioxide (CO2), Dry chemical

**Unsuitable** High volume water jet

Special hazards arising

from the substance or

mixture

Advice for firefighters

Special protective

equipment for firefighters

Firefighters should wear NIOSH approved self-contained breathing

apparatus and full protective clothing.

**Further information** Keep out of smoke. Fight fire from upwind position. Cool closed

containers exposed to fire with water spray. Do not allow run-off from

fire fighting to enter drains or water courses.

Dangerous gases are evolved in the event of a fire.

Specific hazards from the substance or mixture which can increase the fire

**Flash point** >93.3 °C / 199.94 °F

Auto-ignition temperature 360 °C / 680 °F

**Lower explosion limit** No data available

Upper explosion limit No data available

**Explosivity** Not explosive

92/69/EEC, A.14 / OECD 113



## **LEVERAGE® 360 INSECTICIDE**

 Version 4.0 / USA
 Revision Date: 05/10/2022

 102000019505
 Print Date: 05/11/2022

#### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures

**Precautions** Keep unauthorized people away. Isolate hazard area. Avoid contact

with spilled product or contaminated surfaces.

Methods and materials for containment and cleaning up

Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid

binder, universal binder, sawdust). Collect and transfer the product

into a properly labelled and tightly closed container. Clean

contaminated floors and objects thoroughly, observing environmental

regulations.

Additional advice Use personal protective equipment. If the product is accidentally

spilled, do not allow to enter soil, waterways or waste water canal.

**Reference to other sections** Information regarding safe handling, see section 7.

Information regarding personal protective equipment, see section 8.

Information regarding waste disposal, see section 13.

#### **SECTION 7: HANDLING AND STORAGE**

Precautions for safe handling

**Advice on safe handling**Use only in area provided with appropriate exhaust ventilation. Handle

and open container in a manner as to prevent spillage.

**Hygiene measures** Wash hands thoroughly with soap and water after handling and before

eating, drinking, chewing gum, using tobacco, using the toilet or

applying cosmetics.

Remove Personal Protective Equipment (PPE) immediately after handling this product. Before removing gloves clean them with soap and water. Remove soiled clothing immediately and clean thoroughly before

using again. Wash thoroughly and put on clean clothing.

Conditions for safe storage, including any incompatibilities

Requirements for storage

areas and containers

Store in a cool, dry place and in such a manner as to prevent cross contamination with other crop protection products, fertilizers, food, and

feed. Store in original container and out of the reach of children,

preferably in a locked storage area.

**Advice on common storage** Keep away from food, drink and animal feedingstuffs.

#### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

## **Control parameters**

Components	CAS-No.	Control parameters	Update	Basis
Imidacloprid	138261-41-3	0.7 mg/m3		OES BCS*
•		(TWA)		



## **LEVERAGE® 360 INSECTICIDE**

Version 4.0 / USA Revision Date: 05/10/2022 102000019505 Print Date: 05/11/2022

Beta-Cyfluthrin	1820573-27-	0.01 mg/m3	OES BCS*
	0	(TWA)	

<sup>\*</sup>OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

## **Exposure controls**

### Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection When respirators are required, select NIOSH approved equipment

based on actual or potential airborne concentrations and in

accordance with the appropriate regulatory standards and/or industry

recommendations.

Hand protection Chemical-resistant gloves (barrier laminate, butyl rubber, nitrile

rubber or Viton)

**Eye protection** Safety glasses with side-shields

**Skin and body protection** Wear long-sleeved shirt and long pants and shoes plus socks.

General protective measures Follow manufacturer's instructions for cleaning/maintaining PPE. If

no such instructions for washables, use detergent and warm/tepid

water.

Keep and wash PPE separately from other laundry.

#### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

#### Information on basic physical and chemical properties

**Form** suspension Colour white to beige Odour characteristic **Odour Threshold** No data available pН ca. 6.9 (10 %) Melting point/range No data available **Boiling Point** No data available Flash point > 93.3 °C / 199.94 °F **Flammability** No data available **Auto-ignition temperature** 360 °C / 680 °F

Minimum ignition energy No data available
Self-accelarating No data available

decomposition temperature

(SADT)



## **LEVERAGE® 360 INSECTICIDE**

 Version 4.0 / USA
 Revision Date: 05/10/2022

 102000019505
 Print Date: 05/11/2022

Upper explosion limit

Lower explosion limit

No data available

Vapour pressure

No data available

Evaporation rate

Relative vapour density

Relative density

No data available

Water solubility dispersible

Partition coefficient: n-

octanol/water

Imidacloprid: log Pow: 0.57

Beta-Cyfluthrin: log Pow: 6.18 (22 °C)

Viscosity, dynamic 500 - 1,100 mPa.s (25 °C)

Viscosity, kinematic No data available

Oxidizing properties No data available

**Explosivity** Not explosive

92/69/EEC, A.14 / OECD 113

## **SECTION 10: STABILITY AND REACTIVITY**

**Reactivity** Stable under normal conditions.

**Chemical stability** Stable under recommended storage conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

**Conditions to avoid** Extremes of temperature and direct sunlight.

**Incompatible materials** No incompatible materials known.

Hazardous decomposition

products

No decomposition products expected under normal conditions of use.

## **SECTION 11: TOXICOLOGICAL INFORMATION**

**Exposure routes** Skin Absorption, Eye contact, Ingestion

**Immediate Effects** 



## LEVERAGE® 360 INSECTICIDE

Version 4.0 / USA Revision Date: 05/10/2022 102000019505 Print Date: 05/11/2022

Eye May cause temporary eye irritation.Skin May be harmful in contact with skin.

Ingestion Harmful if swallowed.

May be harmful if inhaled.

Information on toxicological effects

Acute oral toxicity LD50 (female Rat) > 1,044 mg/kg

Acute inhalation toxicity LC50 (Rat) > 2.03 mg/l

Exposure time: 4 h

Determined in the form of liquid aerosol.

highest concentration tested

No deaths

Acute dermal toxicity LD50 (Rat) > 2,000 mg/kg
Skin corrosion/irritation slight irritation (Rabbit)
Serious eye damage/eye Mild eye irritation. (Rabbit)

irritation

Respiratory or skin Skin: Non-sensitizing. (Guinea pig)

sensitisation

## Assessment STOT Specific target organ toxicity - single exposure

Imidacloprid: Based on available data, the classification criteria are not met. Beta-Cyfluthrin: Based on available data, the classification criteria are not met.

#### Assessment STOT Specific target organ toxicity - repeated exposure

Imidacloprid did not cause specific target organ toxicity in experimental animal studies.

The toxic effects of Beta-Cyfluthrin are related to transient neurobehavioral effects typical for pyrethroid neurotoxicity.

#### Assessment mutagenicity

Imidacloprid was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.

Beta-Cyfluthrin was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

## Assessment carcinogenicity

Imidacloprid was not carcinogenic in lifetime feeding studies in rats and mice. Beta-Cyfluthrin was not carcinogenic in lifetime feeding studies in rats and mice.

#### **ACGIH**

None.

**NTP** 

None.

**IARC** 

None.

Assessment toxicity to reproduction



# **LEVERAGE® 360 INSECTICIDE**

Version 4.0 / USA 102000019505

Revision Date: 05/10/2022 Print Date: 05/11/2022

Imidacloprid caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Imidacloprid is related to parental toxicity. Beta-Cyfluthrin caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Beta-Cyfluthrin is related to parental toxicity.

### Assessment developmental toxicity

Imidacloprid caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Imidacloprid are related to maternal toxicity.

Beta-Cyfluthrin caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Beta-Cyfluthrin are related to maternal toxicity.

#### **Aspiration hazard**

Based on available data, the classification criteria are not met.

#### **Further information**

Only acute toxicity studies have been performed on the formulated product.

The non-acute information pertains to the active ingredient(s).

#### **SECTION 12: ECOLOGICAL INFORMATION**

**Toxicity to fish** LC50 (Oncorhynchus mykiss (rainbow trout)) 211 mg/l

Exposure time: 96 h

The value mentioned relates to the active ingredient imidacloprid.

LC50 (Oncorhynchus mykiss (rainbow trout)) 0.000068 mg/l

Exposure time: 96 h

The value mentioned relates to the active ingredient beta-cyfluthrin.

Toxicity to aquatic invertebrates

EC50 (Daphnia magna (Water flea)) 85 mg/l

Exposure time: 48 h

The value mentioned relates to the active ingredient imidacloprid.

LC50 (Chironomus riparius (non-biting midge)) 0.0552 mg/l

Exposure time: 24 h

The value mentioned relates to the active ingredient imidacloprid.

EC50 (Daphnia magna (Water flea)) 0.00029 mg/l

Exposure time: 48 h

The value mentioned relates to the active ingredient beta-cyfluthrin.

**Toxicity to aquatic plants** EC50 (Desmodesmus subspicatus (green algae)) > 10 mg/l

Growth rate: Exposure time: 72 h

The value mentioned relates to the active ingredient imidacloprid.

IC50 (Desmodesmus subspicatus (green algae)) > 0.01 mg/l

Growth rate; Exposure time: 72 h



# **LEVERAGE® 360 INSECTICIDE**

 Version 4.0 / USA
 Revision Date: 05/10/2022

 102000019505
 Print Date: 05/11/2022

The value mentioned relates to the active ingredient beta-cyfluthrin.

No acute toxicity was observed at its limit of water solubility.

Biodegradability Imidacloprid:

Not rapidly biodegradable

Beta-Cyfluthrin:

Not rapidly biodegradable

**Koc** Imidacloprid: Koc: 225

Beta-Cyfluthrin: Koc: 508 - 3179

Bioaccumulation Imidacloprid:

Does not bioaccumulate.

Beta-Cyfluthrin: Bioconcentration factor (BCF) 506

Does not bioaccumulate.

Mobility in soil Imidacloprid: Moderately mobile in soils

Beta-Cyfluthrin: Immobile in soil

Results of PBT and vPvB assessment

PBT and vPvB assessment Imidacloprid: This substance is not considered to be persistent,

bioaccumulative and toxic (PBT). This substance is not considered to be

very persistent and very bioaccumulative (vPvB).

Beta-Cyfluthrin: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be

very persistent and very bioaccumulative (vPvB).

**Environmental precautions** Do not apply directly to water, to areas where surface water is present

or to intertidal areas below the mean high water mark.

Do not contaminate surface or ground water by cleaning equipment or

disposal of wastes, including equipment wash water.

Drift and runoff from treated areas may be hazardous to aquatic

organisms in adjacent sites.

Do not apply this product or allow it to drift to blooming crops or weeds if

bees are visiting the treatment area.

Apply this product as specified on the label.

#### **SECTION 13: DISPOSAL CONSIDERATIONS**

Waste treatment methods

**Product** Dispose in accordance with all local, state/provincial and federal

regulations.

Contaminated packaging Consult state and local regulations regarding the proper disposal of

container.

Follow advice on product label and/or leaflet.

RCRA Information Characterization and proper disposal of this material as a special or

hazardous waste is dependent upon Federal, State and local laws and

are the user's responsibility. RCRA classification may apply.



10/12

## LEVERAGE® 360 INSECTICIDE

Version 4.0 / USA Revision Date: 05/10/2022 102000019505 Print Date: 05/11/2022

#### **SECTION 14: TRANSPORT INFORMATION**

**49CFR** Not dangerous goods / not hazardous material

**IMDG** 

UN number 3082
Class 9
Packaging group III
Marine pollutant YES

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(BETA-CYFLUTHRIN, IMIDACLOPRID SOLUTION)

IATA

UN number 3082
Class 9
Packaging group III
Environm. Hazardous Mark YES

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(BETA-CYFLUTHRIN, IMIDACLOPRID SOLUTION)

This transportation information is not intended to convey all specific regulatory information relating to this product. It does not address regulatory variations due to package size or special transportation requirements.

Freight Classification: INSECTICIDES OR FUNGICIDES, N.O.I., OTHER THAN

**POISON** 

## **SECTION 15: REGULATORY INFORMATION**

**EPA Registration No.** 264-1104

**US Federal Regulations** 

**TSCA list** 

Water 7732-18-5 Glycerine 56-81-5 1,2-Propanediol, polymer with 2-65395-10-0 methyloxirane and oxirane

Alkylnaphthalenesulfonic acid, polymer 68425-94-5

with formaldehyde, sodium salt

US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)

No export notification needs to be made.

SARA Title III - Section 302 - Notification and Information

Not applicable.

SARA Title III - Section 313 - Toxic Chemical Release Reporting

Yes



11/12

# **LEVERAGE® 360 INSECTICIDE**

Version 4.0 / USA Revision Date: 05/10/2022 102000019505 Print Date: 05/11/2022

# US States Regulatory Reporting CA Prop65

This product does not contain any substances known to the State of California to cause cancer.

WARNING: This product contains a chemical known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Ethylene oxide 75-21-8 Male reproductive toxin.
Ethylene oxide 75-21-8 Female reproductive toxin.
Ethylene oxide 75-21-8 Developmental toxin.
Ethylene oxide 75-21-8 Carcinogenic.

**US State Right-To-Know Ingredients** 

Beta-Cyfluthrin 1820573-27-0 NJ, RI Glycerine 56-81-5 MN, RI

Environmental CERCLA

None.

Clean Water Section 307(a)(1)

None.

Safe Drinking Water Act Maximum Contaminant Levels

None.

#### **EPA/FIFRA Information:**

This chemical is a pesticide product regulated by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information required on the pesticide label:

Signal word: Caution!

**Hazard statements:** Harmful if absorbed through skin.

Harmful if swallowed.

Causes moderate eye irritation.

## **SECTION 16: OTHER INFORMATION**

#### Abbreviations and acronyms

49CFR Code of Federal Regulations, Title 49
ACGIH US. ACGIH Threshold Limit Values

ATE Acute toxicity estimate

CAS-Nr. Chemical Abstracts Service number

CERCLA Comprehensive Environmental Response, Compensation, and Liability Act

EINECS European inventory of existing commercial substances

ELINCS European list of notified chemical substances IARC International Agency for Research on Cancer IATA International Air Transport Association



## **LEVERAGE® 360 INSECTICIDE**

Version 4.0 / USA Revision Date: 05/10/2022 102000019505 Print Date: 05/11/2022

IMDG International Maritime Dangerous Goods

N.O.S. Not otherwise specified

NTP US. National Toxicology Program (NTP) Report on Carcinogens
OECD Organization for Economic Co-operation and Development

TDG Transportation of Dangerous Goods

TWA Time weighted average

UN United Nations

WHO World health organisation

NFPA 704 (National Fire Protection Association):

Health - 1 Flammability - 1 Instability - 0 Others - none

HMIS (Hazardous Materials Identification System, based on the Third Edition Ratings Guide)

Health - 1 Flammability - 1 Physical Hazard - 0 PPE -

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

**Reason for Revision:** The following sections have been revised: Section 3: Composition / Information on Ingredients. Section 8: Exposure Controls / Personal Protection. Section 11: Toxicological Information. Section 15: Regulatory information. Reviewed and updated for general editorial purposes.

**Revision Date:** 05/10/2022

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.