

# Levesol™ DEFOAMER

Carrier // Antifoaming Agent // Emulsifier

## PRINCIPAL FUNCTIONING AGENTS

Petroleum hydrocarbon, dimethylpolysiloxane, sodium dioctylsulfosuccinate ..... 96.3%  
Constituents Ineffective as Spray Adjuvants ..... 3.7%  
Total ..... 100%

All ingredients are exempt from tolerance under 40 CFR 180.

WA Reg. No. 46661-16002



**PROTECT FROM FREEZING**

## KEEP OUT OF REACH OF CHILDREN DANGER

Causes skin irritation. Causes serious eye damage. Read label before use. Keep container tightly closed. Keep only in original container. Avoid breathing dust, fume, gas, mist, vapors or spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves, protective clothing, eye protection and face protection.

### FIRST AID

Call a poison control center or doctor immediately for treatment advice. Have the product container with you when calling a poison control center or doctor, or going for treatment.

**IF IN EYES:** Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do then continue rinsing. If eye irritation persists: Get medical advice or attention.

**IF ON SKIN OR CLOTHING:** Take off contaminated clothing and wash it before reuse. Wash with plenty of soap and water for several minutes. If skin irritation occurs: Get medical advice or attention.

**IF SWALLOWED:** Unless advised otherwise by a poison control center or doctor, have person rinse mouth with water, if able. Do not give anything by mouth to an unconscious person.

**IF INHALED:** Remove victim to fresh air and keep at rest in a position comfortable for breathing. If person is not breathing, call 911 or an ambulance, and then give artificial respiration, preferably mouth to mouth if possible.



2700 Trott Ave. SW • P.O. Box 897  
Willmar, MN 56201 • 320-235-8518

[www.wcdst.com](http://www.wcdst.com)

**NET CONTENTS:**  
**1 U.S. Pint (0.47 L)**

## GENERAL INFORMATION

Levesol™ DEFOAMER is formulated with superior defoaming agents in an emulsifying system that is designed to control foaming through the duration of application.

### DIRECTIONS FOR USE

Shake Well Before Using.

### NOT FOR AQUATIC USE IN THE STATE OF WASHINGTON

Follow the recommendations of the most restrictive active ingredient label.

Tank mixtures should only be applied within the label recommendations of every product in the tank mixture.

If the pesticide does not specify the use of a defoaming agent, follow the directions below. Use only if a defoaming agent is allowed or not excluded on the label.

If the user does not have experience with the mixture being applied, perform a jar test using the order and amounts in the mixture and perform a phytotoxicity test to ensure crop safety.

If excess foaming is occurring, add **Levesol DEFOAMER** directly to the foam. Pour **Levesol DEFOAMER** over as much surface area as possible for the most effective defoaming.

Do not add too much defoamer as this could affect the performance of certain products if included in the tank mix.

**Levesol DEFOAMER** should not be added to a dry tank.

After the initial mixing water, but before pesticides or other adjuvants are added, pour in **Levesol DEFOAMER**. This order of addition controls the foam as it forms.

When using **Levesol DEFOAMER** with Levesol fertilizer additive, you may add **Levesol DEFOAMER** directly to Levesol or as the tank is being filled. Best results are obtained when **Levesol DEFOAMER** is added to Levesol just prior to adding to a phosphate fertilizer.

### USE RATES

If applied with Levesol, 0.5 ounce of **Levesol DEFOAMER** per 5-10 gallons of Levesol. If applied with other products, 1-2 ounces of **Levesol DEFOAMER** per 100 gallons of spray solution.

### STORAGE AND DISPOSAL

#### PROTECT FROM FREEZING

**Storage:** Store in a cool well-ventilated place. Keep in original container tightly closed. Do not reuse empty container. Do not store with food, feed, or other material to be used or consumed by humans or animals. Do not contaminate water supplies. For optimal storage, store between 40° and 90° F.

**Disposal:** Do not contaminate water, food or feed by storage or disposal. Dispose of contents in container to an approved waste disposal facility in accordance with all local, regional, national and international regulations. Triple rinse (or equivalent) during mixing and loading. Offer container for recycling or dispose of in a sanitary landfill or by other procedures approved by local regulations. The Agricultural Container Recycling Council (ACRC) operates the national recycling program. To contact your state and local ACRC recycler visit the ACRC web page at [www.acrcycle.org](http://www.acrcycle.org). Decontaminated containers and materials must be disposed of in a manner allowed by local, state and federal laws and regulations.

**CONDITIONS OF SALE AND WARRANTIES:** Seller warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label only when used in accordance with label directions under normal conditions of use. SELLER MAKES NOT OTHER EXPRESS OR IMPLIED WARRANTIES EITHER OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE. IN NO CASE WILL SELLER BE HELD LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE HANDLING, STORAGE, OR INCORRECT USE OF THIS PRODUCT.

15 oz.

14 oz.

13 oz.

12 oz.

11 oz.

10 oz.

9 oz.

8 oz.

7 oz.

6 oz.

5 oz.

4 oz.

3 oz.

2 oz.