

Product Name: LOCK-ON* Insecticide**Issue Date:** 03/01/2013**Print Date:** 01 Mar 2013

Dow AgroSciences LLC encourages and expects you to read and understand the entire (M)SDS, as there is important information throughout the document. We expect you to follow the precautions identified in this document unless your use conditions would necessitate other appropriate methods or actions.

1. Product and Company Identification**Product Name**

LOCK-ON* Insecticide

COMPANY IDENTIFICATION

Dow AgroSciences LLC
A Subsidiary of The Dow Chemical Company
9330 Zionsville Road
Indianapolis, IN 46268-1189
United States

Customer Information Number:

800-992-5994

SDSQuestion@dow.com**EMERGENCY TELEPHONE NUMBER****24-Hour Emergency Contact:**

800-992-5994

Local Emergency Contact:

352-323-3500

2. Hazards Identification**Emergency Overview****Color:** Yellow**Physical State:** Liquid.**Odor:** Obnoxious**Hazards of product:**

CAUTION! Combustible liquid and vapor. May cause eye irritation. May cause respiratory tract irritation. May be harmful if swallowed. Aspiration hazard. Can enter lungs and cause damage. Vapor explosion hazard. Vapors may travel a long distance; ignition and/or flash back may occur. Isolate area. Keep upwind of spill. Stay out of low areas. Eliminate ignition sources. Toxic fumes may be released in fire situations. Avoid temperatures above 50°C (122°F) Highly toxic to fish and/or other aquatic organisms. Possible cancer hazard. May cause cancer based on animal data.

OSHA Hazard Communication Standard

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

Potential Health Effects

Eye Contact: May cause moderate eye irritation. Corneal injury is unlikely.

Skin Contact: Brief contact is essentially nonirritating to skin.

Skin Absorption: Prolonged skin contact is unlikely to result in absorption of harmful amounts.

Inhalation: Prolonged excessive exposure to mist may cause serious adverse effects, even death. Mist may cause irritation of upper respiratory tract (nose and throat) and lungs.

Ingestion: Low toxicity if swallowed. Small amounts swallowed incidentally as a result of normal handling operations are not likely to cause injury; however, swallowing larger amounts may cause injury.

Aspiration hazard: Aspiration into the lungs may occur during ingestion or vomiting, causing lung damage or even death due to chemical pneumonia.

Effects of Repeated Exposure: For the active ingredient(s): Excessive exposure may produce organophosphate type cholinesterase inhibition. Signs and symptoms of excessive exposure to active ingredient may be headache, dizziness, incoordination, muscle twitching, tremors, nausea, abdominal cramps, diarrhea, sweating, pinpoint pupils, blurred vision, salivation, tearing, tightness in chest, excessive urination, convulsions. In animals, effects have been reported on the following organs: Adrenal gland. Dose levels producing these effects were many times higher than any dose levels expected from exposure due to use. Based on information for component(s): In animals, effects have been reported on the following organs: Liver. Kidney. Blood. Respiratory tract.

Cancer Information: For the minor component(s): Has caused cancer in laboratory animals. However, the relevance of this to humans is unknown.

Birth Defects/Developmental Effects: For the active ingredient(s): Has been toxic to the fetus in laboratory animals at doses toxic to the mother. For the major component(s): Has been toxic to the fetus in laboratory animals at doses toxic to the mother. Has caused birth defects in lab animals only at doses producing severe toxicity in the mother.

Reproductive Effects: Chlorpyrifos did not interfere with fertility in reproduction studies in laboratory animals. Some evidence of toxicity to the offspring occurred, but only at a dose high enough to produce significant toxicity to the parent animals. Based on information for component(s): In laboratory animal studies, effects on reproduction have been seen only at doses that produced significant toxicity to the parent animals.

3. Composition Information

Component	CAS #	Amount
Chlorpyrifos	2921-88-2	22.9 %
Polypropylene glycol	25322-69-4	52.3 %
Methanol	67-56-1	0.6 %
Solvent naphtha (petroleum), light aromatic consists of:	64742-95-6	18.0 %
1,2,4-Trimethylbenzene	95-63-6	5.4 %
1,3,5-Trimethylbenzene	108-67-8	1.4 %
Cumene	98-82-8	0.7 %
Xylene	1330-20-7	0.2 %

4. First-aid measures**Description of first aid measures**

Inhalation: Move person to fresh air. If person is not breathing, call an emergency responder or ambulance, then give artificial respiration; if by mouth to mouth use rescuer protection (pocket mask etc). Call a poison control center or doctor for treatment advice. If breathing is difficult, oxygen should be administered by qualified personnel.

Skin Contact: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

Eye Contact: Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes. Call a poison control center or doctor for treatment advice. Suitable emergency eye wash facility should be available in work area.

Ingestion: Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed

Aside from the information found under Description of first aid measures (above) and Indication of immediate medical attention and special treatment needed (below), no additional symptoms and effects are anticipated.

Indication of immediate medical attention and special treatment needed

Maintain adequate ventilation and oxygenation of the patient. May cause asthma-like (reactive airways) symptoms. Bronchodilators, expectorants, antitussives and corticosteroids may be of help. If lavage is performed, suggest endotracheal and/or esophageal control. Danger from lung aspiration must be weighed against toxicity when considering emptying the stomach. The decision of whether to induce vomiting or not should be made by a physician. Chlorpyrifos is a cholinesterase inhibitor. Treat symptomatically. In case of severe acute poisoning, use antidote immediately after establishing an open airway and respiration. Atropine, only by injection, is the preferable antidote. Oximes, such as 2-PAM/protopam, may be therapeutic if used early; however, use only in conjunction with atropine. Attempt seizure control with diazepam 5-10 mg (adults) intravenous over 2-3 minutes. Repeat every 5-10 minutes as needed. Monitor for hypotension, respiratory depression, and need for intubation. Consider second agent if seizures persist after 30 mg. If seizures persist or recur administer phenobarbital 600-1200 mg (adults) intravenous diluted in 60 ml 0.9% saline given at 25-50 mg/minute. Evaluate for hypoxia, dysrhythmia, electrolyte disturbance, hypoglycemia (treat adults with dextrose 100 mg intravenous). If exposed, plasma and red blood cell cholinesterase tests may indicate significance of exposure (baseline data are useful). Treatment of exposure should be directed at the control of symptoms and the clinical condition of the patient.

5. Fire Fighting Measures

Suitable extinguishing media

Water fog or fine spray. Dry chemical fire extinguishers. Carbon dioxide fire extinguishers. Foam. Alcohol resistant foams (ATC type) are preferred. General purpose synthetic foams (including AFFF) or protein foams may function, but will be less effective.

Special hazards arising from the substance or mixture

Hazardous Combustion Products: During a fire, smoke may contain the original material in addition to combustion products of varying composition which may be toxic and/or irritating. Combustion products may include and are not limited to: Sulfur oxides. Phosphorous compounds. Nitrogen oxides. Hydrogen chloride. Carbon monoxide. Carbon dioxide.

Unusual Fire and Explosion Hazards: Container may rupture from gas generation in a fire situation. Violent steam generation or eruption may occur upon application of direct water stream to hot liquids. Electrically ground and bond all equipment. Flammable mixtures of this product are readily ignited even by static discharge. Vapors are heavier than air and may travel a long distance and accumulate in low lying areas. Ignition and/or flash back may occur. Dense smoke is produced when product burns.

Advice for firefighters

Fire Fighting Procedures: Keep people away. Isolate fire and deny unnecessary entry. Stay upwind. Keep out of low areas where gases (fumes) can accumulate. Consider feasibility of a controlled burn to minimize environment damage. Foam fire extinguishing system is preferred because uncontrolled water can spread possible contamination. Use water spray to cool fire exposed containers and fire affected zone until fire is out and danger of reignition has passed. Fight fire from protected location or safe distance. Consider the use of unmanned hose holders or monitor nozzles. Immediately withdraw all personnel from the area in case of rising sound from venting safety device or discoloration of the container. Burning liquids may be extinguished by dilution with water. Do not use direct water stream. May spread fire. Eliminate ignition sources. Move container from fire area if this is possible without hazard. Burning liquids may be moved by flushing with water to protect personnel and minimize property damage. Contain fire water run-off if possible. Fire water run-off, if not contained, may cause environmental damage. Review the "Accidental Release Measures" and the "Ecological Information" sections of this (M)SDS.

Special Protective Equipment for Firefighters: Wear positive-pressure self-contained breathing apparatus (SCBA) and protective fire fighting clothing (includes fire fighting helmet, coat, trousers, boots, and gloves). If protective equipment is not available or not used, fight fire from a protected location or safe distance.

6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures: Isolate area. Keep unnecessary and unprotected personnel from entering the area. Keep personnel out of low areas. Keep upwind of spill. Ventilate area of leak or spill. No smoking in area. Eliminate all sources of ignition in vicinity of spill or released vapor to avoid fire or explosion. Vapor explosion hazard. Keep out of sewers. Refer to Section 7, Handling, for additional precautionary measures. Use appropriate safety equipment. For additional information, refer to Section 8, Exposure Controls and Personal Protection.

Environmental precautions: Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See Section 12, Ecological Information. Spills or discharge to natural waterways is likely to kill aquatic organisms.

Methods and materials for containment and cleaning up: Contain spilled material if possible. Pump with explosion-proof equipment. If available, use foam to smother or suppress. Small spills: Absorb with materials such as: Clay. Dirt. Sand. Sweep up. Collect in suitable and properly labeled containers. Large spills: Contact Dow AgroSciences for clean-up assistance. See Section 13, Disposal Considerations, for additional information.

7. Handling and Storage

Handling

General Handling: Keep out of reach of children. Keep away from heat, sparks and flame. Do not swallow. Avoid contact with eyes, skin, and clothing. Avoid breathing vapor or mist. Wash thoroughly after handling. Keep container closed. Use with adequate ventilation. No smoking, open flames or sources of ignition in handling and storage area. Vapors are heavier than air and may travel a long distance and accumulate in low lying areas. Ignition and/or flash back may occur. Electrically ground and bond all equipment. Containers, even those that have been emptied, can contain vapors. Do not cut, drill, grind, weld, or perform similar operations on or near empty containers. Use of non-sparking or explosion-proof equipment may be necessary, depending upon the type of operation. See Section 8, EXPOSURE CONTROLS AND PERSONAL PROTECTION.

Storage

Store in a dry place. Store in original container. Keep container tightly closed when not in use. Do not store near food, foodstuffs, drugs or potable water supplies. Minimize sources of ignition, such as static build-up, heat, spark or flame. Avoid temperatures above 50°C (122°F)

8. Exposure Controls / Personal Protection

Exposure Limits

Component	List	Type	Value
Chlorpyrifos	ACGIH	TWA Inhalable fraction and vapor.	0.1 mg/m ³ SKIN, BEI
1,2,4-Trimethylbenzene	ACGIH	TWA	25 ppm
1,3,5-Trimethylbenzene	ACGIH	TWA	25 ppm

Cumene	ACGIH	TWA	50 ppm
	OSHA Table Z-1	PEL	245 mg/m3 50 ppm SKIN
Methanol	ACGIH	TWA	200 ppm SKIN, BEI
	ACGIH	STEL	250 ppm SKIN, BEI
	OSHA Table Z-1	PEL	260 mg/m3 200 ppm
Xylene	ACGIH	TWA	100 ppm BEI
	ACGIH	STEL	150 ppm BEI
	OSHA Table Z-1	PEL	435 mg/m3 100 ppm
Polypropylene glycol	AIHA WEEL	TWA	10 mg/m3
		Aerosol.	

RECOMMENDATIONS IN THIS SECTION ARE FOR MANUFACTURING, COMMERCIAL BLENDING AND PACKAGING WORKERS. APPLICATORS AND HANDLERS SHOULD SEE THE PRODUCT LABEL FOR PROPER PERSONAL PROTECTIVE EQUIPMENT AND CLOTHING. A BEI notation following the exposure guideline refers to a guidance value for assessing biological monitoring results as an indicator of the uptake of a substance from all routes of exposures. A "skin" notation following the inhalation exposure guideline refers to the potential for dermal absorption of the material including mucous membranes and the eyes either by contact with vapors or by direct skin contact. It is intended to alert the reader that inhalation may not be the only route of exposure and that measures to minimize dermal exposures should be considered.

Personal Protection

Eye/Face Protection: Use chemical goggles.

Skin Protection: Wear clean, body-covering clothing.

Hand protection: Use gloves chemically resistant to this material when prolonged or frequently repeated contact could occur. Examples of preferred glove barrier materials include: Butyl rubber. Chlorinated polyethylene. Polyethylene. Ethyl vinyl alcohol laminate ("EVAL"). Examples of acceptable glove barrier materials include: Natural rubber ("latex"). Neoprene. Nitrile/butadiene rubber ("nitrile" or "NBR"). Polyvinyl chloride ("PVC" or "vinyl"). Viton. NOTICE: The selection of a specific glove for a particular application and duration of use in a workplace should also take into account all relevant workplace factors such as, but not limited to: Other chemicals which may be handled, physical requirements (cut/puncture protection, dexterity, thermal protection), potential body reactions to glove materials, as well as the instructions/specifications provided by the glove supplier.

Respiratory Protection: Respiratory protection should be worn when there is a potential to exceed the exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, use an approved respirator. Selection of air-purifying or positive-pressure supplied-air will depend on the specific operation and the potential airborne concentration of the material. For emergency conditions, use an approved positive-pressure self-contained breathing apparatus. The following should be effective types of air-purifying respirators: Organic vapor cartridge with a particulate pre-filter.

Ingestion: Avoid ingestion of even very small amounts; do not consume or store food or tobacco in the work area; wash hands and face before smoking or eating.

Engineering Controls

Ventilation: Use engineering controls to maintain airborne level below exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, use only with adequate ventilation. Local exhaust ventilation may be necessary for some operations.

9. Physical and Chemical Properties

Appearance

Physical State	Liquid.
Color	Yellow
Odor	Obnoxious

pH	5.3 <i>pH Electrode</i>
Melting Point	No test data available
Freezing Point	No test data available
Boiling Point (760 mmHg)	137 - 140 °C (279 - 284 °F) <i>Literature (xylene).</i>
Flash Point - Closed Cup	38.6 °C (101.5 °F) <i>Tag Closed Cup ASTM D56</i>
Flammable Limits In Air	Lower: No test data available Upper: No test data available
Vapor Pressure	<= 10 mmHg @ 20 °C <i>Literature</i>
Vapor Density (air = 1)	No test data available
Specific Gravity (H2O = 1)	1.0467 <i>Literature</i>
Solubility in water (by weight)	emulsifiable
Partition coefficient, n-octanol/water (log Pow)	No data available for this product. See Section 12 for individual component data.
Autoignition Temperature	No test data available
Decomposition Temperature	No test data available
Explosive properties	No test data available
Oxidizing properties	No test data available
Liquid Density	1.05 g/cm ³ <i>Calculated</i>

10. Stability and Reactivity

Reactivity

No dangerous reaction known under conditions of normal use.

Chemical stability

Unstable at elevated temperatures.

Possibility of hazardous reactions

Polymerization will not occur.

Conditions to Avoid: Avoid temperatures above 50 °C (122 °F). Can coagulate if frozen.

Exposure to elevated temperatures can cause product to decompose. Generation of gas during decomposition can cause pressure in closed systems. Avoid static discharge.

Incompatible Materials: Avoid contact with: Bases. Oxidizers. Strong acids. Addition of chemicals may cause phase separation.

Hazardous decomposition products

Decomposition products depend upon temperature, air supply and the presence of other materials.

Decomposition products can include and are not limited to: Carbon monoxide. Carbon dioxide.

Hydrogen chloride. Nitrogen oxides. Sulfur dioxide. Toxic gases are released during decomposition.

11. Toxicological Information

Acute Toxicity

Ingestion

As product: LD50, rat, female 803 mg/kg

Dermal

As product: LD50, rabbit, male and female > 5,000 mg/kg

Inhalation

As product: LC50, 4 h, Aerosol, rat, female 2.94 mg/l

Eye damage/eye irritation

May cause moderate eye irritation. Corneal injury is unlikely.

Skin corrosion/irritation

Brief contact is essentially nonirritating to skin.

Sensitization

Skin

Did not cause allergic skin reactions when tested in guinea pigs.

Respiratory

No relevant data found.

Repeated Dose Toxicity

For the active ingredient(s): Excessive exposure may produce organophosphate type cholinesterase inhibition. Signs and symptoms of excessive exposure to active ingredient may be headache, dizziness, incoordination, muscle twitching, tremors, nausea, abdominal cramps, diarrhea, sweating, pinpoint pupils, blurred vision, salivation, tearing, tightness in chest, excessive urination, convulsions. In animals, effects have been reported on the following organs: Adrenal gland. Dose levels producing these effects were many times higher than any dose levels expected from exposure due to use. Based on information for component(s): In animals, effects have been reported on the following organs: Liver. Kidney. Blood. Respiratory tract.

Chronic Toxicity and Carcinogenicity

Active ingredient did not cause cancer in laboratory animals. For the minor component(s): Has caused cancer in laboratory animals. However, the relevance of this to humans is unknown.

Carcinogenicity Classifications:

Component	List	Classification
Cumene	IARC	Possibly carcinogenic to humans.; 2B

Developmental Toxicity

For the active ingredient(s): Has been toxic to the fetus in laboratory animals at doses toxic to the mother. Active ingredient did not cause birth defects in laboratory animals. For the major component(s): Has been toxic to the fetus in laboratory animals at doses toxic to the mother. Has caused birth defects in lab animals only at doses producing severe toxicity in the mother.

Reproductive Toxicity

Chlorpyrifos did not interfere with fertility in reproduction studies in laboratory animals. Some evidence of toxicity to the offspring occurred, but only at a dose high enough to produce significant toxicity to the parent animals. Based on information for component(s): In laboratory animal studies, effects on reproduction have been seen only at doses that produced significant toxicity to the parent animals.

Genetic Toxicology

For the active ingredient(s): Based on a majority of negative data and some equivocal or marginally positive results, active ingredient is considered to have minimal genetic toxicity potential. Based on information for component(s): In vitro genetic toxicity studies were negative. Animal genetic toxicity studies were negative.

12. Ecological Information

ToxicityData for Component: Chlorpyrifos

|| Material is very highly toxic to aquatic organisms on an acute basis (LC50/EC50 <0.1 mg/L in the most sensitive species). Material is highly toxic to birds on a dietary basis (LC50 between 50 and 500 ppm).

Fish Acute & Prolonged Toxicity

|| LC50, *Oncorhynchus mykiss* (rainbow trout), 96 h: 0.003 mg/l

Aquatic Invertebrate Acute Toxicity

|| EC50, *Daphnia magna* (Water flea), 48 h: 0.00068 mg/l

Aquatic Plant Toxicity

|| EC50, *Skeletonema costatum*, Growth inhibition (cell density reduction), 96 h: 0.255 - 0.328 mg/l

Toxicity to Micro-organisms

|| EC50; activated sludge: > 100 mg/l

Fish Chronic Toxicity Value (ChV)

|| *Pimephales promelas* (fathead minnow), 216 d, NOEC:0.000568 mg/l

Aquatic Invertebrates Chronic Toxicity Value

|| *Daphnia magna* (Water flea), number of offspring, NOEC: 0.000056 mg/l

Toxicity to Above Ground Organisms

|| oral LD50, Other: 122 mg/kg bodyweight.

|| dietary LC50, *Colinus virginianus* (Bobwhite quail): 423 mg/kg diet.

|| oral LD50, Apis mellifera (bees): 0.36 micrograms/bee
|| contact LD50, Apis mellifera (bees): 0.070 micrograms/bee

Toxicity to Soil Dwelling Organisms

|| LC50, Eisenia fetida (earthworms), 14 d: 129 mg/kg

Data for Component: Polypropylene glycol

|| For this family of materials: Material is practically non-toxic to aquatic organisms on an acute basis (LC50/EC50/EL50/LL50 >100 mg/L in the most sensitive species tested).

Data for Component: Methanol

|| Material is practically non-toxic to aquatic organisms on an acute basis (LC50/EC50/EL50/LL50 >100 mg/L in the most sensitive species tested).

Fish Acute & Prolonged Toxicity

|| LC50, Oncorhynchus mykiss (rainbow trout), 96 h: 19,000 mg/l

Aquatic Invertebrate Acute Toxicity

|| LC50, Daphnia magna (Water flea), 24 h, immobilization: > 10,000 mg/l

Toxicity to Micro-organisms

|| EC50, activated sludge test (OECD 209), Respiration inhibition, 3 h: > 1,000 mg/l

Data for Component: Solvent naphtha (petroleum), light aromatic consists of:

|| Material is moderately toxic to aquatic organisms on an acute basis (LC50/EC50 between 1 and 10 mg/L in the most sensitive species tested). Material is practically non-toxic to birds on an acute basis (LD50 > 2000 mg/kg). Material is practically non-toxic to birds on a dietary basis (LC50 > 5000 ppm).

Fish Acute & Prolonged Toxicity

|| LC50, Oncorhynchus mykiss (rainbow trout), static test, 96 h: 9.22 mg/l

Toxicity to Above Ground Organisms

|| dietary LC50, Colinus virginianus (Bobwhite quail): > 6500 mg/kg diet.

|| oral LD50, Colinus virginianus (Bobwhite quail): > 2150 mg/kg bodyweight.

Data for Component: 1,2,4-Trimethylbenzene

|| Material is moderately toxic to aquatic organisms on an acute basis (LC50/EC50 between 1 and 10 mg/L in the most sensitive species tested).

Fish Acute & Prolonged Toxicity

|| LC50, Pimephales promelas (fathead minnow), flow-through test, 96 h: 7.7 mg/l

Aquatic Invertebrate Acute Toxicity

|| EC50, Daphnia magna (Water flea), 48 h: 3.6 mg/l

Data for Component: 1,3,5-Trimethylbenzene

|| Material is moderately toxic to aquatic organisms on an acute basis (LC50/EC50 between 1 and 10 mg/L in the most sensitive species tested).

Fish Acute & Prolonged Toxicity

|| LC50, Carassius auratus (goldfish), flow-through test, 96 h: 12.5 mg/l

Aquatic Invertebrate Acute Toxicity

|| LC50, Daphnia magna (Water flea), static test, 48 h, mortality: 6 mg/l

Aquatic Plant Toxicity

|| EbC50, alga Scenedesmus sp., biomass growth inhibition, 48 h: 25 mg/l

Aquatic Invertebrates Chronic Toxicity Value

|| Daphnia magna (Water flea), semi-static test, 21 d, number of offspring, NOEC: 0.4 mg/l

Data for Component: Cumene

|| Material is moderately toxic to aquatic organisms on an acute basis (LC50/EC50 between 1 and 10 mg/L in the most sensitive species tested).

Fish Acute & Prolonged Toxicity

|| LC50, Oncorhynchus mykiss (rainbow trout), semi-static test, 96 h: 2.7 mg/l

Aquatic Invertebrate Acute Toxicity

|| EC50, Daphnia magna (Water flea), static test, 48 h, immobilization: 4.0 mg/l

Aquatic Plant Toxicity

|| EbC50, Pseudokirchneriella subcapitata (green algae), static test, biomass growth inhibition, 72 h: 2.6 mg/l

Aquatic Invertebrates Chronic Toxicity Value

|| Daphnia magna (Water flea), semi-static test, 21 d, number of offspring, NOEC: 0.35 mg/l, LOEC: 0.66 mg/l

Toxicity to Above Ground Organisms

|| oral LD50, redwing blackbird (Agelaius phoeniceus): > 98 mg/kg

Data for Component: Xylene

|| Material is moderately toxic to aquatic organisms on an acute basis (LC50/EC50 between 1 and 10 mg/L in the most sensitive species tested).

Fish Acute & Prolonged Toxicity

|| LC50, Oncorhynchus mykiss (rainbow trout), 96 h: 9.2 mg/l

Aquatic Invertebrate Acute Toxicity

|| LC50, Daphnia magna (Water flea), 48 h, lethality: 14.3 mg/l

Aquatic Plant Toxicity

|| EbC50, Pseudokirchneriella subcapitata (green algae), biomass growth inhibition, 72 h: 3.2 - 4.9 mg/l

Persistence and Degradability

Data for Component: Chlorpyrifos

|| Biodegradation under aerobic laboratory conditions is below detectable limits (BOD20 or BOD28/ThOD < 2.5%).

Stability in Water (1/2-life):

|| 72 d

OECD Biodegradation Tests:

Biodegradation	Exposure Time	Method	10 Day Window
22 %	28 d	OECD 301D Test	fail

Indirect Photodegradation with OH Radicals

Rate Constant	Atmospheric Half-life	Method
9.16678E-11 cm ³ /s	1.4 h	Estimated.

Biological oxygen demand (BOD):

BOD 5	BOD 10	BOD 20	BOD 28
0.000 %			

Data for Component: Polypropylene glycol

|| For this family of materials: Material is readily biodegradable. Passes OECD test(s) for ready biodegradability.

Data for Component: Methanol

|| Material is readily biodegradable. Passes OECD test(s) for ready biodegradability.

OECD Biodegradation Tests:

Biodegradation	Exposure Time	Method	10 Day Window
99 %	28 d	OECD 301D Test	pass

Indirect Photodegradation with OH Radicals

Rate Constant	Atmospheric Half-life	Method
6.16E-13 cm ³ /s	8 - 18 d	Estimated.

Biological oxygen demand (BOD):

BOD 5	BOD 10	BOD 20	BOD 28
72 %		79 %	

Chemical Oxygen Demand: 1.49 mg/mg

Theoretical Oxygen Demand: 1.50 mg/mg

Data for Component: Solvent naphtha (petroleum), light aromatic consists of:

|| For the major component(s): Biodegradation under aerobic static laboratory conditions is high (BOD20 or BOD28/ThOD > 40%). For some component(s): Biodegradation under aerobic static laboratory conditions is low (BOD20 or BOD28/ThOD between 2.5 and 10%).

Data for Component: 1,2,4-Trimethylbenzene

|| Material is expected to biodegrade only very slowly (in the environment). Fails to pass OECD/EEC tests for ready biodegradability.

OECD Biodegradation Tests:

Biodegradation	Exposure Time	Method	10 Day Window
4 - 18 %	28 d	OECD 301C Test	Not applicable

Indirect Photodegradation with OH Radicals		
Rate Constant	Atmospheric Half-life	Method
1.670E-11 cm ³ /s	0.641 d	Estimated.
Theoretical Oxygen Demand: 3.19 mg/mg		

Data for Component: **1,3,5-Trimethylbenzene**

Based on stringent OECD test guidelines, this material cannot be considered as readily biodegradable; however, these results do not necessarily mean that the material is not biodegradable under environmental conditions.

OECD Biodegradation Tests:			
Biodegradation	Exposure Time	Method	10 Day Window
0 %	28 d	OECD 301C Test	Not applicable
50 %	4.4 d	Calculated	Not applicable

Indirect Photodegradation with OH Radicals		
Rate Constant	Atmospheric Half-life	Method
3.51E-11 cm ³ /s	3.7 h	Estimated.
Theoretical Oxygen Demand: 3.19 mg/mg		

Data for Component: **Cumene**

Material is readily biodegradable. Passes OECD test(s) for ready biodegradability.

OECD Biodegradation Tests:			
Biodegradation	Exposure Time	Method	10 Day Window
86 %	28 d	OECD 301D Test	pass

Indirect Photodegradation with OH Radicals		
Rate Constant	Atmospheric Half-life	Method
6.90E-12 cm ³ /s	1.55 d	Estimated.

Biological oxygen demand (BOD):			
BOD 5	BOD 10	BOD 20	BOD 28
40.000 %	62.000 %	70.000 %	
Theoretical Oxygen Demand: 3.20 mg/mg			

Data for Component: **Xylene**

Material is expected to be readily biodegradable.

Indirect Photodegradation with OH Radicals		
Rate Constant	Atmospheric Half-life	Method
6.5E-12 cm ³ /s	19.7 h	Estimated.

Biological oxygen demand (BOD):			
BOD 5	BOD 10	BOD 20	BOD 28
37.000 %	58.000 %	72.000 %	
Theoretical Oxygen Demand: 3.17 mg/mg			

Bioaccumulative potentialData for Component: **Chlorpyrifos**

Bioaccumulation: Bioconcentration potential is moderate (BCF between 100 and 3000 or Log Pow between 3 and 5).

Partition coefficient, n-octanol/water (log Pow): 4.7 Estimated.

Data for Component: **Polypropylene glycol**

Bioaccumulation: No bioconcentration is expected because of the relatively high water solubility.

Data for Component: **Methanol**

Bioaccumulation: Bioconcentration potential is low (BCF < 100 or Log Pow < 3).

Partition coefficient, n-octanol/water (log Pow): -0.77 Measured

Bioconcentration Factor (BCF): < 10; Fish; Measured

Data for Component: **Solvent naphtha (petroleum), light aromatic consists of:**

Bioaccumulation: For the major component(s): Bioconcentration potential is moderate (BCF between 100 and 3000 or Log Pow between 3 and 5). For the minor component(s): Bioconcentration potential is low (BCF < 100 or Log Pow < 3).

Data for Component: 1,2,4-Trimethylbenzene

Bioaccumulation: Bioconcentration potential is moderate (BCF between 100 and 3000 or Log Pow between 3 and 5).

Partition coefficient, n-octanol/water (log Pow): 3.63 Measured

Bioconcentration Factor (BCF): 33 - 275; Cyprinus carpio (Carp); Measured

Data for Component: 1,3,5-Trimethylbenzene

Bioaccumulation: Bioconcentration potential is moderate (BCF between 100 and 3000 or Log Pow between 3 and 5).

Partition coefficient, n-octanol/water (log Pow): 3.42 Measured

Bioconcentration Factor (BCF): 161; Pimephales promelas (fathead minnow); Measured

Data for Component: Cumene

Bioaccumulation: Bioconcentration potential is low (BCF < 100 or Log Pow < 3).

Partition coefficient, n-octanol/water (log Pow): 3.4 - 3.7 Measured

Bioconcentration Factor (BCF): 35.5; Fish; Measured

Data for Component: Xylene

Bioaccumulation: Bioconcentration potential is low (BCF < 100 or Log Pow < 3).

Partition coefficient, n-octanol/water (log Pow): 3.12 Measured

Bioconcentration Factor (BCF): 15 - 21; Fish; Measured

Mobility in soilData for Component: Chlorpyrifos

Mobility in soil: Expected to be relatively immobile in soil (Koc > 5000).

Partition coefficient, soil organic carbon/water (Koc): 8,151 **Henry's Law Constant (H):** 6.6E-06 atm*m3/mole Measured

Data for Component: Polypropylene glycol

Mobility in soil: No data available.

Data for Component: Methanol

Mobility in soil: Potential for mobility in soil is very high (Koc between 0 and 50).

Partition coefficient, soil organic carbon/water (Koc): 0.44 Estimated.

Henry's Law Constant (H): 4.40E-06 - 6.94E-06 atm*m3/mole; 25 °C Measured

Data for Component: Solvent naphtha (petroleum), light aromatic consists of:

Mobility in soil: For the major component(s); Potential for mobility in soil is low (Koc between 500 and 2000).

Data for Component: 1,2,4-Trimethylbenzene

Mobility in soil: Potential for mobility in soil is low (Koc between 500 and 2000).

Partition coefficient, soil organic carbon/water (Koc): 720 Estimated.

Henry's Law Constant (H): 6.16E-03 atm*m3/mole; 25 °C Measured

Data for Component: 1,3,5-Trimethylbenzene

Mobility in soil: Potential for mobility in soil is low (Koc between 500 and 2000).

Partition coefficient, soil organic carbon/water (Koc): 741.65 Estimated.

Henry's Law Constant (H): 1.97E-02 atm*m3/mole; 25 °C Estimated.

Distribution in Environment: Mackay Level 1 Fugacity Model:

Air	Water.	Biota	Soil	Sediment
97.26 %	0.62 %	< 0.01 %	2.08 %	0.05 %

Data for Component: Cumene

Mobility in soil: Potential for mobility in soil is low (Koc between 500 and 2000).

Partition coefficient, soil organic carbon/water (Koc): 800 - 2,800 Estimated.

Henry's Law Constant (H): 1.15E-02 atm*m3/mole; 25 °C Measured

Distribution in Environment: Mackay Level 1 Fugacity Model:

Air	Water.	Biota	Soil	Sediment
98.38 %	0.33 %	< 0.01 %	1.26 %	0.03 %

Data for Component: Xylene

Mobility in soil: Potential for mobility in soil is medium (Koc between 150 and 500).

Partition coefficient, soil organic carbon/water (Koc): 443 Estimated.

Henry's Law Constant (H): 7.45E-03 atm*m3/mole; 25 °C Estimated.

13. Disposal Considerations

If wastes and/or containers cannot be disposed of according to the product label directions, disposal of this material must be in accordance with your local or area regulatory authorities. This information presented below only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. If the material as supplied becomes a waste, follow all applicable regional, national and local laws.

14. Transport Information

DOT Non-Bulk

Proper Shipping Name: FLAMMABLE LIQUID, N.O.S.

Technical Name: 1,3,5-TRIMETHYLBENZENE, CHLORPYRIFOS

Hazard Class: 3 **ID Number:** UN1993 **Packing Group:** PG III

DOT Bulk

Proper Shipping Name: FLAMMABLE LIQUID, N.O.S.

Technical Name: 1,3,5-TRIMETHYLBENZENE, CHLORPYRIFOS

Hazard Class: 3 **ID Number:** UN1993 **Packing Group:** PG III

IMDG

Proper Shipping Name: FLAMMABLE LIQUID, N.O.S.

Technical Name: 1,3,5-TRIMETHYLBENZENE, CHLORPYRIFOS

Hazard Class: 3 **ID Number:** UN1993 **Packing Group:** PG III

EMS Number: F-E,S-E

Marine pollutant.: Yes

ICAO/IATA

Proper Shipping Name: FLAMMABLE LIQUID, N.O.S.

Technical Name: 1,3,5-TRIMETHYLBENZENE, CHLORPYRIFOS

Hazard Class: 3 **ID Number:** UN1993 **Packing Group:** PG III

Cargo Packing Instruction: 366

Passenger Packing Instruction: 355

Additional Information

Reportable quantity: 4 lb – CHLORPYRIFOS

MARINE POLLUTANT (CHLORPYRIFOS)

This information is not intended to convey all specific regulatory or operational requirements/information relating to this product. Additional transportation system information can be obtained through an authorized sales or customer service representative. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the material.

15. Regulatory Information

OSHA Hazard Communication Standard

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

Superfund Amendments and Reauthorization Act of 1986 Title III (Emergency Planning and Community Right-to-Know Act of 1986) Sections 311 and 312

Immediate (Acute) Health Hazard	Yes
Delayed (Chronic) Health Hazard	Yes
Fire Hazard	Yes
Reactive Hazard	No

Sudden Release of Pressure Hazard No

Superfund Amendments and Reauthorization Act of 1986 Title III (Emergency Planning and Community Right-to-Know Act of 1986) Section 313

This product contains the following substances which are subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and which are listed in 40 CFR 372.

Component	CAS #	Amount
1,2,4-Trimethylbenzene	95-63-6	5.4%

Pennsylvania (Worker and Community Right-To-Know Act): Pennsylvania Hazardous Substances List and/or Pennsylvania Environmental Hazardous Substance List:

The following product components are cited in the Pennsylvania Hazardous Substance List and/or the Pennsylvania Environmental Substance List, and are present at levels which require reporting.

Component	CAS #	Amount
Chlorpyrifos	2921-88-2	22.9%
1,2,4-Trimethylbenzene	95-63-6	5.4%
1,3,5-Trimethylbenzene	108-67-8	1.4%

Pennsylvania (Worker and Community Right-To-Know Act): Pennsylvania Special Hazardous Substances List:

To the best of our knowledge, this product does not contain chemicals at levels which require reporting under this statute.

Comprehensive Environmental Response, Compensation, and Liability Act of 1980 (CERCLA) Section 103

This product contains the following substances which are subject to CERCLA Section 103 reporting requirements and which are listed in 40 CFR 302.4.

Component	CAS #	Amount
Chlorpyrifos	2921-88-2	22.9%
Xylene	1330-20-7	0.2%

California Proposition 65 (Safe Drinking Water and Toxic Enforcement Act of 1986)

WARNING: This product contains a chemical(s) known to the State of California to cause cancer.

WARNING: This product contains a chemical(s) known to the State of California to cause birth defects or other reproductive harm.

Toxic Substances Control Act (TSCA)

All components of this product are on the TSCA Inventory or are exempt from TSCA Inventory requirements under 40 CFR 720.30

16. Other Information

Hazard Rating System

NFPA	Health	Fire	Reactivity
	2	2	0

Revision

Identification Number: 52378 / 1016 / Issue Date 03/01/2013 / Version: 5.0

DAS Code: XRM-4656

Most recent revision(s) are noted by the bold, double bars in left-hand margin throughout this document.

Legend

N/A	Not available
-----	---------------

W/W	Weight/Weight
OEL	Occupational Exposure Limit
STEL	Short Term Exposure Limit
TWA	Time Weighted Average
ACGIH	American Conference of Governmental Industrial Hygienists, Inc.
DOW IHG	Dow Industrial Hygiene Guideline
WEEL	Workplace Environmental Exposure Level
HAZ_DES	Hazard Designation
Action Level	A value set by OSHA that is lower than the PEL which will trigger the need for activities such as exposure monitoring and medical surveillance if exceeded.

Dow AgroSciences LLC urges each customer or recipient of this (M)SDS to study it carefully and consult appropriate expertise, as necessary or appropriate, to become aware of and understand the data contained in this (M)SDS and any hazards associated with the product. The information herein is provided in good faith and believed to be accurate as of the effective date shown above. However, no warranty, express or implied, is given. Regulatory requirements are subject to change and may differ between various locations. It is the buyer's/user's responsibility to ensure that his activities comply with all federal, state, provincial or local laws. The information presented here pertains only to the product as shipped. Since conditions for use of the product are not under the control of the manufacturer, it is the buyer's/user's duty to determine the conditions necessary for the safe use of this product. Due to the proliferation of sources for information such as manufacturer-specific (M)SDSs, we are not and cannot be responsible for (M)SDSs obtained from any source other than ourselves. If you have obtained an (M)SDS from another source or if you are not sure that the (M)SDS you have is current, please contact us for the most current version.