

# Supplemental Labeling



Dow AgroSciences

Dow AgroSciences LLC

9330 Zionsville Road

Indianapolis, IN 46268-1054 USA

## RESTRICTED USE PESTICIDE

For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification.

## Lorsban<sup>®</sup> Advanced

EPA Reg. No. 62719-591

EPA 24(c) Special Local Need Registration SLN ID-090002  
For Distribution and Use Only in the State of Idaho

### Control of Garden Symphylans Infesting Sugarbeets Grown for Seed

#### ATTENTION

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- This labeling must be in the possession of the user at the time of application.
- Read the label affixed to the container for Lorsban<sup>®</sup> Advanced insecticide before applying. Carefully follow all precautionary statements and applicable use directions.
- Use of Lorsban Advanced according to this supplemental labeling is subject to all use precautions and limitations imposed by the label affixed to the container for Lorsban Advanced.

#### Directions for Use

Refer to product label for Lorsban Advanced for Use Precautions and Restrictions, Mixing and Application instructions.

Apply 2 quarts of Lorsban Advanced per acre in at least 10 gallons of water per acre as a preplant incorporated treatment in the fall to protect sugarbeets from garden symphylans during the following growing season. Apply using suitable power-operated ground application equipment. Consult your cooperative agricultural extension service for additional information concerning garden symphylan control practices in your area.

#### Specific Use Restrictions:

- **Worker Restricted Entry Interval:** Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 24 hours unless PPE required for early entry is worn.
- Apply only once in the fall for protection of sugarbeets grown the following year.
- Maximum single application rate is 1.88 lb ai chlorpyrifos per acre (maximum of 2.82 lb ai chlorpyrifos per year).
- **Chemigation:** Do not apply through any type of irrigation system for the use described in this supplemental labeling.
- Lorsban Advanced should not be tank mixed with other pesticides, surfactants, or fertilizer formulations unless prior use experience has shown that combination to be non-injurious under local conditions of use.
- Use of Lorsban Advanced according to this supplemental label is deemed a non-food use by the Idaho Department of Agriculture and, as such, is not for use on fields producing sugarbeets for livestock feed.
- Do not feed or graze sugarbeets following application of Lorsban Advanced.
- Do not cut treated sugarbeets for hay or forage.
- Do not use harvested seed for sprouting.

- No portion of the treated field, including seed, seed screenings, hay forage, or stubble may be used for human or animal feed.

**This label expires and must not be used or distributed after December 31, 2019.**

®Trademark of The Dow Chemical Company ("Dow") or an affiliated company of Dow

R368-096

Approved: 08/27/14

Replaces R368-035