

Max-In[®] Ultra Manganese

Safety Data Sheet

NFPA HAZARD RATING			RD RATING	U.S. TRANSPORT SUMMARY
0	Least			
1	Slight	2	Health	See Contine 14 for
2	Moderate	0	Flammability	CORROSIVE See Section 14 for full information.
3	High	1	Reactivity	corrosive full information.
4	Severe			8

SECTION 1: IDENTIFICATION			
Product Name:	Name: Max-In® Ultra Manganese or Max-In® Ultra Manganese 5%		
EPA Registration #:	Exempt		
Product ID/Unity #:	10126411, 10126417, 10126419, 10134711, 10136403, 10136828		
Common Name:	Micronutrient fertilizer		
Chemical Description:	Liquid manganese fertilizer		
Recommended Uses:	ded Uses: Fertilizer product – See product label for full directions for use		
Restrictions for Use:	tions for Use: See product label for any potential restrictions on use.		
Manufactured For:	MEDICAL EMERGENCY TELEPHONE NUMBER: 1-877-424-7452 (24hrs)		
WINFIELD SOLUTIONS,	LLC		
P. O. Box 64589	Non-Emergency Business Inquiries: 1-855-494-6343		
St. Paul, MN 55164-0589	Mon – Fri 8am – 5pm (Central Standard Time)		
FOR EMERGENCY, SPILL, LEAK, FIRE, EXPOSURE, OR ACCIDENT, CALL:			

EMERGENCY, XPOSURE, OR ACCIDENT, CALL: AK, FIRE, E CHEMTREC 1-800-424-9300 (24 hours)

SECTION 2: HAZARDS IDENTIFICATION

	SECTION 2. TA				
EMERGENCY OV Harmful if swallow	ERVIEW: Clear pink to tea brown liquided	d with slight organic odor. Cause	s serious eye and skin damage.		
	POTENTIAL HEALTH EFFECTS:				
Eves: Causes ser	ious eye irritation with the potential for in	reversible damage.			
	ious skin irritation with the potential for i				
Inhalation: Inhala	tion of mist may cause irritation of the u	pper respiratory tract.			
	I if swallowed. May cause burning of the				
	litions: Preexisting respiratory conditior				
Chronic Health Effects: Repeated inhalation exposure may damage the central nervous system and lungs.					
Carcinogeni	city NTP: Not listed	IARC: Not listed	OSHA: Not listed		
OSHA HCS 2012	CLASSIFICATION: Skin Corrosion/Irrita	ation Category 1C; Eye Damage	/Irritation Category 1; Specific Target		
Organ Toxicant –	Repeated Exposure Category 2				
SIGNAL WORD:	DANGER				
HAZARD STATE	MENTS:		•		
Causes severe skin burns and eye damage.					
	May cause damage to organs through prolonged or repeated				
exposure.					
Percent of produ	ct with unknown toxicity: 0.05%		• •		
PRECAUTIONAR	Y STATEMENTS:				
	o not breathe mist or spray. Wash hand ve protection, and face protection. See				
	o not breathe mist or spray. Wash hand ve protection, and face protection. See				

Continued on next page

Response:If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all
contaminated clothing. Rinse skin with water/shower. If inhaled: Remove person to fresh air and keep
comfortable for breathing. Immediately call a poison control center (1-877-424-7452) or doctor for treatment
advice. If in eyes: Rinse cautiously with water for 15 minutes. Remove contact lenses, if present and easy to
do. Continue rinsing. Immediately call a poison control center (1-877-424-7452) or doctor for treatment advice.Storage:Storage:
DisposalDispose of contents/container in accordance with Federal, state and local regulations.

Ingredient	% (wt)	CAS Reg. #
Manganese sulfate	15.62%	10034-96-5
Organic acid	7.0 – 11.0%	77-92-9

See Section 8 for exposure limits.

SECTION 4: FIRST AID MEASURES

Inhalation:	Remove person from contaminated area to fresh air and assist breathing as needed. Seek medical attention if irritation occurs.
Ingestion:	Seek medical attention or call a poison control center immediately for treatment advice. Do not induce vomiting unless instructed to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
Eyes:	Flush eyes with clean water for at least 15 minutes. Lift eyelids to facilitate irrigation. If present, remove contact lenses after 5 minutes and continue rinsing. Seek medical attention immediately.
Skin:	Remove contaminated clothing and wash before re-using. Flush skin with water and then wash with soap and water. Seek medical attention immediately.

SECTION 5: FIRE FIGHTING MEASURES

Suitable Extinguishing Media: Water spray or fog, alcohol-resistant foam, carbon dioxide, or dry chemical **Unsuitable Extinguishing Media:** Water jet; Use water jet only to cool containers.

Special Fire Fighting Procedures: Wear NIOSH/MSHA approved self-contained breathing apparatus and full bunker gear. Dike area to prevent runoff and contamination of water sources. Dispose of fire control water later. Avoid breathing vapors; keep upwind.

Hazardous Combustion Products: Carbon oxides, Sulfur oxides, and Nitrogen oxides; Airborne manganese may also be present (harmful to respiratory system.)

Unusual Fire and Explosion Hazards: Closed containers may explode from vapor expansion in high heat. Contain run-off by diking to prevent contamination of water supplies.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions: Refer to Section 8 for personal protective equipment to be worn during containment and clean-up of a spill involving this product.

Environmental Precautions: Do not allow spilled product to enter sewers or waterways.

Methods for Containment: Contain spilled product by diking area with sand or earth.

Methods for Clean-up: Cover contained spill with an inert absorbent material such as sand, vermiculite or other appropriate material. Vacuum, scoop, or sweep up material and place in a container for disposal. Do not place spilled material back in original container.

Other Information: None known

SECTION 7: HANDLING AND STORAGE

Handling: Ensure adequate ventilation during handling and use. Immediately clean up spills that occur during handling. Keep containers closed when not in use. Practice good hygiene after using this material, especially before eating, drinking, smoking, using the toilet, or applying cosmetics.

Storage: Store in cool, dry areas away from children, food and feed products in an area away from incompatible substances. Ensure that storage area is secured. Protect packaging from physical damage. Protect from exposure to fire. Maintain product above minimum storage temperature. Do not store in aluminum or metal vessels.

Minimum Storage Temperature: 40°F

Other Precautions: Consult Federal, state and local laws and regulations pertaining to storage.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines Component:	OSHA PEL	ACGIH TLV	NIOSH REL
Manganese inorganic compounds	5 mg/m3 (CEIL)	0.2 mg/m3 TWA	1 mg/m3 TWA 3 mg/m3 ST
Respiratory Protection: For most we concentrations exceed exposure limits general particulates.			led. If airborne
	haust: Provide general or local exh tions below OSHA PELs or other sp		
Protective Gloves: This product can skin. Eye Protection: To avoid contact with lenses are not protective eye devices. Other Protective Clothing or Equipn prevent skin contact.	n eyes, wear chemical safety goggle An emergency eyewash or water si	s or safety glasses and full fault for the safety glasses and full fault for the sadily acce	ace shield. Contact ssible to the work area

Work/Hygienic Practices: Never eat, drink, nor use tobacco in work areas. Practice good hygiene after using this material, especially before eating, drinking, smoking, using the toilet, or applying cosmetics.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Physical State:
Vapor Pressure (mm Hg):
Vapor Density (Air=1):
Solubility in Water (wt %):
Viscosity:
Appearance and odor:

Liquid Not determined Not determined 100% Not determined Clear pink to tea brown with slight organic odor; color darkens over time from pink to brown Specific Gravity (H₂O=1): Density (Ibs/gallon): Melting Point/Freezing Point: Boiling Point/Range: pH: Flash Point: 1.22 (typical) 10.0 – 10.2 lbs/gallon Not determined Not determined <2.0 Non-combustible

SECTION 10: STABILITY AND REACTIVITY

Reactivity: Due to its low pH this product can be corrosive to tanks, pumps, meters and fittings. Do not use aluminum or mild steel with this product.

Chemical Stability: Product is stable at ambient temperature and pressure, under normal storage and handling conditions. **Possibility of Hazardous Reactions:** Will not occur

Conditions to Avoid: Excessive heat

Incompatible Materials: Avoid mixing with calcium solutions, strong reducing agents and finely powdered metals. **Hazardous Decomposition Products:** During prolonged exposure to high heat or fire conditions Carbon oxides, Sulfur oxides, and Nitrogen oxides may form. Toxic manganese may also be present upon decomposition.

SECTION 11: TOXICOLOGICAL INFORMATION				
ACUTE TOXICITY				
Eye Effects:	May cause serious and irreversible eye damage if exposed for more than a few minutes.			
Skin Effects: May cause serious and irreversible skin damage if exposed for more than a few minutes.				
Acute Inhalation Effects: May be harmful if inhaled.				
Acute Oral Effects:	Estimated LD50 >9,000 mg/kg; May cause burning of the esophagus due to low pH of concentrate.			
Specific Target Organ	Repeated inhalation exposure may damage the central nervous system and lungs.			
Toxicity:				
CHRONIC TOXICITY				
Chronic Effects:	Repeated inhalation exposure may damage the central nervous system and lungs.			
Carcinogenicity:	No component is anticipated to have carcinogenic effects.			
Mutagenicity:	No component is anticipated to have mutagenic effects.			
Teratogenicity:	No component is anticipated to have teratogenic effects.			
Reproductive Toxicity:	No component is anticipated to have effects on the reproductive system.			
POTENTIAL HEALTH EFFECTS:				
Eyes: Causes serious eye irritation with the potential for irreversible damage.				
Skin: Causes serious skin irritation with the potential for irreversible damage.				
Inhalation: Inhalation of mist may cause irritation of the upper respiratory tract.				
Ingestion: Harmful if swallowed. May cause burning of the esophagus.				

SECTION 12: ECOLOGICAL INFORMATION

ENVIRONMENTAL SUMMARY: Not determined			
ECOTOXICITY DATA:			
Fish Acute and Prolonged Toxicity:	Not determined		
Aquatic Invertebrate Acute Toxicity:	Not determined		
Aquatic Plant Toxicity:	Not determined		
Bird Acute and Prolonged Toxicity:	Not determined		
Honeybee Toxicity:	Not determined		
ENVIRONMENTAL EFFECTS:			
Soil Absorption/Mobility:	Not determined		
Persistence and degradability:	Not determined		
Bioaccumulative Potential:	Not determined		
Other adverse effects:	Not determined		

SECTION 13: DISPOSAL CONSIDERATIONS

Waste: Dispose of in accordance with applicable Federal, state and local laws and regulations. **Container:** Triple rinse and recycle the container or dispose of in accordance with Federal, state and local laws and regulations. **RCRA Characteristics:** It is the responsibility of the individual disposing of this product to determine the RCRA classification and hazard status of the waste. If disposed of as purchased, waste code D002 applies.

SECTION 14: TRANSPORT INFORMATION			
DOT: (Ground)	UN3265, Corrosive liquid, acidic, organic, n.o.s. (carboxylic acid), 8, PG III		
IMDG: (Sea)	UN3265, Corrosive liquid, acidic, organic, n.o.s. (carboxylic acid), 8, PG III		
IATA: (Air)	UN3265, Corrosive liquid, acidic, organic, n.o.s. (carboxylic acid), 8, PG III		
TDG: (Canada)	UN3265, Corrosive liquid, acidic, organic, n.o.s. (carboxylic acid), 8, PG III		

SECTION 15: REGULATORY INFORMATION					
TSCA Inventory: All components are listed on the TSCA inventory.					
SARA Title III Information:					
Section 302 - Extremely hazardous substance					
Section 311/312 – Hazard Categories: Imm					
		rting requirements of Section 313 of Title III, Superfund			
Amendments and Reauthorization Act of 1986 a	and 40 CFR 372:				
Manganese compounds 15.62%;					
CERCLA - This product contains the following chen		reportable quantity (RQ) under the Comprehensive			
Environmental Response, Compensation, and Liabi	lity Act (CERCLA):				
None listed					
•	ontain any chemica	Is known to the state of California to cause cancer and/or			
reproductive harm.					
U.S. State Worker and Community Right-To-Kno	U.S. State Worker and Community Right-To-Know (RTK) Information (CT, IL, MA, MN, NH, NJ, PA, RI):				
Chemical Name	CAS #	State(s)			
Manganese sulfate (Manganese compounds)	10034-96-5	MN, ŇJ, PA			
Canadian Domestic Substances List: All components are listed on the DSL.					
WHMIS Classification: D2A (very toxic), E (corrosi	ve material)				

SECTION 16: OTHER

Disclaimer: The information presented herein is based on available data from reliable sources and is correct to the best of WinField Solutions' knowledge. WinField Solutions, LLC makes no warranty, express nor implied, regarding the accuracy of the data or the results obtained from the use of this product. Nothing herein may be construed as recommending any practice or any product in violation of any law or regulations. The user is solely responsible for determining the suitability of any material or product for a specific purpose and for adopting any appropriate safety precautions. We disclaim all liability for injury or damage stemming from any improper use of the material or product described herein.

Revision Date: February 12, 2019 **Sections Revised:** updated brand Supersedes document dated: January 22, 2014