

TECHNICAL INFORMATION BULLETIN
 FOR THE USE OF MAJESTENE[®] BIONEMATICIDE
 FOR WESTERN AND NORTHERN CORN ROOTWORM LARVAE, SEED CORN MAGGOT, WIREWORMS, WHITE
 GRUBS AND BLACK CUTWORM LARVAE
 ON CORN (field corn, sweet corn, popcorn and corn grown for seed)

FIFRA Section 2(ee) Recommendation

This recommendation is made as permitted by Section 2(ee) of FIFRA, as amended, and has not been submitted to or approved by the U. S. Environmental Protection Agency.

FOR USE IN ALL STATES WHERE CROP AND PEST(S) EXIST AND WHERE 2(EE) RECOMMENDATIONS ARE RECOGNIZED.

MAJESTENE[®]
EPA Reg. No. 84059-14
DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

CORN (field corn, sweet corn, popcorn and corn grown for seed)

Target Soil Insect	Application Method	Product Use Rate per Application	Application Instructions
Western and northern corn rootworm larvae Seed corn maggot Wireworms White grubs	In furrow	1-2 gallons applied in furrow	Apply MAJESTENE Bionematicide in a minimum of 3 gallons of water per acre at planting so as the spray is directed over the open seed furrow just before the seeds are covered. MAJESTENE Bionematicide applied as a T-band should be lightly incorporated into the top 1 inch of soil by drag chains or tines. Please refer to In-furrow and T-band Application Rates on the container label for determining the proper amount of product based upon row width.
Black cutworm	Foliar	1 gallon broadcast or banded over the row	Apply MAJESTENE Bionematicide in a minimum of 30 gallons of water per acre broadcast or banded over the row. Careful scouting to identify infestations of black cutworm larvae based on moth flight data and growing degree days are required for early intervention and successful treatment targeting young larvae.

Do not enter or allow worker entry into treated areas during the **restricted-entry interval (REI) of 4 hours**.

All applicable directions, restrictions and precautions on the EPA-registered label are to be followed.

This FIFRA Section 2(ee) recommendation contains new or additional directions for use of this product, which may not appear on the package label. Read and carefully observe the cautionary statements plus all the other information appearing on the product label.

This recommendation must be in the possession of the user at the time of pesticide application.

MAJESTENE[®] is a registered trademark of Marrone Bio Innovations, Inc.

© Copyright Marrone Bio Innovations, Inc., 2021

Marrone Bio Innovations, Inc.

1540 Drew Ave.

Davis, California 95618