

MASTERLOCK®

DEPOSITION AID, CANOPY PENETRATION, SURFACTANT, COVERAGE, SPREADER, STICKER & DRIFT CONTROL AGENT

With
DropTight®Technology

PRINCIPAL FUNCTIONING AGENTS:

Modified vegetable oil, polyoxyethylene sorbitan fatty acid ester, vegetable oil, and soybean oil, ethoxylated 100%

All ingredients are exempt from the requirement of a tolerance in 40 CFR 180.

Patent pending

KEEP OUT OF REACH OF CHILDREN CAUTION

PRECAUTIONARY STATEMENTS

Harmful if inhaled. Avoid breathing spray mist. Remove and wash contaminated clothing before reuse.

FIRST AID

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

If on skin: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

If swallowed: Call a poison control center or doctor immediately for treatment advice. Have the person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

In case of medical emergency, call toll free 1-877-424-7452.

STORAGE AND DISPOSAL

PROHIBITIONS: Do not contaminate water, food or feed by storage, disposal or cleaning of equipment.

STORAGE: Store in original container only and keep sealed, in closed storage areas. Storage above freezing is recommended. If product freezes, warm and agitate (recirculate) prior to use.

ADJUVANT DISPOSAL: Wastes resulting from the use of this product may be disposed of through on-site spray application or at an approved waste disposal facility.

CONTAINER DISPOSAL: Do not reuse empty container. Triple rinse (or equivalent) during mixing and loading. Recycling decontaminated containers is the best option of container disposal. The Agricultural Container Recycling Council (ACRC) operates the national recycling program. Contact your state and local ACRC recycler or visit the ACRC web page at www.acrecycle.org. Decontaminated containers may also be disposed of in a sanitary landfill.

FOR CHEMICAL EMERGENCY: Spill, leak, fire, exposure, or accident, call CHEMTREC 1-800-424-9300

GENERAL INFORMATION

MASTERLOCK® is a spray adjuvant designed to maximize pesticide performance by improving deposition, and canopy penetration. MASTERLOCK® includes DropTight® Technology for optimized coverage, spreading, and sticking, plus provides surfactancy of the spray application onto the intended target. MASTERLOCK® reduces drift and evaporation of pesticides being applied by ground or air.

MASTERLOCK® is unique and does not negatively affect spray pattern like other drift control adjuvants even when using air assisted type nozzles. MASTERLOCK® should be used in conjunction with proper spray equipment selection set-up and use including boom height, nozzle type, size and pressure. Along with good judgment and the proper selection and use of spray equipment, MASTERLOCK® can help professional applicators optimize performance of pesticides.

Distributed by:
Winfield Solutions, LLC
P.O. Box 64589, St. Paul, MN 55164-0589

NET CONTENTS
2.5 GALLONS
1/1016/9

WINFIELD™

Not all combinations of MASTERLOCK® and other products have been tested on all crops and for all uses. These tank mixes should be tested on a small portion of the field to ensure product compatibility and crop safety prior to general use.

DIRECTIONS FOR USE

MASTERLOCK® is designed for use with fungicides and insecticides and may also be used with herbicides and other crop protection products.

Prior to use, read all directions on this label.

Rate of MASTERLOCK®	Application Method
6.4 oz./A	Ground
1% v/v (but not ≤ less than 4 oz./A)	Aerial

Before mixing pesticides with MASTERLOCK, conduct a jar test to determine compatibility.

Mixing

Add MASTERLOCK® after pesticides or other adjuvants are added but prior to complete filling of the spray tank.

For Direct Injection: MASTERLOCK® can be applied through injection systems where MASTERLOCK is added to one of the system's chemical injection tanks. An in-line mixing chamber is recommended.

- Step 1 Add MASTERLOCK® to the chemical injection tank.
- Step 2 Pump the correct amount of MASTERLOCK® into the line.
- Step 3 Pump the proper amount of water, pesticide, and other adjuvants into the line for mixing with MASTERLOCK® and chemicals before going into the spray boom.

Do not mix MASTERLOCK® with Superb® HC, Alliance®, Class Act® Flex, or Class Act® NG® or other adjuvants in an induction system or container when all the products are undiluted. Once mixed in water, all the products are compatible in any mixing order.

Notice of Warranty

Seller warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use. SELLER MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, NOR IS ANY REPRESENTATIVE OF SELLER AUTHORIZED TO MAKE ANY SUCH WARRANTY OR MODIFY THESE TERMS. This warranty does not extend to the storage, handling or use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to Seller, and Buyer assumes the risk of any such storage, handling or use. Seller shall not be responsible for incidental or consequential damages, if any, resulting from a breach of warranty.

Alliance®, Class Act®, DropTight®, NG®, and Masterlock®, Superb® are registered trademarks of Winfield Solutions, LLC.