

Pyraclostrobin	Group	11	Fungicide
Fluxapyroxad	Group	7	Fungicide

Supplemental Label

Merivon®

Xemium® Brand Fungicide

For disease control and plant health in pomegranate

This supplemental label expires on September 30, 2024, and must not be used or distributed after this date.

Powered by Xemium® and F500® fungicides

Active Ingredients:

fluxapyroxad*: 1*H*-Pyrazole-4-carboxamide, 3-(difluoromethyl)-
1-methyl-N-(3',4',5'-trifluoro[1,1'-biphenyl]-2-yl)- 21.26%
pyraclostrobin**: (carbamic acid, [2-[[[1-(4-chlorophenyl)-
1*H*-pyrazol-3-yl]oxy]methyl]phenyl]methoxy-, methyl ester) 21.26%

Other Ingredients: 57.48%
Total: 100.00%

* Equivalent to 2.09 pounds of fluxapyroxad per gallon

** Equivalent to 2.09 pounds of pyraclostrobin per gallon

EPA Reg. No. 7969-310
WARNING/AVISO

Directions For Use

- It is a violation of federal law to use this product in a manner inconsistent with its labeling.
- The supplemental labeling and the entire **Merivon® Xemium® brand fungicide** container label, EPA Reg. No. 7969-310, must be in possession of the user at the time of application.
- Read the label affixed to the container for **Merivon** before applying.
- Use of **Merivon** according to this labeling is subject to the use precautions and limitations imposed by the label affixed to the container for **Merivon**.

Application Instructions

Refer to the **Merivon** container label for specific use directions, recommendations and restrictions in registered crops.

Use Restrictions and Limitations

- **Merivon** is not for sale, distribution, or use in Nassau and Suffolk counties in New York State.

Table 1. Merivon® Xemium® brand fungicide Restrictions and Limitations Overview*

Crop	Minimum Time from Application to Harvest (PHI) (days)	Maximum Product Rate per Application (fl ozs/A)	Maximum Number of Applications per Year	Maximum Number of Sequential Applications	Maximum Product Rate per Year (fl ozs/A)
Pomegranate	14	7	2	2	14
* See Table 2. Merivon Crop-specific Directions for additional directions.					

Table 2. Merivon Crop-specific Directions

Crop	Target Disease	Product Use Rate per Application (fl ozs/A)	Maximum Number of Applications per Year	Maximum Product Rate per Year (fl ozs/A)	Minimum Time from Application to Harvest (PHI) (days)
Pomegranate	Alternaria black heart (<i>Alternaria</i> spp.) Anthracnose (<i>Colletotrichum</i> spp.)	7	2	14	14

Application Directions. Begin applications of **Merivon** prior to onset of disease development and continue on a 14 day interval.

Apply **Merivon** in sufficient spray volume to provide complete plant coverage without excessive runoff. Thorough plant coverage is required to maximize the effectiveness of **Merivon**.

East of the Rocky Mountains: To avoid crop injury, **DO NOT** apply **Merivon** to pomegranates as a tank mix with any adjuvants, liquid fertilizers, nutrients, or anything other than water.

West of the Rocky Mountains: **Merivon** may be tank mixed with NIS adjuvants at a rate not to exceed 8 fl ozs/100 gallons (0.0625% v/v). **DO NOT** tank mix with other pesticide products, additives, nutrients, or any adjuvants other than NIS. All varieties and cultivars have not been tested with NIS tank mix combinations. Local conditions can also influence crop tolerance. Therefore, before tank mixing **Merivon** with NIS adjuvants, test the combination on a small portion of the crop to be treated to ensure that a phytotoxic response will not result.

Restrictions

The minimum retreatment interval is 7 days.

DO NOT apply more than 7 fl ozs (0.114 lb fluxapyroxad 0.114 lb pyraclostrobin) per acre per application.

DO NOT apply more than 14 fl ozs (0.228 lb fluxapyroxad, 0.228 lb pyraclostrobin) per acre per year.

DO NOT apply more than 2 applications per year.

Conditions of Sale and Warranty

The **Directions For Use** of this product reflect the opinion of experts based on field use and tests. The directions are believed to be reliable and must be followed carefully. However, it is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or use of the product in a manner inconsistent with its labeling, all of which are beyond the control of BASF CORPORATION ("BASF") or the Seller. To the extent consistent with applicable law, all such risks shall be assumed by the Buyer.

BASF warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the **Directions For Use**, subject to the inherent risks, referred to above.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BASF MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR MERCHANTABILITY OR ANY OTHER EXPRESS OR IMPLIED WARRANTY.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BUYER'S EXCLUSIVE REMEDY AND BASF'S EXCLUSIVE LIABILITY, WHETHER IN CONTRACT, TORT, NEGLIGENCE, STRICT LIABILITY, OR OTHERWISE, SHALL BE LIMITED TO REPAYMENT OF THE PURCHASE PRICE OF THE PRODUCT.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BASF AND THE SELLER DISCLAIM ANY LIABILITY FOR CONSEQUENTIAL, EXEMPLARY, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.

BASF and the Seller offer this product, and the Buyer and User accept it, subject to the foregoing **Conditions of Sale and Warranty** which may be varied only by agreement in writing signed by a duly authorized representative of BASF.

1108

Merivon® Xemium® brand fungicide is specially formulated and sold by BASF for the control of pests according to the directions on this label. The purchase price of **Merivon** includes a royalty whereby the purchaser acquires a prepaid license under U.S. Patent No.5,438,070 and (pending No. 2008/0153707 A1) under which purchaser agrees to employ the purchased quantity of **Merivon** only for the above-specified uses under BASF's United States patent rights and to provide notice of the terms and conditions of this license to any subsequent purchaser. Uses of **Merivon** other than those specified on this label are not licensed through the purchase of this product and the use of this product for other purposes may violate this license and patent rights of BASF.

F500, Merivon, and Xemium are registered trademarks of BASF.

© 2021 BASF Corporation
All rights reserved.

007969-00310.20200130d.NVA 2020-04-371-0008
Based on: NVA 2020-04-371-0255

BASF Corporation
26 Davis Drive
Research Triangle Park, NC 27709


We create chemistry