

# MILK ACID

NON PLANTFOOD INGREDIENT  
 18% Milk Permeate (microbe food)  
 82% Inert Ingredients

## GENERAL INFORMATION:

Milk Acid is a microbial food source for soil application. This product is intended for use on neutral and alkaline soils. It is intended to be a supplement to a fertility program. Always monitor crop nutrient needs and responses with a soil, leaf tissue and irrigation water analysis program.

*This product is not considered hazardous under the U.S. OSHA 29 CFR 1910.1200 Hazard Communication Standard.*

## SEE LABEL ON PRODUCT FOR NET CONTENTS.

This product is available in:

### BULK

Density: 8.85 lbs per gallon (1.06 kgs per liter) @ 68°F



Guaranteed by:  
 Source to Source, a TAP Family Company  
 3233 South "I" Street  
 Tulare, CA 93274  
 Toll Free: 866.727.4572

**NOT FOR USE IN  
 ORGANIC CROP AND  
 ORGANIC FOOD  
 PRODUCTION**

## DIRECTIONS FOR USE

### APPLICATION METHODS:

Milk Acid is best applied through typical fertigation methods or through conventional soil application methods. When applying this material through closed irrigation systems, continue to operate system one hour after material has been injected.

### PRECAUTIONS:

Mild agitation is required prior to emptying containers, measuring, or during application.

### COMPATIBILITY:

This product has an acidic pH and is compatible with many commonly applied nutrients and crop protection products. Contact a Source To Source representative for a list of compatible mixes. Jar test for compatibility prior to mixing with any pesticides, fertilizers or fertilizer blends. For unfamiliar mixes, an appropriate amount of the final mix should be applied to a small area of the intended crop to ensure plant compatibility prior to the planned application. User assumes full responsibility to ensure product, equipment and plant compatibilities.

### STORAGE AND SHELF LIFE:

Store in a sealed container. Avoid prolonged storage in mild steel tanks. If spilled, surfaces will become slippery. When dry a powder residue remains. Gloves, waterproof shoes, and eye shields should be worn as precaution. In the case of spill, contain and absorb. Clean surfaces with soap and water.

## SUGGESTED APPLICATION RATES & TIMINGS

Apply 3-10 gallons of Milk Acid per acre in 14 day intervals throughout the growing season. Do not exceed 50 gallons in a growing season. Milk Acid can be applied alone or combined with many fertilizers, sugar solutions, carbon sources, organic acids, or biological material. Always jar test small quantities of any unknown mixtures prior to mixing on a large scale.

NOTICE: Seller warrants that this product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use. Buyer shall assume all risks of use including, but not limited to crop injury, ineffectiveness or other unintended consequences as may result because of such factors as weather conditions, presence of other materials or the manner of use or application, all of which are beyond the control of the seller. In no case shall Source to Source be liable for consequential, special or indirect damages resulting from the use or handling of this product. Always refer to the label on the product before use.

Milk Acid™ is a trademark product of Source to Source, Tulare CA  
 This label is for use in California and Arizona. For use in other states, please contact your Source to Source dealer, as labels may vary by state.