

SAFETY DATA SHEET

1. Identification

Product identifier	MOCAP® EC
Other means of identification	
SDS number	424
Product registration number	5481-9041
Synonyms	Ethoprop EC 720
Recommended use	Organophosphate nematicide/insecticide.
Recommended restrictions	This is a Restricted Use Pesticide and is for use by licensed applicators only.
EPA Registration number	EPA: 5481-9041

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name	AMVAC Chemical Corporation	
Address	4685 MacArthur Court Suite 1200 Newport Beach, CA 92660	
Telephone	AMVAC Chemical Corp	949-260-1200
	AMVAC Chemical Corp	949-260-6270(FAX)
Website	www.amvac.com	
E-mail	CustServ@amvac.com	
Emergency phone number	Medical	888-681-4261
	CHEMTREC®	888-424-9300
	800-(USA+Canada)	
	Product Use	888-462-6822
	CHEMTREC® (Outside USA)	+1-703-527-3887

2. Hazard(s) identification

Physical hazards	Flammable liquids	Category 4
Health hazards	Acute toxicity, oral	Category 2
	Acute toxicity, dermal	Category 2
	Acute toxicity, inhalation	Category 2
	Sensitization, skin	Category 1
	Carcinogenicity	Category 1B
	Aspiration hazard	Category 1
Environmental hazards	Hazardous to the aquatic environment, acute hazard	Category 1
	Hazardous to the aquatic environment, long-term hazard	Category 1
OSHA defined hazards	Not classified.	

Label elements



Signal word Danger

Hazard statement Combustible liquid.
Fatal if swallowed.
May be fatal if swallowed and enters airways.
Fatal in contact with skin.
May cause an allergic skin reaction.
Fatal if inhaled.
Suspected of causing cancer.
Very toxic to aquatic life.
Very toxic to aquatic life with long lasting effects.

Precautionary statement

Prevention

Do not handle until all safety precautions have been read and understood.
Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
Do not breathe mist/vapors/spray.
Do not get in eyes, on skin, or on clothing.
Wash thoroughly after handling.
Do not eat, drink or smoke when using this product.
Use only outdoors or in a well-ventilated area.
Avoid release to the environment.
Contaminated work clothing must not be allowed out of the workplace.
Wear protective gloves/protective clothing/eye protection/face protection.
Wear respiratory protection.

Response

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Rinse mouth.
IF ON SKIN: Wash with plenty of soap and water. Take off immediately all contaminated clothing and wash it before reuse. Immediately call a POISON CENTER or doctor/physician.
IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a poison center/doctor.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If skin irritation or rash occurs: Get medical advice/attention.
In case of fire: Use appropriate media to extinguish.
Collect spillage.

Storage

Store in a well-ventilated place. Keep container tightly closed.
Store locked up.

Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise classified (HNOC)

None known.

Supplemental information

This is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The hazard information required on the pesticide label is reproduced in section 15. The pesticide label also includes other important information, including directions for use.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Ethoprophos	Ethoprophos; Ethoprofos O-Ethyl-S,S-dipropyl phosphorodithionate	13194-48-4	69.6
Solvent naphtha (petroleum), heavy arom.		64742-94-5	20-25

Constituents

Chemical name	Common name and synonyms	CAS number	%
Naphthalene		91-20-3	<2.5
1,3-Diethyl benzene		141-93-5	<0.3

4. First-aid measures

Inhalation

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Oxygen or artificial respiration if needed. Do not use mouth-to-mouth method if victim inhaled the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Call a physician or poison control center immediately.

Skin contact	Take off immediately all contaminated clothing. Wash off with soap and water. Call a physician or poison control center immediately. For minor skin contact, avoid spreading material on unaffected skin. Wash contaminated clothing before reuse. Wash clothing separately before reuse.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician or poison control center immediately.
Ingestion	Call a physician or poison control center immediately. Rinse mouth thoroughly. Never give anything by mouth to a victim who is unconscious or is having convulsions. Do not induce vomiting without advice from poison control center. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Do not use mouth-to-mouth method if victim ingested the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.
Most important symptoms/effects, acute and delayed	Acute cholinesterase depression may be evidenced by headache, nausea, vomiting, diarrhea, abdominal cramps, excessive sweating, salivation and tearing, constricted pupils, blurred vision, tightness in chest, weakness, muscle twitching and confusion; in extreme cases, unconsciousness, convulsions, severe respiratory depression and death may occur. Product may cause slight but temporary irritation to the eyes and may cause irritation of the skin. Repeated exposures to small doses of organophosphates may lower the cholinesterase to levels where the above symptoms of acute overexposure are observed. May cause allergic skin reaction. Irritation of eyes and mucous membranes.
Indication of immediate medical attention and special treatment needed	Treat symptomatically. This product is an Organophosphate (OP) Insecticide. Do not handle the patient without the following protective equipment in place: chemical resistant gloves and apron (preferably nitrile). Remove contaminated clothing and do not reuse without thorough cleaning with detergent and hot water. Dispose of heavily contaminated clothing, including shoes, as a hazardous waste. Do not wait for laboratory confirmation to treat patients with strong clinical evidence of poisoning. In the USA and other countries, contact your local or national poison control center for more information. Establish airway and oxygenation. IV Atropine sulfate is the antidote of choice against parasympathetic nervous stimulation. If there are signs of parasympathetic stimulation, Atropine Sulfate should be injected at 10 minute intervals in doses of 1 to 2 milligrams until complete atropinization has occurred. Pralidoxime chloride (2-PAM chloride) may also be used as an effective antidote in addition to and while maintaining full atropinization. In adults, an initial dose of 1 gram of 2-PAM should be injected, preferably as an infusion, in 250 cc of saline over a 15 to 20 minute period. If this is not practical, 2-PAM may be administered slowly by intravenous injection as a 5% solution in water over not less than 2 minutes. After about an hour, a second dose of 1 gram of 2-PAM will be indicated if muscle weakness has not been relieved. For infants and children, the dose of 2-PAM is 0.25 grams. Avoid morphine, aminophylline, phenothiazine, reserpine, furosemide and ethacrynic acid. Clear chest by postural drainage. Oxygen administration may be necessary. Observe patient continuously for 48 hours. Bathe and shampoo contaminated skin and hair. If ingested, empty stomach; activated charcoal is useful to further limit absorption. If victim is alert, Syrup of Ipecac (2 tablespoons in adults, 1 tablespoon in small children) is indicated. If symptoms such as loss of gag reflex, convulsions, or unconsciousness occur before emesis, gastric lavage should be considered following intubation with a cuffed endotracheal tube.
General information	Take off contaminated clothing and shoes immediately. In case of shortness of breath, give oxygen. In the case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Keep victim warm. Wash contaminated clothing before reuse. Discard any shoes or clothing items that cannot be decontaminated. This product is a Cholinesterase Inhibitor. A physician should be contacted in all cases of exposure to the technical and its formulations.
5. Fire-fighting measures	
Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO ₂).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	The product is combustible, and heating may generate vapors which may form explosive vapor/air mixtures. During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	Combustible liquid.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Do not breathe vapors or spray mist. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up

This material is classified as a water pollutant under the Clean Water Act and should be prevented from contaminating soil or from entering sewage and drainage systems which lead to waterways. Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use.

Environmental precautions

Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground. Inform appropriate managerial or supervisory personnel of all environmental releases.

7. Handling and storage

Precautions for safe handling

Do not handle until all safety precautions have been read and understood. Keep away from open flames, hot surfaces and sources of ignition. Do not breathe vapors or spray mist. Do not get in eyes, on skin, or on clothing. Avoid prolonged exposure. Do not taste or swallow. When using, do not eat, drink or smoke. Should be handled in closed systems, if possible. Use only outdoors or in a well-ventilated area. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Avoid release to the environment. Wash contaminated clothing before reuse.

Conditions for safe storage, including any incompatibilities

Store locked up. Store in a cool, dry place out of direct sunlight. Store in original tightly closed container. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Type	Value
Solvent naphtha (petroleum), heavy arom. (CAS 64742-94-5)	PEL	400 mg/m3

100 ppm

Constituents	Type	Value
Naphthalene (CAS 91-20-3)	PEL	50 mg/m3
		10 ppm

US. ACGIH Threshold Limit Values

Components	Type	Value	Form
Solvent naphtha (petroleum), heavy arom. (CAS 64742-94-5)	TWA	200 mg/m3	Non-aerosol.

Constituents	Type	Value
Naphthalene (CAS 91-20-3)	TWA	10 ppm

US. NIOSH: Pocket Guide to Chemical Hazards

Constituents	Type	Value
Naphthalene (CAS 91-20-3)	STEL	75 mg/m3
		15 ppm
	TWA	50 mg/m3
		10 ppm

US. Workplace Environmental Exposure Level (WEEL) Guides

Constituents	Type	Value
1,3-Diethyl benzene (CAS 141-93-5)	TWA	5 ppm

Biological limit values No biological exposure limits noted for the ingredient(s).

Exposure guidelines

US - California OELs: Skin designation

Naphthalene (CAS 91-20-3) Can be absorbed through the skin.

US ACGIH Threshold Limit Values: Skin designation

Naphthalene (CAS 91-20-3) Can be absorbed through the skin.

Solvent naphtha (petroleum), heavy arom. (CAS 64742-94-5) Can be absorbed through the skin.

Appropriate engineering controls Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles). If there is a potential for splashing Goggles or a full face shield should be used.

Skin protection

Hand protection Nitrile gloves are recommended (minimum thickness 0.40 mm). Wash when contaminated. Dispose of gloves when contaminated inside, when perforated or when contamination outside cannot be removed. Always wash hands before eating, drinking, smoking or using the toilet. Wear appropriate chemical resistant gloves.

Other The following clothing is required: overalls or pants and long-sleeved shirt, chemical resistant gloves (preferably nitrile), chemical resistant boots. For added protection a chemical resistant apron and a full face shield are recommended. If there is a risk of splashing, misting or release the following additional PPE is required: two piece hooded chemical resistant suit with either a full face respirator or a SCBA. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions are available, use detergent and hot water. Keep and wash PPE separately.

Respiratory protection Use a positive-pressure air-supplied respirator if there is any potential for an uncontrolled release, exposure levels are not known, or any other circumstances where air-purifying respirators may not provide adequate protection.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations When using do not smoke. Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

9. Physical and chemical properties

Appearance Amber to brown oily liquid

Physical state Liquid.

Form Oily liquid

Color Amber to brown

Odor Skunk-like (Mercaptan-like)

Odor threshold Not available.

pH Not available.

Melting point/freezing point 8.6 °F (-13 °C) estimated

Initial boiling point and boiling range 360 °F (182 °C) estimated

Flash point 183 °F (84 °C)

Evaporation rate Not available.

Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower (%) 0.7 % estimated

Flammability limit - upper (%) 5 % estimated

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure 1.33E+00 hPa estimated

Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Emulsifies
Solubility (solvents)	Soluble in common organic solvents, including mineral oils
Auto-ignition temperature	Not available.
Decomposition temperature	397.4 °F (203 °C) (a.i.)
Viscosity	Not available.
Other information	
Bulk density	8.6 lb/gal
Specific gravity	1.03

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Conditions to avoid	Avoid temperatures exceeding the flash point. Contact with incompatible materials.
Incompatible materials	Strong oxidizers. Strong bases.
Hazardous decomposition products	Emits hazardous fumes and smoke of unknown composition when heated to decomposition or burned.

11. Toxicological information

Information on likely routes of exposure

Inhalation	Fatal if inhaled.
Skin contact	Fatal in contact with skin. May cause an allergic skin reaction.
Eye contact	Direct contact with eyes may cause temporary irritation.
Ingestion	Fatal if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics May cause an allergic skin reaction. Dermatitis. Rash.

Information on toxicological effects

Acute toxicity Fatal if inhaled. Fatal in contact with skin. Fatal if swallowed. May cause an allergic skin reaction.

Product	Species	Test Results
MOCAP® EC		
Acute		
Dermal		
<i>Liquid</i>		
LD50	Rabbit	369 mg/kg (male) 166 mg/kg (female)
Inhalation		
<i>Mist</i>		
LC50	Rat	0.86 mg/l/4h (male) 0.32 mg/l/4h (female)
Oral		
<i>Liquid</i>		
LD50	Rat	46.7 mg/kg (male) 15.9 mg/kg (female)

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation.

Serious eye damage/eye irritation Direct contact with eyes may cause temporary irritation.

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization May cause an allergic skin reaction.

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

Carcinogenicity Suspected of causing cancer.

IARC Monographs. Overall Evaluation of Carcinogenicity

Naphthalene (CAS 91-20-3) 2B Possibly carcinogenic to humans.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

US. National Toxicology Program (NTP) Report on Carcinogens

Naphthalene (CAS 91-20-3) Reasonably Anticipated to be a Human Carcinogen.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity - single exposure Not classified.

Specific target organ toxicity - repeated exposure Not classified.

Aspiration hazard If aspirated into lungs during swallowing or vomiting, may cause chemical pneumonia, pulmonary injury or death.

Chronic effects Prolonged inhalation may be harmful. Prolonged exposure may cause chronic effects.

12. Ecological information

Ecotoxicity Very toxic to aquatic life with long lasting effects.

Components		Species	Test Results
Ethoprophos (CAS 13194-48-4)			
Aquatic			
<i>Acute</i>			
Algae	EC50	Algae	2.4 mg/l, 5 days
Crustacea	EC50	Daphnia magna	0.2 mg/l, 48 hours
Fish	LC50	Bluegill (Lepomis macrochirus)	0.3 mg/l, 96 hours
<i>Chronic</i>			
Crustacea	LC50	Daphnia	0.002 mg/l, 21 days
Fish	LC50	Rainbow trout,donaldson trout (Oncorhynchus mykiss)	0.064 mg/l, 21 days

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

Ethoprophos 2.99

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste disposal company.

Waste from residues / unused products Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal methods/information).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport information

DOT

UN number	UN3018
UN proper shipping name	Organophosphorus pesticides, liquid, toxic (Ethoprophos), MARINE POLLUTANT
Transport hazard class(es)	
Class	6.1(PGI, II)
Subsidiary risk	-
Label(s)	6.1
Packing group	II
Environmental hazards	
Marine pollutant	Yes
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
Special provisions	IB2, N76, T11, TP2, TP13, TP27
Packaging exceptions	153
Packaging non bulk	202
Packaging bulk	243

IATA

UN number	UN3018
UN proper shipping name	Organophosphorus pesticides, liquid, toxic (Ethoprophos)
Transport hazard class(es)	
Class	6.1(PGI, II)
Subsidiary risk	-
Label(s)	6.1
Packing group	II
Environmental hazards	Yes
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
Other information	
Passenger and cargo aircraft	Allowed with restrictions.
Cargo aircraft only	Allowed with restrictions.
Read safety instructions, SDS and emergency procedures before handling.	

IMDG

UN number	UN3018
UN proper shipping name	Organophosphorus pesticides, liquid, toxic (Ethoprophos), MARINE POLLUTANT
Transport hazard class(es)	
Class	6.1(PGI, II)
Subsidiary risk	-
Label(s)	6.1
Packing group	II
Environmental hazards	
Marine pollutant	Yes
EmS	Not available.
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not established.


DOT



IATA; IMDG



Marine pollutant



General information

DOT Regulated Marine Pollutant. IMDG Regulated Marine Pollutant.

15. Regulatory information

US federal regulations

This is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The hazard information required on the pesticide label is reproduced below. The pesticide label also includes other important information, including directions for use.

HAZARD TO HUMANS AND DOMESTIC ANIMALS.

DANGER: Fatal if inhaled. Fatal in contact with the skin. Fatal if swallowed. Corrosive. Causes irreversible eye damage. Do not breathe spray mist. Do not get in eyes, on skin, or on clothing. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

PHYSICAL OR CHEMICAL HAZARDS

Do not store near heat or open flame. Do not store in or around home or residence.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to aquatic organisms (fish and invertebrates) and wildlife and extremely toxic to birds. Birds feeding in treated areas may be killed. For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwater or rinsate. Runoff may be hazardous to aquatic organisms in neighboring areas. For specific No-Spray Zone requirements, see the Spray Zone Application Restrictions. This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200. This product is registered under EPA/FIFRA Regulations as a RESTRICTED USE PESTICIDE. It is a violation of Federal Law to use this product in any manner inconsistent with its labeling. Read and follow all label directions. This product is excluded from listing requirements under EPA/TSCA.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Naphthalene (CAS 91-20-3) Listed.

SARA 304 Emergency release notification

Ethoprophos (CAS 13194-48-4) 1000 LBS

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Chemical name	CAS number	Reportable quantity (pounds)	Threshold planning quantity (pounds)	Threshold planning quantity, lower value (pounds)	Threshold planning quantity, upper value (pounds)
Ethoprophos	13194-48-4	1000	1000		

SARA 311/312 Hazardous chemical

Classified hazard categories	Flammable (gases, aerosols, liquids, or solids) Acute toxicity (any route of exposure) Respiratory or skin sensitization Germ cell mutagenicity Carcinogenicity Aspiration hazard
-------------------------------------	--

SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.
Ethoprophos	13194-48-4	69.6
Naphthalene	91-20-3	<2.5

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Naphthalene (CAS 91-20-3)

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act (SDWA) Not regulated.

US state regulations

California Proposition 65



WARNING: This product can expose you to Ethoprophos, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

California Proposition 65 - CRT: Listed date/Carcinogenic substance

Ethoprophos (CAS 13194-48-4) Listed: February 27, 2001
Naphthalene (CAS 91-20-3) Listed: April 19, 2002

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

Naphthalene (CAS 91-20-3)

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	No

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date May-18-2015

Revision date Jan-11-2021

References
ACGIH®: American Conference of Governmental Industrial Hygienists
CERCLA: Comprehensive Environmental Response, Compensation, and Liability Act
EPA: Environmental Protection Agency
FIFRA: Federal Insecticide, Fungicide, and Rodenticide Act
IARC: International Agency for Research on Cancer
NTP: National Toxicology Program
OSHA: Occupational Safety and Health Agency
SARA: Superfund Amendments and Reauthorization Act
TSCA: Toxic Substances Control Act
DOT: Department of Transportation
IMDG: International Maritime Dangerous Goods
IATA: International Air Transport Association

Version # 5.0

HMIS® ratings

Health: 3
Flammability: 2
Physical hazard: 0

NFPA ratings

Health: 3
Flammability: 2
Instability: 0

Disclaimer

This information is provided for the limited guidance to the user. While AMVAC believes that the information is, as of the date hereof, reliable, it is the user's responsibility to determine the suitability of the information for its purposes. The user is advised not to construe the information as absolutely complete since additional information may be necessary or desirable when particular, exceptional, or variable conditions or circumstances exist (like combinations with other materials), or because of applicable regulations. No express or implied warranty of merchantability or fitness for a particular purpose or otherwise is made hereunder with respect to the information or the product to which the information relates.

AMVAC Chemical Corporation cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use.

©2021 AMVAC Chemical Corporation. All Rights Reserved. AMVAC and the AMVAC Logo are trademarks owned by AMVAC Chemical Corporation.

Mocap is a trademark owned by AMVAC Chemical Corporation.

ACGIH is a trademark of the American Conference of Governmental Industrial Hygienists.

CHEMTREC is a trademark of the American Chemistry Council, Inc.

HMIS is a trademark of the American Coatings Association.

NFPA is a trademark of the National Fire Protection Association, Inc.

Revision information

Product and Company Identification: Product and Company Identification

Identification: Recommended restrictions

Hazard(s) identification: Hazard statement

Hazard(s) identification: Supplemental information

Composition / Information on Ingredients: Disclosure Overrides

Regulatory information: California Proposition 65

Other information, including date of preparation or last revision: Disclaimer

GHS: Classification