

MULTINUTRIMIN™ E



Minerals for Soil and Foliar Application

PRODUCT INFORMATION

MULTINUTRIMIN E- Chelated Minerals for soil and/or foliar application. Completely bioavailable and non-phytotoxic to plants when applied in accordance to directions. Designed to prevent and correct micronutrient deficiencies and to boost crops during critical or fast growing periods. May be applied with nitrogen fertilizers.

DIRECTIONS AND GENERAL RECOMMENDATIONS:

SHAKE WELL BEFORE USING

SOIL APPLICATION: **MULTINUTRIMIN E** can be applied before or at planting as banding or broadcast. The application rate is 16-48 oz. per acre depending on soil conditions and application methods. For maintenance, 32 oz. per acre is recommended. It should be diluted with enough water to cover the entire acre.

FOLIAR APPLICATION:

FIELD CROPS: Apply 16-48 oz. per acre of **MULTINUTRIMIN E** when crops are about 4-6 inches high or when deficiency symptoms appear. Repeat the application in 2 - 4 weeks if necessary.

FRUIT TREES AND GRAPES: Apply 16-48 oz. per acre of **MULTINUTRIMIN E** in early spring when new leaves are emerged or when deficiency symptoms appear. Repeat the application in about 4 weeks if necessary.

GUARANTEED ANALYSIS

Boron (B)	0.025%
Copper (Cu)	0.2%
0.2% Chelated Copper	
Iron (Fe)	1.0%
1.0% Chelated Iron	
Magnesium (Mg)	0.8%
0.8% Chelated Magnesium	
Manganese (Mn)	1.0%
1.0% Chelated Manganese	
Zinc (Zn)	4.0%
4.0% Chelated Zinc	

Derived from Magnesium gluconate, Sodium borate, Cupric gluconate, Ferrous gluconate, Manganese gluconate, Zinc gluconate, Gluconic acid

CAUTION - This product contains boron. Do not apply to boron sensitive crops. Do not apply to crops that will be grazed by ruminant animals. Contact your local county agency or field consultant for further information.

PREVENT AND CORRECT MINERAL DEFICIENCIES KEEP OUT OF REACH OF CHILDREN

Manufactured by:
JH BIOTECH, INC.
P.O. Box 3538
Ventura, CA 93006
U.S.A.

LOT #:

Information regarding the contents and levels of metals in this product is available by calling 1-800-428-3493

VEGETABLE CROPS: Apply 16-48 oz. per acre of **MULTINUTRIMIN E** at about 2 - 4 weeks after emergence, or when deficiency symptoms appear. Repeat the application in 1 - 3 weeks if necessary.

For best results, apply **MULTINUTRIMIN E** when the crop is in active growing stage, after irrigation or natural rain fall. For foliar application, it should be diluted with at least 100 times of water. **MULTINUTRIMIN E** will lower high pH of water and decrease the hydrolysis of most pesticides.

MULTINUTRIMIN E can be applied to **STRAWBERRY, LETTUCE, TOMATO, CELERY, STONE FRUITS, VEGETABLES, GRAPES, COMMERCIAL TURF, AND ORNAMENTAL GARDENS. LIMITED WARRANTY**

Manufacturer or seller makes no warranty, whether expressed or implied, concerning the use of this product other than for the purposes indicated on the label. Neither manufacturer nor seller shall be liable for any injury or damage caused by this product due to misuse, mishandling or any application not specifically described on the label.

NET CONTENTS

- ☐ 1 Pint (0.47 liters)
- ☐ 2 1/2 Gallons (9.45 liters)
- ☐ 2 x 2 1/2 Gallons (18.9 liters)
- ☐ 5 Gallons (18.9 liters)

Net Wt. 10.6 lbs. per gallon

0712-D1

JH BIOTECH, INC.