Page: 1 of 7

Revision: 03/25/2020 Supersedes Revision: 10/31/2018

1. Product and Company Identification

Product Code: Z-NLARGE
Product Name: N-LARGE
Company Name: Stoller

Company Name: Stoller Phone Number: 9090 Katy Freeway 1 (713)461-1493

Suite 400

Houston, TX 77024

Web site address: www.stollerusa.com

Email address: compliance@stollerusa.com

Emergency Contact: CHEMTREC, In the US and Canada call 1 (800)424-9300

CHEMTREC, From other countries call +1 (703)527-3887

Information: 1 (800)539-5283

Intended Use: For agricultural use only

2. Hazards Identification

Acute Toxicity: Oral, Category 5
Acute Toxicity: Skin, Category 4
Flammable Liquids, Category 2





GHS Signal Word: Danger

GHS Hazard Phrases: H225 - Highly flammable liquid and vapor.

H319 - May cause eye irritation.

H373 - May cause damage to through prolonged or repeated exposure.

H303 - May be harmful if swallowed. H312 - Harmful in contact with skin.

GHS Precautionary Phrases: P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P233 - Keep container tightly closed.

P240 - Ground/bond container and receiving equipment.

P241 - Use explosion-proof electrical/ventilating/lighting/.../ equipment.

P242 - Use only non-sparking tools.

P243 - Take precautionary measures against static discharge.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

GHS Response Phrases: P302+352 - IF ON SKIN: Wash with plenty of soap and water.

P303+361+353 - IF ON SKIN (or hair): Remove/take off immediately all contaminated

clothing. Rinse skin with water/shower.

P312 - Call a POISON CENTER or doctor/physician if you feel unwell. P362+364 - Take off contaminated clothing and wash it before reuse.

GHS Storage and Disposal

P403+235 - Store in cool/well-ventilated place.

Phrases: P501 - Dispose of contents/container to permitted waste facility.

Inhalation: Material may be irritating to mucous membranes and upper respiratory tract.

Skin Contact: May cause discomfort, skin irritation and rash.

Eye Contact: Contact causes severe eye irritation.

Ingestion: May cause malaise, nausea, stomachache, burning sensation in stomach,

gastrointestinal damage.

Revision: 03/25/2020 Supersedes Revision: 10/31/2018

3. Composition/Information on Ingredients							
CAS#	Components (Chemical Name)	Concentration	RTECS#				
77-06-5	(+)-Gibberellic acid	< 4.0 %	LY8990000				
NA	(Trade Secret)	<96.0 %	NA				

4. First Aid Measures

Emergency and First Aid

Procedures:

Victims of severe exposure to chemicals must be taken to health providing centers for medical attention. If necessary, also rescuers must be attended. Always bring with victim

a copy of label and SDS of product to health professional.

In Case of Inhalation: Remove victim from exposure to fresh air. Seek medical attention if victim's breathing is

difficult.

In Case of Skin Contact: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20

minutes. Call a poison control center or doctor for treatment advice.

In Case of Eye Contact: Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes. Call a

poison control center or doctor for treatment advice.

In Case of Ingestion: Rinse mouth with water. Have person sip a glass of water if able to swallow. Do not

induce vomiting unless directed to do so by a physician. Do not give anything by mouth to to an unconcious person. Call a poison control center or doctor for treatment advice.

Signs and Symptoms Of

Exposure:

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated. The most important known symptoms and effects are

described in the labelling (see section 2.2) and/or in section 11

Note to Physician: Treat symptomatically and supportively.

5. Fire Fighting Measures

Flash Pt: 15.70 C (60.3 F) Method Used: ASTM D Closed Cup

Explosive Limits: LEL: N.A. UEL: N.A.

Autoignition Pt: NA

Suitable Extinguishing Media: Use dry chemicals, carbon dioxide, or chemical foam. Use extinguishing measures that

are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing

Media:

Do not use a solid water stream as it may scatter and spread fire.

Fire Fighting Instructions: As in any fire, wear a self-contained breathing apparatus in pressure-demand,

MSHA/NIOSH (approved or equivalent), and full protective gear.

Flammable Properties and

Hazards:

Not flammable or combustible.

Hazardous Combustion Not combustible.

Products:

6. Accidental Release Measures

Protective Precautions, Protective Equipment and Emergency Procedures: In case of a large spill, protect people by clearing and isolating the affected area. Such releases should be responded to by trained personnel using pre-planned procedures. In the event of an incidental release, minimum Personal Protective Equipment must be worn: latex or rubber gloves and rubber boots, goggles or full face-shield and coveralls

or long sleeved shirt and pants.

Environmental Precautions: Do not allow to enter drains or waterways.

Steps To Be Taken In Case Material Is Released Or

Spilled:

It is necessary to contain the spill into the smallest area possible by diking, scooping, etc., and place recovered liquid into an appropriate container. If liquid is absorbed onto a dry carrier such as soil or absorbant material, then this material should be put in covered, labeled containers and disposed of as dry waste in accordance with Federal, State, and

Revision: 03/25/2020 Supersedes Revision: 10/31/2018

Local waste disposal regulations.

7. Handling and Storage

Precautions To Be Taken in

Handling:

Avoid breathing vapor or spray mist. Avoid contact with eyes, skin, or clothing. Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Precautions To Be Taken in

Storing:

Inspect all incoming containers before storage to ensure all are properly labeled and not damaged. Keep containers tightly closed when not in use. Keep away from reach of children and pets. Whenever possible, place chemicals on secondary containers or diked area. Store in a cool place out of direct sunlight. Do not contaminate water, food or feed by storage or disposal. Empty containers may contain residual liquid or vapors and therefore should be handled the same as full containers.

Use this product only in accordance with its labeling and with the Worker Protection Other Precautions:

Standard, 40 CFR part 170.

Do not allow worker entry into treated areas during the restricted entry interval (REI) of 4

hours.

8. Exposure Controls/Personal Protection

CAS # Partial Chemical Name		OSHA TWA	ACGIH TWA	Other Limits	
77-06-5	(+)-Gibberellic acid	No data.	No data.	No data.	
NA	(Trade Secret)	· · ·	TLV: 200 ppm STEL: 400 ppm	No data.	

Recommended Exposure

Limits:

No occupational exposure limits have been established for this mixture.

Respiratory Equipment

(Specify Type):

A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements or European Standard EN 149 must be followed whenever workplace

conditions warrant respirator use.

Wear appropriate protective eyeglasses or chemical safety goggles as described by Eye Protection:

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

Protective Gloves: Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal

> technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good

laboratory practices. Wash and dry hands.

This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers.

Other Protective Clothing:

No data available.

Engineering Controls (Ventilation etc.):

General ventilation is usually adequate. Local exhaust should be used if needed for safe, comfortable working conditions. An eye wash fountain, safety shower and washing

facilities should be readily available.

Work/Hygienic/Maintenance

Practices:

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes and clothing. Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove all dirty or contaminated clothing and wash it before reusing.

Environmental Exposure

Controls:

Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high-water mark. Do not contaminate water by cleaning of

Revision: 03/25/2020 Supersedes Revision: 10/31/2018

equipment or disposal of equipment wash waters.

\sim				 		
	-1-1			- I I		
~ ·					ropert	
		, – – –	 \sim			

Physical States: [] Gas [X] Liquid [] Solid

Appearance and Odor: Clear to light yellow color.

pH: 4.1 - 6.1

Melting Point: -88.50 C (-127.3 F)

Boiling Point: N.E.

Flash Pt: 15.70 C (60.3 F) Method Used: ASTM D Closed Cup

Evaporation Rate: N.E.

Flammability (solid, gas): No data available.

Explosive Limits: LEL: N.A. UEL: N.A.

Vapor Pressure (vs. Air or

N.E. MM_HG

mm Hg):

Vapor Density (vs. Air = 1): 2

Specific Gravity (Water = 1): .78 - .82 at 20.0 C (68.0 F)

Density: ~ 6.66 - 6.7 LB/GA at 20.0 C (68.0 F)

N.E.

Solubility in Water: >99% Saturated Vapor N.E.

Concentration:

Octanol/Water Partition

Coefficient:

Percent Volatile: N.A.

Autoignition Pt: NA

Decomposition Temperature: NE

Viscosity: 3.3985 cSt

10. Stability and Reactivity

Reactivity: N.A.

Stability: Unstable [] Stable [X]

Conditions To Avoid - Stable under normal condition, but avoid extreme heat and contact with incompatible

Instability: materials.

Incompatibility - Materials To Strong oxidizing agents.

Avoid:

Hazardous Decomposition or Thermal decomposition can lead to release of irritating gas and vapors.

Byproducts:

Possibility of Hazardous Will occur [] Will not occur [X]

Reactions:

Conditions To Avoid - None known.

Hazardous Reactions:

Revision: 03/25/2020 Supersedes Revision: 10/31/2018

11. Toxicological Information

Toxicological Information:

Mutagenicity: The components of this product are not reported to produce mutagenic

effects in humans.

Embryotoxicity: The components of this product are not reported to produce embryotoxic

effects in humans.

Teratogenicity: The components of this product are not reported to produce teratogenic

effects in humans.

Reproductive Toxicity: The components of this product are not reported to produce toxic

reproductive effects in humans.

CAS# 77-06-5: Acute toxicity, LD50, Oral, Rat, 6300. MG/KG. Result: Behavioral: Altered sleep time (including change in righting reflex). Behavioral: Change in motor activity (specific assay). Behavioral: Antipsychotic.; "Agricultural Chemicals," 1976/77

revision, Thomson, W.T., 4 vols., Thomson Publications, Fresno, CA, Vol/p/yr:

3,43,1976, 1977

No data available.

No data available.

Acute toxicity, LD50, Skin, Species: Rabbit, > 2.000 GM/KG. Result: Behavioral: Somnolence (general depressed activity). Behavioral: Coma. Nutritional and Gross Metabolic:Weight loss or decreased weight gain.; Farm Chemicals Handbook., Meister

Pub., 37841 Euclid Ave., Willoughy, OH 44094, Vol/p/yr: -,C268, 1991

Irritation or Corrosion:

Symptoms related to

Toxicological

Characteristics:

Sensitization: The sensitizing properties of this product have not been thoroughly investigated.

Chronic Toxicological

Effects:

The toxicological properties of this material have not been fully investigated.

Carcinogenicity/Other

Information:

The carcinogenic properties of this product have not been thoroughly investigated. No

component is listed as a carcinogenic by IARC, NTP, OSHA, and ACGIH.

Carcinogenicity: NTP? No IARC Monographs? No OSHA Regulated? No

12. Ecological Information

General Ecological Information:

The available data on this material does not indicate any undue hazard to the environment under anticipated use and storage. All work practices must be aimed at preventing environmental contamination. Any waste due to spillage or leakage should be contained and disposed of accordingly, see above under Section 6 "Accidental Release Measures."

To aid our customers in complying with regulatory requirements, SARA Title III hazard categories for this product are indicated in Section 15. If the word "YES" is marked next to any category, this product may be reportable by you under the requirements of 40 CFR Part 370. Please consult those regulations for details.

Results of PBT and vPvB

assessment:

No data available.

Persistence and

Degradability:

No data available.

Bioaccumulative Potential:

No data available.

Mobility in Soil:

No data available.

Revision: 03/25/2020 Supersedes Revision: 10/31/2018

13. Disposal Considerations

Waste Disposal Method:

PRODUCT: This product is not an RCRA hazardous waste in its original form; users may re-evaluate its classification due to any mixtures, usage or contamination it may incur during their handling. Waste resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. Waste disposal must be done following all Federal, State and Local regulations. This product, if unaltered by use, may be disposed of by treatment at a permitted facility or as advised by your local waste regulatory authority. Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Avoid contaminating water by disposal of equipment wash waters or other product wastes.

CONTAINER: Non-refillable container; do not reuse or refill product container. Clean container promptly after using. Offer for recycling, if available, or puncture and dispose of in a sanitary landfill.

14. Transport Information

LAND TRANSPORT (US DOT):

DOT Proper Shipping Name: ISOPROPANOL Solution. 3, II.

DOT Hazard Class: 3 FLAMMABLE LIQUID

UN/NA Number: UN1219 Packing Group: II



MARINE TRANSPORT (IMDG/IMO):

IMDG/IMO Shipping Name: ISOPROPANOL Solution. CLASS 3, PG II.

Flash Point: 12 deg C. EmS: F-E, S-D Stowage: B

UN Number: 1219 Packing Group: II
Hazard Class: 3 - FLAMMABLE LIQUID IMDG Classification: 3

IMDG MFAG Number:

IMDG EMS Page: 129

AIR TRANSPORT (ICAO/IATA):

ICAO/IATA Shipping Name: ISOPROPANOL Solution. 3, II.

HazChem Code:

UN Number: 1219 Packing Group: ||

Hazard Class: 3 - FLAMMABLE LIQUID

Additional Transport Placards / Markings: N.A.

Information:

Emergency Response Guide Number: N.A.

Reportable Quantity: N.A.

15. Regulatory Information

Revision: 03/25/2020 Supersedes Revision: 10/31/2018

Regulatory Information

Statement:

16. Other Information

Revision Date: 03/25/2020

Hazard Rating System:

Flammability Instability
Health
NFPA: Special Hazard

Additional Information About No data available.

This Product:

Company Policy or

Disclaimer:

Stoller believes the information contained in this Safety Data Sheet is accurate based on the information provided by reputable suppliers of our raw materials. However, Stoller does not guarantee their accuracy or completeness. The information contained herein is furnished without warranty of any kind, whether expressed or implied, as to the safety of the goods, the merchantability of the goods, or the fitness of the goods for any particular purpose. Users should consider these data only as a supplement to other information gathered by them and must make independent determination of suitability and completeness of information from all sources to assure proper use and disposal of these materials and the safety and health of employees and customers. Stoller assumes no responsibility for results obtained or for incidental or consequential damages arising from the use of goods and data.