



MANUFACTURED BY:
NACHURS ALPINE SOLUTIONS®
 421 Leader Street • Marion, OH 43302
 (800) 622-4877

visit us online:
www.nachurs.com

LOT #: _____

Bulk Shipment
 See Bill of Lading for Volume & Net Weight

Jug: 2.5 U.S. Gallons (9.46 L)
 Net Weight: 25 LBS (11.34 kg)

Box: 2 x 2.5 U.S. Gallons (2 x 9.46 L)
 Net Weight: 50 LBS (22.68 kg)

Tote:
 Volume: _____
 Net Weight: _____

NACHURS® 4.5% Fe EDTA

6-0-0

EDTA CHELATED IRON FOR THE PREVENTION AND CORRECTION OF NUTRIENT DEFICIENCY

GUARANTEED ANALYSIS

TOTAL NITROGEN (N) 6%
 6% ammoniacal nitrogen

IRON (Fe) 4.5%
 4.5% chelated iron (Fe)

Derived from: ammonium hydroxide and iron EDTA.

DENSITY/ WEIGHT PER GALLON: 10.0 LBS (4.54 kg) at 68°F
 ALL COMPLETELY WATER SOLUBLE

PROTECT FROM FREEZING

Information regarding the contents and levels of metals in this product is available on the internet at <http://www.aapfco.org/metals.htm>

USE IN ACCORDANCE WITH RECOMMENDATIONS OF A QUALIFIED INDIVIDUAL OR INSTITUTION, SUCH AS, BUT NOT LIMITED TO, A CERTIFIED CROP ADVISOR, AGRONOMIST, UNIVERSITY PUBLICATION OR APPLY ACCORDING TO RECOMMENDATIONS IN YOUR APPROVED NUTRIENT MANAGEMENT PLAN. NACHURS STARTER OR FOLIAR APPLICATIONS ARE INTENDED TO SUPPLEMENT EXISTING SOIL FERTILITY PROGRAMS AND WILL NOT BY ITSELF PROVIDE ALL THE NUTRIENTS NORMALLY REQUIRED BY AGRICULTURAL CROPS.



WARNING

HAZARD STATEMENTS: CAUSES SERIOUS EYE IRRITATION.
PRECAUTIONARY STATEMENTS: WASH HANDS, FOREARMS, AND OTHER EXPOSED AREAS THOROUGHLY AFTER HANDLING. WEAR PROTECTIVE GLOVES, PROTECTIVE CLOTHING, AND EYE PROTECTION. IF IN EYES: RINSE CAUTIOUSLY WITH WATER FOR SEVERAL MINUTES. REMOVE CONTACT LENSES, IF PRESENT AND EASY TO DO. CONTINUE RINSING. IF EYE IRRITATION PERSISTS: GET MEDICAL ADVICE/ATTENTION.
WARNING: EXPOSURE MAY AGGRAVATE PRE-EXISTING EYE, SKIN, OR RESPIRATORY CONDITIONS.

"NACHURS ALPINE SOLUTIONS", "NACHURS", and "NACHURS" are trademarks of NACHURS ALPINE SOLUTIONS.

© 2016. NACHURS ALPINE SOLUTIONS.
 All rights reserved. FL- F000529



NACHURS® 4.5% Fe EDTA

EDTA CHELATED IRON FOR THE PREVENTION AND CORRECTION OF NUTRIENT DEFICIENCY

MIXING INSTRUCTIONS

- Put 1/3 of water or fertilizer in tank
- Add other chemicals (if applicable)
- Fill tank with balance of water or fertilizer
- Add correct amount of chelate (shake each container vigorously before use)
- Agitate adequately to mix

CAUTION: Check compatibility with orthophosphates, high potash suspensions, and chemical mixtures.

GENERAL RECOMMENDATIONS:

NACHURS 4.5% Fe EDTA is intended for use in a complete crop nutritional program where a soil and/or plant tissue analysis has indicated an iron deficiency. NACHURS 4.5% Fe EDTA may be applied with NACHURS liquid fertilizers, other liquid fertilizers, fertilizer suspensions, nitrogen solutions, or water.

HIGH RESPONSE CROPS:

soybeans, sugar beets, beans, sorghum, barley, sudangrass, broccoli, spinach, table beets, tomatoes, cauliflower

OTHER CROPS:

corn, wheat, alfalfa, oats, asparagus, cabbage, mint, sweet corn

pints/A

	Row ¹	Banded ²
HIGH RESPONSE CROPS:	1-3	2-5
OTHER CROPS:	1-2	2-4

- Row recommendations are intended to provide starter application of iron for the current year crop and are not expected to correct severe iron deficiencies. Additional banded or foliar applications may be necessary to correct severe deficiencies.
- Banded generally refers to 2" to the side and 2" below the seed and is usually applied during planting.

FOLIAR APPLICATIONS:

For all the above crops plus tree fruits, citrus, small fruits, and ornamentals:
 1-2 pints/A in minimum 10 gallons of water

Aerial: 1-2 pints/A in minimum 5 gallons of water

NACHURS liquid fertilizer may be used as a carrier at 3-5 gallons per acre. More than one application may be required for severe deficiency.

NOTE: Foliar fertilization is intended as a supplement to a regular fertilization program and will not by itself provide all the nutrients normally required by agricultural crops.

NACHURS chelated micronutrients should not be used unless a deficiency is indicated by a soil test and/or tissue analysis, and/or appearance of deficiency symptoms. Optimum rate of application will vary between fields depending on soil pH and organic matter content.

Note: 1 pint of NACHURS 4.5% Fe EDTA contains: 0.065 pounds of elemental iron.



MANUFACTURED BY:
NACHURS ALPINE SOLUTIONS®
 421 Leader Street • Marion, OH 43302
 (800) 622-4877

visit us online:
www.nachurs.com

LOT #: _____

Bulk Shipment

See Bill of Lading for
 Volume & Net Weight

Jug: 2.5 U.S. Gallons (9.46 L)
 Net Weight: 25 LBS (11.34 kg)

Box: 2 x 2.5 U.S. Gallons
 (2 x 9.46 L)
 Net Weight: 50 LBS (22.68 kg)

Tote:
 Volume: _____
 Net Weight: _____

NACHURS® 4.5% Fe EDTA

6-0-0

EDTA CHELATED IRON FOR THE PREVENTION
 AND CORRECTION OF NUTRIENT DEFICIENCY

GUARANTEED ANALYSIS

TOTAL NITROGEN (N) 6%
 6% ammoniacal nitrogen
 IRON (Fe) 4.5%
 4.5% chelated iron (Fe)

Derived from: ammonium hydroxide and iron EDTA.

DENSITY/ WEIGHT PER GALLON: 10.0 LBS (4.54 kg) at 68°F
 ALL COMPLETELY WATER SOLUBLE

PROTECT FROM FREEZING

Information regarding the contents and
 levels of metals in this product is available on
 the internet at <http://www.aapfco.org/metals.htm>

USE IN ACCORDANCE WITH RECOMMENDATIONS OF A
 QUALIFIED INDIVIDUAL OR INSTITUTION, SUCH AS, BUT NOT
 LIMITED TO, A CERTIFIED CROP ADVISOR, AGRONOMIST,
 UNIVERSITY PUBLICATION OR APPLY ACCORDING TO
 RECOMMENDATIONS IN YOUR APPROVED NUTRIENT
 MANAGEMENT PLAN. NACHURS STARTER OR FOLIAR
 APPLICATIONS ARE INTENDED TO SUPPLEMENT EXISTING
 SOIL FERTILITY PROGRAMS AND WILL NOT BY ITSELF
 PROVIDE ALL THE NUTRIENTS NORMALLY REQUIRED BY
 AGRICULTURAL CROPS.



WARNING

HAZARD STATEMENTS: CAUSES SERIOUS EYE IRRITATION.
PRECAUTIONARY STATEMENTS: WASH HANDS,
 FOREARMS, AND OTHER EXPOSED AREAS THOROUGHLY
 AFTER HANDLING. WEAR PROTECTIVE GLOVES,
 PROTECTIVE CLOTHING, AND EYE PROTECTION. IF IN EYES:
 RINSE CAUTIOUSLY WITH WATER FOR SEVERAL MINUTES.
 REMOVE CONTACT LENSES, IF PRESENT AND EASY TO DO.
 CONTINUE RINSING. IF EYE IRRITATION PERSISTS: GET
 MEDICAL ADVICE/ATTENTION.
WARNING: EXPOSURE MAY AGGRAVATE PRE-EXISTING
 EYE, SKIN, OR RESPIRATORY CONDITIONS.

"NACHURS ALPINE SOLUTIONS", "NACHURS", and "NACHURS"
 are trademarks of NACHURS ALPINE SOLUTIONS.

© 2016. NACHURS ALPINE SOLUTIONS.
 All rights reserved. FL- F000529



MANUFACTURED BY:
NACHURS ALPINE SOLUTIONS®
 421 Leader Street • Marion, OH 43302
 (800) 622-4877

visit us online:
www.nachurs.com

LOT #: _____

Bulk Shipment

See Bill of Lading for
 Volume & Net Weight

Jug: 2.5 U.S. Gallons (9.46 L)
 Net Weight: 25 LBS (11.34 kg)

Box: 2 x 2.5 U.S. Gallons
 (2 x 9.46 L)
 Net Weight: 50 LBS (22.68 kg)

Tote:
 Volume: _____
 Net Weight: _____

NACHURS® 4.5% Fe EDTA

6-0-0

EDTA CHELATED IRON FOR THE PREVENTION
 AND CORRECTION OF NUTRIENT DEFICIENCY

GUARANTEED ANALYSIS

TOTAL NITROGEN (N) 6%
 6% ammoniacal nitrogen
 IRON (Fe) 4.5%
 4.5% chelated iron (Fe)

Derived from: ammonium hydroxide and iron EDTA.

DENSITY/ WEIGHT PER GALLON: 10.0 LBS (4.54 kg) at 68°F
 ALL COMPLETELY WATER SOLUBLE

PROTECT FROM FREEZING

Information regarding the contents and
 levels of metals in this product is available on
 the internet at <http://www.aapfco.org/metals.htm>

USE IN ACCORDANCE WITH RECOMMENDATIONS OF A
 QUALIFIED INDIVIDUAL OR INSTITUTION, SUCH AS, BUT NOT
 LIMITED TO, A CERTIFIED CROP ADVISOR, AGRONOMIST,
 UNIVERSITY PUBLICATION OR APPLY ACCORDING TO
 RECOMMENDATIONS IN YOUR APPROVED NUTRIENT
 MANAGEMENT PLAN. NACHURS STARTER OR FOLIAR
 APPLICATIONS ARE INTENDED TO SUPPLEMENT EXISTING
 SOIL FERTILITY PROGRAMS AND WILL NOT BY ITSELF
 PROVIDE ALL THE NUTRIENTS NORMALLY REQUIRED BY
 AGRICULTURAL CROPS.



WARNING

HAZARD STATEMENTS: CAUSES SERIOUS EYE IRRITATION.
PRECAUTIONARY STATEMENTS: WASH HANDS,
 FOREARMS, AND OTHER EXPOSED AREAS THOROUGHLY
 AFTER HANDLING. WEAR PROTECTIVE GLOVES,
 PROTECTIVE CLOTHING, AND EYE PROTECTION. IF IN EYES:
 RINSE CAUTIOUSLY WITH WATER FOR SEVERAL MINUTES.
 REMOVE CONTACT LENSES, IF PRESENT AND EASY TO DO.
 CONTINUE RINSING. IF EYE IRRITATION PERSISTS: GET
 MEDICAL ADVICE/ATTENTION.
WARNING: EXPOSURE MAY AGGRAVATE PRE-EXISTING
 EYE, SKIN, OR RESPIRATORY CONDITIONS.

"NACHURS ALPINE SOLUTIONS", "NACHURS", and "NACHURS"
 are trademarks of NACHURS ALPINE SOLUTIONS.

© 2016. NACHURS ALPINE SOLUTIONS.
 All rights reserved. FL- F000529



NACHURS® 4.5% Fe EDTA

EDTA CHELATED IRON FOR THE PREVENTION AND CORRECTION OF NUTRIENT DEFICIENCY

MIXING INSTRUCTIONS

1. Put 1/3 of water or fertilizer in tank
2. Add other chemicals (if applicable)
3. Fill tank with balance of water or fertilizer
4. Add correct amount of chelate (shake each container vigorously before use)
5. Agitate adequately to mix

CAUTION: Check compatibility with orthophosphates, high potash suspensions, and chemical mixtures.

GENERAL RECOMMENDATIONS:

NACHURS 4.5% Fe EDTA is intended for use in a complete crop nutritional program where a soil and/or plant tissue analysis has indicated a iron deficiency. NACHURS 4.5% Fe EDTA may be applied with NACHURS liquid fertilizers, other liquid fertilizers, fertilizer suspensions, nitrogen solutions, or water.

	pints/A	
	Row ¹	Banded ²
HIGH RESPONSE CROPS: soybeans, sugar beets, beans, sorghum, barley, sudangrass, broccoli, spinach, table beets, tomatoes, cauliflower	1-3	2-5
OTHER CROPS: corn, wheat, alfalfa, oats, asparagus, cabbage, mint, sweet corn	1-2	2-4

Note: 1 pint of NACHURS 4.5% Fe EDTA contains: 0.065 pounds of elemental iron.

1. Row recommendations are intended to provide starter application of iron for the current year crop and are not expected to correct severe iron deficiencies. Additional banded or foliar applications may be necessary to correct severe deficiencies.
2. Banded generally refers to 2" to the side and 2" below the seed and is usually applied during planting.

FOLIAR APPLICATIONS:

For all the above crops plus tree fruits, citrus, small fruits, and ornamentals:
1-2 pints/A in minimum 10 gallons of water

Aerial: 1-2 pints/A in minimum 5 gallons of water

NACHURS liquid fertilizer may be used as a carrier at 3-5 gallons per acre. More than one application may be required for severe deficiency.

NOTE: Foliar fertilization is intended as a supplement to a regular fertilization program and will not by itself provide all the nutrients normally required by agricultural crops.

NACHURS chelated micronutrients should not be used unless a deficiency is indicated by a soil test and/or tissue analysis, and/or appearance of deficiency symptoms. Optimum rate of application will vary between fields depending on soil pH and organic matter content.



NACHURS® 4.5% Fe EDTA

EDTA CHELATED IRON FOR THE PREVENTION AND CORRECTION OF NUTRIENT DEFICIENCY

MIXING INSTRUCTIONS

1. Put 1/3 of water or fertilizer in tank
2. Add other chemicals (if applicable)
3. Fill tank with balance of water or fertilizer
4. Add correct amount of chelate (shake each container vigorously before use)
5. Agitate adequately to mix

CAUTION: Check compatibility with orthophosphates, high potash suspensions, and chemical mixtures.

GENERAL RECOMMENDATIONS:

NACHURS 4.5% Fe EDTA is intended for use in a complete crop nutritional program where a soil and/or plant tissue analysis has indicated a iron deficiency. NACHURS 4.5% Fe EDTA may be applied with NACHURS liquid fertilizers, other liquid fertilizers, fertilizer suspensions, nitrogen solutions, or water.

	pints/A	
	Row ¹	Banded ²
HIGH RESPONSE CROPS: soybeans, sugar beets, beans, sorghum, barley, sudangrass, broccoli, spinach, table beets, tomatoes, cauliflower	1-3	2-5
OTHER CROPS: corn, wheat, alfalfa, oats, asparagus, cabbage, mint, sweet corn	1-2	2-4

Note: 1 pint of NACHURS 4.5% Fe EDTA contains: 0.065 pounds of elemental iron.

1. Row recommendations are intended to provide starter application of iron for the current year crop and are not expected to correct severe iron deficiencies. Additional banded or foliar applications may be necessary to correct severe deficiencies.
2. Banded generally refers to 2" to the side and 2" below the seed and is usually applied during planting.

FOLIAR APPLICATIONS:

For all the above crops plus tree fruits, citrus, small fruits, and ornamentals:
1-2 pints/A in minimum 10 gallons of water

Aerial: 1-2 pints/A in minimum 5 gallons of water

NACHURS liquid fertilizer may be used as a carrier at 3-5 gallons per acre. More than one application may be required for severe deficiency.

NOTE: Foliar fertilization is intended as a supplement to a regular fertilization program and will not by itself provide all the nutrients normally required by agricultural crops.

NACHURS chelated micronutrients should not be used unless a deficiency is indicated by a soil test and/or tissue analysis, and/or appearance of deficiency symptoms. Optimum rate of application will vary between fields depending on soil pH and organic matter content.