

Section 24(c) Special Local Need Label

FOR DISTRIBUTION AND USE ONLY IN THE STATE OF OREGON

PYRIDABEN GROUP 21A ACARICIDE



EPA Reg. No 81880-4-10163 / EPA SLN NO. OR-120003 For Control of Pear Psylla Nymphs on Pears

This label is valid until December 31, 2027, or until otherwise amended, withdrawn, canceled or suspended.

ACTIVE INGREDIENT: PYRIDABEN	% By Wt.
[2-tert-butyl-5-(4-tert-butylbenzylthio)-4-chloropyridazin-3(2H)-one]	75.0%
OTHER INGREDIENTS:	<u>25.0%</u>
	Total 100.0%

WARNING/AVISO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

ENVIRONMENTAL HAZARDS

Follow all applicable directions, restrictions, and precautions in the Environmental Hazards section of the label affixed to the main container of Nexter.

POLLINATOR PROTECTION: This product is highly toxic to bees. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area. Apply Nexter Miticide/Insecticide between late evening and early morning only.

DIRECTIONS FOR USE

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- This SLN label and the label affixed to the main container of Nexter must be in the possession of the user at the time of pesticide application.
- Follow all applicable directions, restrictions, Worker Protection Standard requirements, and precautions on this SLN label and the label affixed to the main container of Nexter.
- REI: Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours. Exception: the REI is 2
 days for treated pears when hand thinning.

CROP	RATE	PEST	COMMENTS
Pears (including oriental) 10.67 – 16 ounces / acre (0.5 - 0.75 oz ai/ac) Pear Psylla	Pear Psylla	Apply Nexter using conventional dilute or concentrate ground sprayers calibrated to deliver enough water to ensure thorough coverage of foliage. Spray volume will vary with the size and number of trees per acre and foliage density. Nexter must be applied to each row for maximum coverage. Pear psylla numbers can increase rapidly; begin application before damaging numbers are reached. Applications may be made early from cluster bud through petal fall to control eggs, early pear psylla instars. Nexter is also effective when applied after petal fall as psylla populations begin to build.	
	RESTRICTIONS: Do not apply within 7 days of harvest (PHI). Do not make more than 1 application per year.		

· Water Soluble Bag Acre Conversions (Acres per WSB) for Various Application Rates of Nexter

Nexter Application Rate	Acres Treated per Water Soluble Bag
(rate per acre) oz	(3.3oz / WSB)
10.67	0.31
11	0.30
12	0.28
13	0.25
14	0.24
15	0.22
16	0.21

To calculate the number of water soluble bags for your spray mix:

- 1. Determine the number of acres to be treated.
- 2. Locate proper application rate in the crop-specific section.
- 3. Divide the total number of acres to be treated by the acres treated per water soluble bag corresponding to the desired rate. (See table above for broadcast application rates and corresponding acres per bag.)
- 4. *Restriction: Do not apply more than 19 Water Soluble Bags (62.7 oz) per 4 acres.

Sample Calculations:

- If the desired application rate is 16 oz/acre, then acres treated/bag = 0.21
- Assuming 17 acres to be treated, 17 acres divided by 0.21 acres/bag = 80 bags.

Note: If the resulting number of bags is not a whole bag, round down to the nearest whole number of bags and check to make sure that the resulting number of acres/bags falls within the desired rate range for the application.

RESTRICTIONS

- Applicators applying this product by airblast application at the maximum labeled rate must wear chemical-resistant headgear, unless applying in an enclosed cab. This requirement is in addition to the Personal Protective Equipment (PPE) requirements on the label affixed to the main container of Nexter.
- Do not apply within 28 days of harvest (PHI).
- Do not make more than 1 application per year.
- Do not apply by aerial application.
- For use under this SLN label do not apply this product through any type of irrigation system.
- Drift: Do not apply within 110 feet upwind of surface water. Follow all applicable directions, restrictions and precautions related to spray drift management on the label affixed to the main container of Nexter.

Nexter® is a registered trademark of Nissan Chemical Corporation

Section 24(c) Registrant: Canyon Group, LLC

C/O Gowan Company, LLC

P.O. Box 5569

Yuma, AZ 85366-5569

Distributor Gowan Company, LLC

P.O. Box 5569 Yuma, AZ 85366-5569