

NITRAIN BULLET™ is a nitrification inhibitor. It is used to delay nitrification of ammoniacal and urea nitrogen fertilizer by inhibiting the oxidation of ammoniacal nitrogen to nitrate nitrogen.

NITRAIN BULLET can be used for canola, corn, cotton, rice, small grains, sorghum, and wheat where a nitrification inhibitor is needed and fertilizer nitrogen is placed on or below the soil surface.

ACTIVE INGREDIENTS:	By Wt.
Pronitridine (CAS RN 1373256-33-7):	14.00%
OTHER INGREDIENTS:	
ΤΩΤΔΙ ·	100 00%

Contains 1.495 pounds of active ingredient per gallon

KEEP OUT OF REACH OF CHILDREN CAUTION **AVISO**

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.

(If you do not understand the label, find someone to explain it to you in detail.)

Precautionary Statements

Hazards to Humans and Domestic Animals:

Harmful if swallowed. Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing.

Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse. BATCH NUMBER: See container

NITRAIN BULLET is not registered for sale or use in all states. Contact your state pesticide regulatory agency to determine if a product is registered for sale or use in your state. NITRAIN BULLET and the NITRAIN BULLET logo are trademarks of Loveland Products, Inc. Loveland Products and the Loveland Products logo are trademarks of Loveland Products, Inc. © 2020 Loveland Products, Inc.

Storage and Disposal

Do not contaminate water, food, or feed by storage and disposal.

Storage: Store in a secured place out of reach of children and animals and away from other chemicals. Always store pesticides in the original container. If a leaky container must be contained within another, mark the outer container to identify the contents. Storage areas must be locked and secure from vandalism, with precautionary signs posted. The storage area must be dry, well-lit, and well ventilated. Keep pesticide storage areas clean. Clean up any spills promptly. Store pesticides away from food, pet food, feed, seed, fertilizers and veterinary supplies. Protect pesticide containers from extreme heat and cold. Store herbicides, insecticides and fungicides in separate areas within the storage unit. Place liquid formulations on lower shelves and dry formulations above. Maintaining a spill kit and fire extinguisher on hand and having emergency phone numbers posted will allow you to be prepared for emergencies. If spill cleanup PPE is stored nearby, but outside the pesticide storage area, it will be accessible when needed.

Pesticide Disposal: To avoid waste, use all material in this container by application according to label directions. If wastes cannot be avoided, offer remaining product to a waste disposal facility or pesticide disposal program (often such programs are run by state or local governments or by industry). Wastes resulting from the use of this product must be disposed of at an approved waste disposal facility or on the treatment site. For plastic containers less than or equal to 5 gallons; Nonrefillable container. Do not reuse or refill this container unless the directions for use allow a different (concentrated) product to be diluted in the container. Triple rinse container (or equivalent) promptly after emptying. Triple Rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Collect all rinsate and either use in UAN as directed or store rinsate for later use in UAN or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by incineration.

EPA REG. NO. 84886-4-34704

071620 V1D 07020

DISTRIBUTED BY LOVELAND PRODUCTS. INC.® P.O. BOX 1286 GREELEY. COLORADO 80632-1286





Nitrification Inhibitor, Fertilizer Additive

NITRAIN BULLET™ is a nitrification inhibitor. It is used to delay nitrification of ammoniacal and urea nitrogen fertilizer by inhibiting the oxidation of ammoniacal nitrogen to nitrate nitrogen.

NITRAIN BULLET can be used for canola, corn, cotton, rice, small grains, sorghum, and wheat where a nitrification inhibitor is needed and fertilizer nitrogen is placed on or below the soil surface.

ACTIVE INGREDIENTS: Pronitridine (CAS RN 1373256-33-7):		By Wt. 14.00%
OTHER INGREDIENTS:		86.00%
	TOTAL:	100.00%

Contains 1.495 pounds of active ingredient per gallon

KEEP OUT OF REACH OF CHILDREN CAUTION AVISO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

Precautionary Statements

Hazards to Humans and Domestic Animals:

Harmful if swallowed. Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing.

Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

BATCH NUMBER: See container

NITRAIN BULLET is not registered for sale or use in all states. Contact your state pesticide regulatory agency to determine if a product is registered for sale or use in your state. NITRAIN BULLET and the NITRAIN BULLET logo are trademarks of Loveland Products, Inc. Coveland Products logo are trademarks of Loveland Products logo are trademarks of Loveland Products. Inc. © 2020 Loveland Products logo.

EPA REG. NO. 84886-4-34704

071620 V1D 07020

DISTRIBUTED BY

LOVELAND PRODUCTS, INC.® P.O. BOX 1286 GREELEY, COLORADO 80632-1286



Personal Protective Equipment:

Mixers, loaders, applicators, and other handlers must wear: long-sleeved shirt and long pants; shoes and socks; and waterproof gloves. NOTE: This product is applied with fertilizer. Follow all additional restrictions and precautions, including protective equipment requirements, relevant to the fertilizer product being used.

Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product. Follow the manufacturer's instructions for cleaning/maintaining PPE, If no such instructions for washables exists, use detergent and hot water. Keep and wash PPE separately from other laundry.

FIRST AID		
If swallowed:	 Call a poison control center or doctor immediately for treatment advice. Have a person sip a glass of water if able to swallow. Do not induce vomiting unless told to by a poison control center or doctor. Do not give anything by mouth to an unconscious person. 	
lf on skin or clothing:	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.	
If in eyes:	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.	
General Information: Have the product label with you when calling a poison control center or doctor or going for treatment. For emergency information, call the Poison Control Center at 1-800-222-1222. For general information on product use, etc., call the National Pesticides Information Center at 1-800-858-7378.		
NOTE TO PHYSICIAN		

Treat symptomatically. Environmental Hazards:

Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment wash water or rinsate.

A level, well-maintained vegetative buffer strip between areas to which this product is applied and surface water features such as ponds, streams, and springs will reduce the potential loading of nitrates and fertilizer from runoff water and sediment. Runoff of this product will be reduced by avoiding applications when rainfall or irrigation is expected to occur within 48 hours. Sound erosion control practices will reduce this product's potential to reach aquatic sediment via runoff.

Physical or Chemical Hazards:

Do not use with or store near any oxidizing or reducing agents.

User Safety Recommendations

Applicators, mixers, and/or loaders should wash hands before eating, chewing gum, using tobacco, or using the toilet. Remove clothing/PPE immediately if pesticide gets inside, wash thoroughly and put on clean clothes.

Product Information

NITRAIN BULLET nitrogen stabilizer is a water soluble liquid product that may be used with anhydrous ammonia, aqua ammonia, urea ammonium nitrate, and other liquid ammoniacal or urea nitrogen fertilizers and liquid manure.

NITRAIN BULLET can be used for canola, corn, cotton, rice, small grains, sorghum, and wheat where a nitrification inhibitor is needed and the fertilizer nitrogen is placed on or below the soil surface.

Directions for Use

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Please refer to Agricultural Use Requirements below

Read all Directions for Use carefully before application.

Do not apply this product in a way that will contact workers or other persons either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your state or tribe, consult the agency responsible for pesticide regulation.

Agricultural Use Requirements

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR Part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted entry interval. The requirements in this box only apply to uses of this product that were not covered by the Worker Protection Standard.

Do not allow workers to enter treated areas during the restricted entry interval (REI) of 24 hours. If the product is soil-injected or soil-incorporated, the Worker Protection Standard, under certain circumstances, allows workers to enter the treated area if there will be no contact with anything that has been treated.

Mixing Directions

Compatibility Testing: NITRAIN BULLET is compatible with most liquid nitrogen fertilizer products and washing or rinsing equipment between uses is usually not necessary. However, it is recommended that compatibility testing be performed before equipment use is changed from one material to another. Avoid contact with strong oxidizing agents and acids.

Anhydrous Ammonia: NITRAIN BULLET is soluble in liquid anhydrous ammonia. NITRAIN BULLET may be pumped into the anhydrous ammonia tank through the liquid fill valve before, during, or after loading. Pumping and metering systems are necessary for the injection of NITRAIN BULLET into the tank. The ammonia containing NITRAIN BULLET is then applied to cropland using conventional ammonia application equipment. NITRAIN BULLET can also be applied through downstream co-injection systems that place the NITRAIN BULLET in close proximity to the anhydrous ammonia.

Liquid Fertilizers: NITRAIN BULLET may be mixed with liquid fertilizers such as agua ammonia, urea ammonium nitrate solution, or other liquid ammoniacal or urea nitrogen fertilizer. NITRAIN BULLET can be added to liquid fertilizers in storage tanks, nurse tanks, or implement tanks with initial agitation to ensure complete mixing.

Tank Mixing: Check the physical compatibility of tank mixtures as indicated below. It is the pesticide user's responsibility to ensure that all tank-mixed pesticide products are registered for the intended use. Users must follow the most restrictive directions for use and precautionary statements of each product in the tank mixture. Once the NITRAIN BULLET is mixed into the fertilizer, continuous agitation should not be necessary. However, depending on the compatibility and solubility of other products, these mixtures may require constant agitation during both mixing and application to ensure uniformity of the spray mixture. Read and carefully follow all applicable directions including dosage rates, restrictions, and precautions for the specified crops on labeling for the other products used in combination with NITRAIN BULLET.

When making a tank mix, any product with a pH less than 5 should be added to the mixture first. The mixture should then be adjusted to a pH greater than 5, with a base before the NITRAIN BULLET is added.

Tank Mixing Compatibility Test: To test the compatibility of NITRAIN BULLET with crop protection chemicals or biologicals, add proportionate amounts of each ingredient to a small jar, cap, shake, and let stand for one day. Formation of precipitates of layers that do not readily re-disperse indicates an incompatible mixture and should not be used.

Use Restrictions:

- May be applied as surface broadcast prior to crop emergence
- Apply as a band treatment on or below the soil surface after crop emergence
- Apply only pre-plant, at-plant, or very early season side dress

- Do not apply directly to plant foliage
 Do not apply through any type of irrigation system
 Do not apply more than 3 gallons of NITRAIN BULLET per acre per year
- Make only 1 post-plant application per year

Application Rates: Wheat, Corn, Sorghum, Small Grains, Cotton, Canola, and Rice Subsurface Band Application (Preplant, Preemergence, At-plant, Very Early Season Side Dress) NITRAIN BULLET may also be mixed directly with ammonia or UAN per the table below.

Fertilizer	Gallons NITRAIN BULLET per ton Fertilizer
UAN	2.5
Anhydrous Ammonia	5
Aqua Ammonia or Liquid Urea Solutions	1.5

Applications with Liquid Manure

Use NITRAIN BULLET at 1-2 gallons per acre. Apply directly to liquid manure for coverage area.

Handlers of Agricultural Pesticides: This product should only be used by those who have been trained to safely handle and apply fertilizer products. Wear appropriate personal protective equipment. Follow any additional precautions and restrictions required for the fertilizer product used.

Storage and Disposal

Do not contaminate water, food, or feed by storage and disposal.

Storage: Store in a secured place out of reach of children and animals and away from other chemicals.

Always store pesticides in the original container. If a leaky container must be contained within another, mark the outer container to identify the contents. Storage areas must be locked and secure from vandalism, with precautionary signs posted. The storage area must be dry, well-lift, and well ventilated. Keep pesticide storage areas clean. Clean up any spills promptly. Store pesticides away from food, pet food, feed, seed, fertilizers and veterinary supplies. Protect pesticide containers from extreme heat and cold. Store herbicides, insecticides and fungicides in separate areas within the storage unit. Place liquid formulations on lower shelves and dry formulations above. Maintaining a spill kit and fire extinguisher on hand and having emergency phone numbers posted will allow you to be prepared for emergencies. If spill cleanup PPE is stored nearby, but outside the pesticide storage area, it will be accessible when needed.

Pesticide Disposal: To avoid waste, use all material in this container by application according to label directions. If wastes cannot be avoided, offer remaining product to a waste disposal facility or pesticide disposal program (often such programs are run by state or local governments or by industry). Wastes resulting from the use of this product must be disposed of at an approved waste disposal facility or on the treatment site.

Container Handlin

Bulk. MITRAIN BULLET supplied in bulk should not be transferred to containers. It should only be transferred to fertilizer storage tanks or equipment specifically designed for bulk fertilizer application. NITRAIN BULLET is compatible with most liquid fertilizer products and washing or rinsing equipment between uses is usually not necessary. However, it is recommended that compatibility testing be performed before equipment use is changed from one material to another. If needed, tanks and equipment may be cleaned with water. Collect all rinsate from such cleaning and either apply as weak NITRAIN BULLET as otherwise directed, or fully characterize and dispose according to federal, state, and local regulations using an appropriately licensed waste hauler.

For plastic containers less than or equal to 5 gallons: Nonrefillable container. Do not reuse or refill this container unless the directions for use allow a different (concentrated) product to be diluted in the container. Triple rinse container (or equivalent) promptly after emptying. Triple Rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container & full with water and recap. Shake for 10 seconds. Collect all rinsate and either use in UAN as directed or store rinsate for later use in UAN or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by incineration.

For plastic containers greater than 5 gallons: Refillable container. Refill this container with pesticide only. Do not reuse this container for any other purpose. Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller. To clean the container before final disposal, empty the remaining contents from this container into application equipment or tank mix. Fill the container about 10% full with water and, if possible, spray all sides while adding water. If practical, agitate vigorously or recirculate water with the pump for two minutes. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this rinsing procedure two more times. Then offer for recycling if available, or puncture and dispose of in sanitary landfill, or by incineration, or by other procedures allowed by state or local authorities.

For plastic containers greater than 5 gallons: Nonrefillable container. Do not reuse or refill this container unless the directions for use allow a different (concentrated) product to be diluted in the container. Triple rinse container promptly after emptying. Triple Rinse as follows: Empty remaining contents into application equipment or a mix tank. Fill the container '4 full with water, being sure to spray container walls while filling. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. Then offer for recycling if available or reconditioning if appropriate or puncture and dispose of in a sanitary landfill or by other procedures approved by state and local authorities. Collect all rinsate from such cleaning and either apply as weak NITRAIN BULLET as otherwise directed, or fully characterize and dispose according to federal, state, and local regulations using an appropriately ficensed waste hauler.

CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

BEFORE BUYING OR USING THIS PRODUCT, read the entire Directions for Use and the following Conditions of Sale and Limitation of Warranty and Liability. By buying or using this product, the buyer or user accepts the following Conditions of Sale and Limitation of Warranty and Liability, which no employee or agent of LOVELAND PRODUCTS, INC. or the seller is authorized to vary in any way.

Follow the Directions for Use of this product carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Crop or other plant injury, ineffe tiveness, or other unintended consequences may result from such risks as weather or crop conditions, mixture with other chemicals not specifically identified in this product's label, or use of this product contrary to the label instructions, all of which are beyond the control of LOVELAND PRODUCTS, INC. and the seller. The buyer or user of this product assumes all such inherent risks.

Subject to the foregoing inherent risks, LOVELAND PRODUCTS, INC. warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use when the product is used in strict accordance with such Directions for Use under normal conditions of use. EXCEPT AS WARRANTED IN THIS PRODUCT IS SOLD "AS IS," AND LOVELAND PRODUCTS, INC. MAKES NO OTHER WARRANTY, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR ELIGIBILITY OF THIS PRODUCT FOR ANY PARTICULAR TRADE USAGE.

IN THE UNLIKELY EVENT THAT BUYER OR USER BELIEVES THAT LOVELAND PRODUCTS, INC. HAS BREACHED A WARRANTY CONTAINED IN THIS LABEL AND TO THE EXTENT REQUIRED BY APPLICABLE LAW, BUYER OR USER MUST SEND WRITTEN NOTICE OF ITS CLAIM TO THE FOLLOWING ADDRESS: LOVELAND PRODUCTS, INC., ATTENTION: LAW DEPARTMENT, P.O. BOX 1286, GREELEY, CO 80632-1286. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE BUYER'S OR USER'S EXCLUSIVE REMEDY FOR ANY INJURY, LOSS, OR DAMAGE RESULTING FROM THE HANDLING OR USE OF THIS PRODUCT, INCLUDING BUT NOT LIMITED TO CLAIMS OF BREACH OF WARRANTY OR CONTRACT, NEGLIGENCE, STRICT LIABILITY, OR OTHER TORTS, SHALL BE LIMITED TO ONE OF THE FOLLOWING, AT THE ELECTION OF LOVELAND PRODUCTS, INC. OR THE SELLER: DIRECT DAMAGES NOT EXCEEDING THE PURCHASE PRICE OF THE PRODUCT OR REPLACEMENT OF THE PRODUCT. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, LOVELAND PRODUCTS, INC. AND THE SELLER SHALL NOT BE LIABLE TO THE BUYER OR USER OF THIS PRODUCT FOR ANY CONSCIENCE OF THE PURCHASE OF THE PURCHASE PRICE OF THE PRODUCT OR REPLACEMENT OF THE PRODUCT. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, LOVELAND PRODUCT FOR ANY CONSCIUNTION.

U.S. Patent Number: 9.440.890