

NUTRA WET® 4-14-7

GUARANTEED ANALYSIS:
TOTAL NITROGEN (N)
4.0% Urea Nitrogen
AVAILABLE PHOSPHATE (P ₂ O ₅)
SOLUBLE POTASH (K20) 7.0% Zinc (Zn) 2.0%
ZINC (ZN)
Derived from Urea, Potassium Phosphate, Phosphoric Acid and Zinc Sulfate.
ALSO CONTAINS NONPLANT FOOD INGREDIENTS:
0.7% Dodecyl Benzene Sodium Sulfonate
8.0% Sorbitol
ANALYSIS AS A SPRAY ADJUVANT
ACTIVE INGREDIENTS:
ACTIVE INGREDIENTS: Zinc Sulfate 5.6%
ACTIVE INGREDIENTS: Zinc Sulfate 5.6%
ACTIVE INGREDIENTS: Zinc Sulfate
ACTIVE INGREDIENTS: Zinc Sulfate
ACTIVE INGREDIENTS: 5.6% Zinc Sulfate 5.6% Phosphoric Acid (H ₃ PO ₄) 4.6% Dodecyl Benzene Sodium Sulfonate 7% Sorbitol 8.0% INERT INGREDIENTS: 81.1%
ACTIVE INGREDIENTS: 5.6% Zinc Sulfate 5.6% Phosphoric Acid (H ₃ PO ₄) 4.6% Dodecyl Benzene Sodium Sulfonate 7% Sorbitol 8.0% INERT INGREDIENTS: 81.1%





KEEP OUT OF REACH OF CHILDREN

DANGER

HARMFUL IF SWALLOWED. CAUSES SEVERE SKIN BURNS AND EYE DAMAGE.

PRECAUTIONARY STATEMENTS:

Do not breathe mist / vapors / spray. Wash hands, forearms and face thoroughly after handling. Do not eat, drink or smoke when using this product. Specific treatment see supplemental first aid instruction on this label. Dispose of contents / container in accordance with local / regional / national regulations.

Personal Protective Equipment: Wear protective gloves / protective clothing / eye protection / face protection. Wash contaminated clothing before reuse.

FIRST AID: Immediately call a poison center / doctor.

IF SWALLOWED Rinse mouth. Do NOT induce vomiting. Call a poison center / doctor if you feel unwell.

IF ON SKIN OR HAIR Take off immediately all contaminated clothing. Rinse skin with water / shower.

IF INHALED Remove person to fresh air and keep comfortable for breathing.

IF IN EYES Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

FOR CHEMICAL SPILL, LEAK, FIRE, OR EXPOSURE CALL CHEMTREC (800)424-9300.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Storage: Store locked up. Do not allow this product to freeze.

Disposal: Absorb spillage to prevent material damage. Wastes resulting from the use of this product must be disposed of on site or at an approved waste disposal facility. Triple rinse (or equivalent) during mixing and loading. Recycling decontaminated containers is the best option of container disposal. The Agricultural Container Recycling Council (ACRC) operates the national recycling program. To contact your state and local ACRC recycler, visit the ACRC web page at www.acrecyle.org. Decontaminated containers may also be disposed of in a sanitary landfill.

GENERAL INFORMATION



Manufactured for: **J.R. SIMPLOT COMPANY** P.O. Box 70013, Boise, ID 83707 • (208) 336-2110 P.O. Box 198, Lathrop, CA 95330





NUTRA WET® 4-14-7

COMPATIBILITY:

NUTRA WET 4-14-7 is specially formulated to be used in conjunction with your normal pest control programs.

NUTRA WET 4-14-7 is compatible with most Chlorinated Hydrocarbon, Organic Phosphate, Carbamate Insecticides and Carbamate Fungicides. NUTRA WET 4-14-7 should not be used with Copper Fungicides during tender growth stages since increased solubility of the copper might be phytotoxic.

DIRECTIONS FOR USE

READ THIS LABEL CAREFULLY

As a Foliar Nutrient, apply at the rate of 1 quart per acre to vegetables and field crops or 2 quarts per acre on orchard crops (see specific recommendations). Applications should be made several times throughout the growing season of the plant.

FOLIAR NUTRIENT - DILUTION RATES:

Ground Rig - 1 quart in 40 gallons of water per acre.

Concentrate Rig - 1 quart in not less than 15 gallons of water per acre.

Air Application - 1 quart in 15 gallons of water per acre.

Orchard - 1 pint in 100 gallons of water (400 gallons per acre).

FRUIT AND NUT CROPS:

Almonds, Walnuts: Apply at the rate of 2 qts. per acre in 400 gallons of water. Make first application just prior to bloom with fungicide spray. Make second application within a 30-day period of the first treatment.

CAUTION: Do not use with Copper Fungicides at either treatment.

Apples, Pears: Apply at the rate of 2 qts. per acre in 400 gallons of water. Make first application at first cover spray. Repeat applications for two more cover sprays.

Caneberries (Boysenberries, Blackberries, Raspberries): Apply 3 times a year. Apply at the rate of 1 qt. per acre. Make first application just prior to bloom.

Citrus: Ground - Apply 1 - 2 qts. per 100 gallons using a maximum of 1 gallon per acre. Aerial - Apply 1 qt. per acre. Do not make applications during the late fall and winter months when fruit is on the trees.

Grapes: Apply 3 times with first application just before bloom at the rate of 1 qt. per acre.

Peaches, Nectarines, Plums, Prunes, Apricots, Cherries: Apply at the rate of 2 qts. per acre in 400 gallons of water. Make first application just prior to bloom with fungicide spray. Make second application within a 30-day period of the first treatment.

CAUTION: Do not use with Copper Fungicides at either treatment.

VEGETABLE CROPS:

Beans, Peas, Tomatoes: Apply at the rate of 1 qt. per acre prior to bloom followed by a second treatment 14 - 21 days later.

Broccoli, Brussels Sprouts, Cabbage, Cauliflower: Apply 4 applications starting at thinning time at 10-day intervals. Apply at the rate of 1 ot. per acre.

Eggplant, Italian Squash, Lettuce, Peppers, Potatoes, Spinach, Sweet Corn: Apply 1 qt. per acre starting at thinning time. Make 4 applications at 10-day intervals.

FIELD CROPS:

Alfalfa, Barley, Clover, Clover (seed crop), Cotton, Corn, Milo, Peanuts, Rice, Safflower, Sorghum, Soybeans, Sugar Beets, Wheat: Apply at the rate of 1 gt. per acre prior to bloom followed by a second treatment 14 - 21 days later.

Hops: Apply 1 - 2 qts. per acre making the first application 3 - 4 weeks before cone formation following with application at 3 - 4 week intervals. For use as a cover spray apply 1 pint per 100 gallons of water.

Mint: Apply 1 qt. per acre by ground rig or as an aerial application. Make first application when plants have made 4 - 6 inches of growth in the spring. A maximum of two applications may follow at 3 - 4 week intervals.

As wetting and acidifying agent use NUTRA WET 4-14-7 at the rate of 1 - 2 pints per 100 gallons of spray. This rate will improve the wetting ability of the spray and lower the pH of alkaline waters thereby increasing the effectiveness of many insecticides and fungicides.

Warning: This product contains a chemical known to the State of California to cause cancer, birth defects or other reproductive harm. Proposition 65, the Safe Drinking Water and Toxic Enforcement Act of 1986, requires notification of potential exposure to substances identified by the State of California as causing cancer, birth defects or other reproductive harm.

Information regarding the contents and levels of metals in this product is available on the internet at http://www.regulatory-info-jr.com

DISCLAIMER OF WARRANTIES: J.R. Simplot Company warrants that the chemical composition of this product conforms to the chemical description and is reasonably fit for the purpose as stated on the label only when used in accordance with label directions under normal conditions of use. To the extent consistent with applicable law J.R. Simplot Company makes no other EXPRESS or, IMPLIED WARRANTIES either OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR USE. Handling, storage and use of the product by Buyer or User are beyond the control of J.R. Simplot Company and seller. To the extent consistent with applicable law risks such as crop injunineffectiveness of other unintended consequences resulting from, but not limited by, either or soil conditions, presence of other ther materials, disease, pest, drift to other crops or property or failure to follow label directions will be assume by the Buyer or Use; To the extent consistent with applicable law, in no case will J.R. Simplot Company or Seller be held liable for consequential, special or indirect damages resulting from the handling, storage or use of this product.

 $\ensuremath{\mathsf{NUTRA}}\xspace$ WET* is a registered trademark of J.R. Simplot Company.

GHS_R1-8-2016

