

PRODUCT BULLETIN
2(ee) Recommendation

**THIS PRODUCT BULLETIN CONTAINS NEW OR ADDITIONAL
DIRECTIONS FOR USE
WHICH ARE RECOMMENDED BY INNVICTIS CROP CARE LLC
UNDER FIFRA SECTION 2(ee)**



EPA Reg. No. 89167-83-89391

FIFRA Section 2(ee) Recommendation: This recommendation is made as permitted under FIFRA Section 2(ee) and has not been submitted to or accepted by the U.S. Environmental Protection Agency. It is a violation of federal law to use this product in a manner inconsistent with its label. This product bulletin must be in the possession of the user at the time of pesticide application. Follow all applicable directions, restrictions, Worker Protection Standard requirements, and precautions on the EPA registered label.

FOR DISTRIBUTION AND USE ONLY WITHIN STATES OVON 70 WSB IS CURRENTLY REGISTERED

DIRECTIONS FOR USE - It is a violation of Federal law to use this product inconsistent with its labeling.

Crown Rot* (*Colletotrichum* spp.) Suppression only

Strawberries

DISEASE	POUNDS OF PRODUCT per ACRE	POUNDS AI per Acre	APPLICATION INSTRUCTIONS
Crown Rot* (<i>Colletotrichum</i> spp.) Suppression only	$\frac{3}{4}$ - 1	0.525 - 0.7	Begin applications after establishment of the transplants and continue through first bloom at 10- to 14-day intervals. Use the high rate if the fields have a history of <i>Colletotrichum</i> crown rot and/or conditions are favorable for development of the disease. Will not control <i>Phytophthora</i> species * Not for use in California on strawberries to control Crown Rot.

USE RESTRICTIONS:

- **DO NOT** apply more than 1.0 lb product (0.7 lb a.i.)/A/application
- **DO NOT** apply more than 4 lb product (2.8 a.i.)/A/year
- **DO NOT** make more than 4 applications per year.
- Minimum Retreatment Interval = 10 days
- REI = 1 day
- PHI = 1 day

Always refer to the complete product label for full use directions and precautionary language.

Distributed By:
INNVICTIS CROP CARE, LLC
1880 Fall River Drive, Suite 100
Loveland, CO 80538

061523