



Bayer CropScience, LP
2 T.W. Alexander Drive
Research Triangle Park, NC 27709
1-866-99BAYER (1-866-992-2937)

OLYMPUS™ 70% WDG Herbicide
EPA Reg. No. 264-809

+

OSPREY® Herbicide
EPA Reg. No. 264-802

OLYMPUS™ 70% WDG Herbicide + OSPREY® Herbicide
tank mixture for use on winter wheat from emergence up
to the jointing stage of development for control of certain
emerged annual grasses and broadleaf weeds.

PRODUCT BULLETIN

FOR DISTRIBUTION AND USE ONLY IN THE STATES OF COLORADO, IDAHO, KANSAS, MONTANA, NEBRASKA, OKLAHOMA, OREGON, SOUTH DAKOTA, WASHINGTON AND WYOMING

FIFRA Section 2(ee) Recommendation: This recommendation is made as permitted under FIFRA Section 2(ee) and has not been submitted to or accepted by the U.S. Environmental Protection Agency. This product bulletin should be in the possession of the user at the time of pesticide application. Follow all applicable directions, restrictions, Worker Protection Standard requirements, and precautions on the EPA registered label.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product inconsistent with its labeling.

| Product | Rate | Crop | Weed |
|--|--|--|--|
| OLYMPUS™ 70% WDG Herbicide + | 0.33 ounce/acre + | Apply tank mixture to winter wheat from emergence (fully expanded first true leaf) up to jointing. | For control of certain emerged annual grasses and broadleaf weeds. |
| OSPREY™ Herbicide + | 3.5 ounces/acre + | | |
| Non-ionic Surfactant + UAN or | 0.5% v/v + 1 – 2 quarts/acre or | | |
| Non-ionic Surfactant + AMS or | 0.5% v/v + 1.5 – 3 pounds/acre or | | |
| MSO | 1.3 – 1.5 pt/acre | | |

RESTRICTIONS/PRECAUTIONS

- Follow the Osprey Herbicide label for further adjuvant recommendations when combining with other tank mix partners.
- Refer to the Osprey Herbicide label for approved broadleaf and fertilizer tank mix recommendations when using this 2(ee) combination. Olympus 70% WDG Herbicide + Osprey Herbicide combinations need to follow the most restrictive environmental precautions language.
- Rotational crop intervals for this combination are found in the chart below.
- Do not apply when wind causes drift to off-site vegetation as injury may occur.
- Do not apply within 71 days of harvesting winter wheat for grain or straw.

CROP ROTATION RESTRICTIONS

To ensure safety of rotational crops, the following cumulative precipitation and rotational intervals must be followed:

Colorado/ Wyoming*

| Crop | Cumulative Precipitation (Inches) | Rotation Interval (Months) |
|---------------------|-----------------------------------|----------------------------|
| Wheat | 0 | 0 |
| Millet | 10 | 4 |
| Corn – Conventional | 24 | 18 |

Oklahoma/Kansas

| Crop | Cumulative Precipitation (Inches) | Rotation Interval (Months) |
|---------------------|--|---------------------------------------|
| Wheat | 0 | 0 |
| Millet | 10 | 4 |
| Soybean | 18 | 5 |
| Sorghum (grain) | 18 | 9 |
| Cotton | 18 | 10 |
| Sunflower | 18 | 12 |
| Canola | 24 | 12 |
| Corn - Conventional | 24 | 12 |

Nebraska/ South Dakota*

| Crop | Cumulative Precipitation (Inches) | Rotation Interval (Months) |
|---------------------|--|---------------------------------------|
| Wheat | 0 | 0 |
| Millet | 10 | 4 |
| Soybean | 18 | 12 |
| Sorghum (grain) | 18 | 12 |
| Corn – Conventional | 24 | 18 |

Washington / Oregon / Idaho / Montana*

| Crop | Cumulative Precipitation (Inches) | Rotation Interval (Months) |
|---------------------|--|---------------------------------------|
| Wheat & Triticale | 0 | 0 |
| Millet | 18 | 4 |
| Barley | 18 | 12 |
| Lentils | 18 | 12 |
| Peas | 18 | 12 |
| Canola | 24 | 12 |
| Corn – Conventional | 24 | 18 |

* In areas where a crop is not specified or the accumulated precipitation was less than specified above, conduct a field bioassay as described in the **FIELD BIOASSAY** section of the OLYMPUS™ 70% WDG Herbicide label. In all areas, 24 inches of rainfall and a 24 month rotation interval are required for potatoes, buckwheat, onions, oats, dry beans, alfalfa, and sugarbeets. Rotational crops should not be planted on clay or eroded hillsides following an OLYMPUS™ 70% WDG Herbicide application without conducting a field bioassay.

For MEDICAL And TRANSPORTATION Emergencies ONLY Call 24 Hours A Day 1-800-334-7577

For PRODUCT USE Information Call 1-866-99BAYER (1-866-992-2937)

As with any crop-protection product, always read and follow label directions.

For additional information call toll-free 1-866-99BAYER (1-866-992-2937).

OLYMPUS™ is a trademark of Bayer.

OSPREY® is a registered trademark of Bayer.