

Report 12-Oct-21 Date

Page 1 of 4

#### Identification

Product Name: OMNI BRAND ACEPHATE 97 SG

Synonyms: None

Product Use : Organophosphate Insecticide Manufacturer/Supplier: Helena Agri-Enterprises, LLC

Address: 225 Schilling Blvd. Collierville, TN 38017

**General Information**: 901-761-0050

**Transportation Emergency Number**: CHEMTREC:800-424-9300

#### **Hazard Identification**



Signal Word: Warning

Skin Irritation: Not classified as hazardous under 29 CFR 1910.1200 (2012) Eye Irritation: Not classified as hazardous under 29 CFR 1910.1200 (2012)

Acute Toxicity Oral : LD50 = 688 mg/kg (rat) Acute Toxicity Dermal : LD50 >2,000 mg/kg (rabbit)

Hazard Categories: Oral/Dermal Toxicity-4/5

Hazard Statement: Harmful if swallowed

May be harmful in contact with skin

## **Composition / Information on Ingredients**

Component **CAS Number** Weight % Acephate (O,S-Dimethyl 30560-19-1 97.0 acetylphosphoramidothioate) Other ingredients Nonhazardous 3.0

#### **First Aid Measures**

Eye: Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes then continue rinsing the eye. Call a poison control center or doctor if irritation develops and persists.

Skin: Take off contaminated clothing. Wash off with soap and water. Call a poison control center or doctor if irritation develops and persists.

**Inhalation**: Move to fresh air. Call a physician if symptoms develop or persist. Do not use mouth-to-mouth method if victim inhaled the product. Induce artificial respiration using a pocket mask equipped with a one-way valve or other proper respiratory

medical device.

Rinse mouth. If vomiting occurs, keep head low to avoid aspiration of stomach

contents. Get medical attention if you feel unwell. Administer an 8 oz. glass of water containing 2 Tbsp. activated charcoal, if conscious. Lie on left side to slow

absorption.

**Attention and Special Treatment** 

Indication of Immediate Medical : Acephate is a cholinesterase inhibitor. If signs of cholinesterase inhibition appear, atropine sulfate is antidotal. 2-PAM is also antidotal and may be used in

> Needed conjunction with atropine but may not be used alone.

#### **Fire Fighting Measures**



Report 12-Oct-21 Date

Page 2 of 4

Extinguishing Media: Use water fog, foam, dry chemical powder or carbon dioxide extinguishing media. Do not use water jet as an extinguisher as this will spread fire.

Specific Hazards Arising from the Chemical

During fire, gases hazardous to health may be formed.

Special Fire Fight Proc : Wear self-contained breathing apparatus and full protective clothing. Use water

spray to cool unopened containers.

### **Accidental Release Measures**

Personal Precautions: Keep unnecessary personnel out of spill area. Keep people away from and

upwind of spill/leak. Ensure adequate ventilation. Notify local authorities if

significant spillages cannot be contained.

Protective Equipment : Splashproof goggles, face shield or safety glasses; chemical-resistant gloves

(e.g., nitrile); long-sleeved shirt and long pants or coveralls and socks with closed toe shoes. Use an approved respirator if engineering controls are inadequate. Eyewash and emergency shower should be available in work area.

**Emergency Procedures** Prevent product from entering drains. Avoid release to the environment. Avoid

discharge into drains, water courses or onto the ground.

Methods and Materials for **Containment and Cleanup**  Shovel up, sweep up or vacuum up the material and place in a suitable container for reuse or disposal. Never return spills to original containers for

reuse. Decontaminate the area and equipment with dilute alkali or ammonia

(<5%) and detergent.

#### Handling and Storage

Precautions for Safe Handling: Do not taste or swallow. When using, do not eat, drink or use tobacco. Provide

adequate ventilation. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Avoid release to the environment. Observe

good industrial hygiene practices.

Conditions for Safe Storage: Store in tightly closed container. Store away from incompatible materials.

## **Exposure Controls / Personal Protection**

TLV/PEL: No TLV or PEL established for the active ingredient, acephate, or for this

mixture.

Appropriate Engineering Controls : Good general ventilation should be used.

Personal Protective Equipment : Splashproof goggles, face shield or safety glasses; chemical-resistant gloves

(e.g., nitrile); long-sleeved shirt and long pants or coveralls and socks with closed toe shoes. Use approved respirator if engineering controls are

inadequate.

## **Physical and Chemical Properties**

**Odor/Appearance**: White pellets; strong cabbage-like odor.

Flash Point, °F : No data available Boiling Point, °F : No data available

Melting Point(Freezing point), °C : est. 188 Deg F (melting point) Vapor Pressure, mm Hg @ 20 °C : 1.7x10(-6) mmHg (estimated)

> Vapor Density: No data available Solubility in Water : Not available

Molecular Formula: Not applicable, formulated mixture.

Density, g/mL @ 25 °C : 27 lb/cu. ft. (bulk density)

Evaporation Rate(Butyl Acetate = : Not applicable



Report 12-Oct-21

Page 3 of 4

Octanol/Water Partition : -0.85 (log Kow)

Coefficient

pH: Not available

Flammable Limits (approximate : No data available

volume % in air)

Auto-ignition Temperature : No data available Decomposition temperature : No data available

## 10. Stability and Reactivity

Reactivity: Non-reactive

Chemical Stability: Stable

Hazardous Decomposition : Emits hazardous fumes and smoke of unknown composition when heated to

**Products** decomposition or burned.

Hazardous Polymerization: Will not occur

Conditions to Avoid: Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources.

**Incompatible Materials**: Avoid strong oxidizing agents and alkaline compounds.

## 11. Toxicological Information

Acute Toxicity (Oral LD50): 688 mg/kg (rat). Harmful if swallowed.

Acute Toxicity (Dermal LD50) : >2,000 mg/kg (rabbit). May be harmful in contact with skin.

Acute Toxicity Inhalation LC50 : No LC50 data available. No adverse effects are expected due to inhalation.

Likely Routes of Exposure : Ingestion, skin absorption

**Skin Irritation**: Not classified as hazardous under 29 CFR 1910.1200 (2012). Slight irritant. **Eye Irritation**: Not classified as hazardous under 29 CFR 1910.1200 (2012). Slight irritant.

Skin Sensitization: Not a sensitizer.

**Carcinogenic**: Not classified as to carcinogenicity in humans.

**Chronic Effects**: This product is not expected to cause reproductive or developmental effects. **Other Hazards**: CA PROPOSITION 65 WARNING: No listed ingredients appear on the CA

PROPOSITION 65 WARNINGS listing.

#### 12. Ecological Information

**Ecotoxicity**: Toxic to aquatic life with long lasting effects. Crustacea (Water flea, Daphnia

magna) EC50 >50 mg/L/48 hours. Fish (Rainbow trout, donaldson trout) LC50 =

2.36-3 mg/L/96 hours.

Persistence and Degradability: No data is available on the degradability of any ingredients in the mixture.

Bioaccumulative Potential: Partition coefficent n-octanol/water (log Kow) for acephate = -0.85.

Mobility in Soil : No data available

Other Adverse Effects: No other adverse environmental effects are expected from this component.

#### 13. Disposal Considerations

Waste Disposal Method : This material must be disposed of according to Federal, State or Local

procedures under the Resource Conservation and Recovery Act.

#### 14. Transport Information



Report 12-Oct-21

Page 4 of 4

UN Proper Shipping Name : Not regulated by DOT for ground transportation. If shipped by air (IATA) or

water (IMDG), ship as a Marine Pollutant.

Transport Hazard Class : None
UN Identification Number : None
Packaging Group : None

Environmental Hazards: Not listed as a Marine Pollutant per Appendix B to 49 CFR 172.101.

**Transport in Bulk**: Not regulated by DOT.

Special Precautions for : If shipped by air (IATA) or water (IMDG), ship as: UN3077, Environmentally

Transportation Hazardous Substance, Solid, n.o.s., (Acephate), 9, PG III, Marine Pollutant.

Freight Classification: Pesticides, NOI, Insecticides, Other than Poison (NMFC Item 155050, Sub 11,

Class 70)

### 15. Regulatory Information

National Fire Protection : Association Rating

Health: 2 Fire: 0 Reactivity: 0

Rating Level: (4-Extreme, 3-High, 2-Moderate, 1-Slight, 0-Minimum)

S.A.R.A Title III Hazard : Classification (Yes/No)

Immediate( Acute) Health: Y Delayed (Chronic) Health: N Sudden Release of N Pressure:

Fire: N Reactive: N

FIFRA Information: This Chemical is a pesticide product registered by the Environmental Protection Agency and is

subject to certain labelling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on

the pesticide label:

**EPA Registration Number**: 5905-620 **FIFRA Signal Word**: Caution

FIFRA Label Statement : Keep out of reach of children.

**FIFRA Label Statement** : Harmful if absorbed through skin. Harmful if swallowed or inhaled. FIFRA Label Statement : Causes eye irritation. Avoid contact with eyes, skin, and clothing.

FIFRA Label Statement : Avoid breathing dust or spray mist.

FIFRA Label Statement : Wash thoroughly with soap and water after handling and

FIFRA Label Statement : before eating, drinking, chewing gum, using tobacco, or using the toilet.

FIFRA Label Statement : Remove and wash clothing before reuse.

#### 16. Other Information

Data of Preparation/Revision: 12-October-2021