



**FIFRA 24(c) SPECIAL LOCAL NEED LABEL (SLN)  
FOR DISTRIBUTION AND USE ONLY IN THE STATE OF  
CALIFORNIA**

**For Aerial Applications to Citrus Fruit, Crop Group 10-10 with Standing Water**

**Orondis®**

**EPA Reg. No. 100-1571**

**EPA SLN No. CA-200001**

**This label expires and must not be distributed or used in accordance with this  
SLN registration after January 31, 2025.**

**DIRECTIONS FOR USE**

- It is a violation of federal law to use this product in a manner inconsistent with its labeling.
- This state-specific Section 24(c) labeling must be in the possession of the user at the time of application.
- Follow all applicable directions, restrictions, and precautions on the EPA-registered Orondis, EPA Reg. No. 100-1571 label and this label.

**Citrus Fruit, Crop Group 10-10**

Australian desert lime	Lemon	Satsuma mandarin
Australian finger lime	Lime	Sweet lime
Australian round lime	Mediterranean mandarin	Tachibana orange
Brown River finger lime	Mount White lime	Tahiti lime
Calamondin	New Guinea wild lime	Tangelo
Citron	Orange, sour	Tangerine (Mandarin)
Citrus hybrids	Orange, sweet	Tangor
Grapefruit	Pummelo	Trifoliate orange
Japanese summer grapefruit	Russell River lime	Uniq fruit
Kumquat		

<b>Target Disease</b>	<b>Rate (fl oz/A)</b>	<b>Use Directions</b>
Brown rot Citrus foot rot Gummosis Root rot Trunk canker ( <i>Phytophthora</i> spp.)	2.4	For aerial applications only to citrus orchards with standing water. Apply in sufficient volume to provide uniform and complete coverage of trees.
Brown rot ( <i>Phytophthora</i> spp.)	1.2 – 2.4	

---

**USE RESTRICTIONS**

---

- 1) **Maximum Single Application Rate:**
    - a) **Foliar Application:** 2.4 fl. oz./A (0.03 lb.ai/A of oxathiapiprolin-containing products)
  - 2) **Maximum Number of Applications:**
    - a) Do not make more than one foliar application per year.
  - 3) **Pre-harvest Interval (PHI):** 0 days
- 

**Requirements:**

1. For aerial applications to citrus orchards that have standing water due to a storm event(s).
2. Water must be standing and will not flow into state waterways where fish and wildlife are likely to be affected.
3. Applications are made in accordance with all other label directions.
4. The County Agriculture Commissioner must assure the required conditions are met.

**Restrictions:**

1. No fungicide application shall occur if:
    - a. Soil moisture is at field capacity and a storm event, forecasted by the National Oceanic and Atmospheric Administration (NOAA) or National Weather Service (NWS), is to occur within 48 hours following the application; or
    - b. A storm event likely to produce runoff from the treated area is forecasted by NOAA/NWS to occur within 48 hours following the application.
  2. Applications are not allowed if water is flowing off the intended application site.
  3. Standing water will not be pumped or removed from the orchard after the fungicide application.
  4. Do not apply this product through any type of irrigation system.
- 

**The County Agricultural Commissioner's (or designee's) signature must be obtained prior to this use.**

COUNTY AGRICULTURAL COMMISSIONER'S SIGNATURE

\_\_\_\_\_

Date: \_\_\_\_\_

USER'S SIGNATURE

\_\_\_\_\_

Orondis® registered trademark of a Syngenta Group Company

©2019 Syngenta

24(c) Registrant:  
Syngenta Crop Protection, LLC.  
P. O. Box 18300  
Greensboro, North Carolina 27419  
Telephone: 1-800-334-9481

Label Code: CA1571192AA0819