



SAFETY DATA SHEET

1. Identification

| | |
|---|---|
| Product identifier | Parazone 3SL Herbicide |
| Other means of identification | |
| SDS number | 570 |
| Product registration number | 5481-615 |
| Recommended use | Herbicide. |
| Recommended restrictions | This is a Restricted Use Pesticide and is for use by licensed applicators only. No other uses are advised. Keep out of the Reach of Children! |
| EPA Registration number | EPA: 5481-615 |
| Manufacturer/Importer/Supplier/Distributor information | |
| Manufacturer | |
| Company name | AMVAC Chemical Corporation |
| Address | 4685 MacArthur Court Suite 1200 Newport Beach, CA 92660 |
| Telephone | AMVAC Chemical Corp 949-260-1200 AMVAC Chemical Corp 949-260-6270(FAX) |
| Website | www.Amvac-Chemical.com |
| E-mail | CustServ@Amvac-Chemical.com |
| Emergency phone number | Medical 888-681-4261 CHEMTREC® 800-424-9300 (USA+Canada) Product Use 888-462-6822 CHEMTREC® (Outside USA) +1-703-527-3887 |

2. Hazard(s) identification

| | | |
|------------------------------|--|---|
| Physical hazards | Not classified. | |
| Health hazards | Acute toxicity, oral | Category 3 |
| | Acute toxicity, dermal | Category 2 |
| | Acute toxicity, inhalation | Category 1 |
| | Skin corrosion/irritation | Category 1C |
| | Serious eye damage/eye irritation | Category 1 |
| | Specific target organ toxicity, single exposure | Category 3 respiratory tract irritation |
| | Specific target organ toxicity, repeated exposure | Category 1 |
| Environmental hazards | Hazardous to the aquatic environment, acute hazard | Category 1 |
| OSHA defined hazards | Not classified. | |
| Label elements | | |



Signal word Danger

Hazard statement

H301 Toxic if swallowed.
H372 Causes damage to organs through prolonged or repeated exposure.

| | |
|------|--|
| H301 | Toxic if swallowed. |
| H310 | Fatal in contact with skin. |
| H330 | Fatal if inhaled. |
| H314 | Causes severe skin burns and eye damage. |
| H318 | Causes serious eye damage. |
| H335 | May cause respiratory irritation. |
| H370 | Causes damage to organs. |
| H400 | Very toxic to aquatic life. |

Precautionary statement

Prevention

| | |
|------|--|
| P264 | Wash thoroughly after handling. |
| P273 | Avoid release to the environment. |
| P260 | Do not breathe mist or vapor. |
| P262 | Do not get in eyes, on skin, or on clothing. |
| P270 | Do not eat, drink or smoke when using this product. |
| P271 | Use only outdoors or in a well-ventilated area. |
| P280 | Wear protective gloves/protective clothing/eye protection/face protection. |
| P284 | Wear respiratory protection. |

Response

| | |
|--------------------|--|
| P301 + P310 | If swallowed: Immediately call a poison center/doctor. |
| P301 + P330 + P331 | If swallowed: Rinse mouth. Do NOT induce vomiting. |
| P303 + P361 + P353 | If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. |
| P304 + P340 | If inhaled: Remove person to fresh air and keep comfortable for breathing. |
| P305 + P351 + P338 | If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| P361 + P364 | Take off immediately all contaminated clothing and wash it before reuse. |
| P310 | Immediately call a POISON CENTER/doctor. |
| P391 | Collect spillage. |

Storage

| | |
|-------------|--|
| P405 | Store locked up. |
| P403 + P233 | Store in a well-ventilated place. Keep container tightly closed. |

Disposal

| | |
|------|---|
| P501 | Dispose of contents/container in accordance with local/regional/national/international regulations. |
|------|---|

Hazard(s) not otherwise classified (HNOC)

None known.

Supplemental information

This is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The hazard information required on the pesticide label is reproduced in section 15. The pesticide label also includes other important information, including directions for use.

3. Composition/information on ingredients

Mixtures

| Chemical name | Common name and synonyms | CAS number | % |
|---------------------|---|------------|-------------|
| Paraquat dichloride | Paraquat-dichloride 1,1'-Dimethyl 4,4'-bipyridinium dichloride | 1910-42-5 | 42.5 - 45.1 |

4. First-aid measures

Inhalation

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a poison center or doctor/physician if you feel unwell.

| | |
|---|--|
| Skin contact | Take off immediately all contaminated clothing. Rinse skin with water/shower. Call a physician or poison control center immediately. Chemical burns must be treated by a physician. Wash contaminated clothing before reuse. |
| Eye contact | Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician or poison control center immediately. |
| Ingestion | Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Have person sip a glass of water if able to swallow |
| Most important symptoms/effects, acute and delayed | Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. May cause respiratory irritation. Prolonged exposure may cause chronic effects. May cause drowsiness or dizziness. Ingestion may cause severe burns to mouth, throat or stomach. |
| Indication of immediate medical attention and special treatment needed | Provide general supportive measures and treat symptomatically. Chemical burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim warm. Keep victim under observation. Symptoms may be delayed. In case of ingestion consider gastric lavage with protected airway, administration of activated charcoal. |
| General information | Take off immediately all contaminated clothing. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Discard any shoes or clothing items that cannot be decontaminated. |

5. Fire-fighting measures

| | |
|--|--|
| Suitable extinguishing media | Water spray. Foam. Powder. Carbon dioxide (CO2). Foam or dry chemical systems are preferred to prevent environmental damage from excessive water runoff. |
| Unsuitable extinguishing media | Not available. |
| Specific hazards arising from the chemical | During fire, gases hazardous to health may be formed. |
| Special protective equipment and precautions for firefighters | Self-contained breathing apparatus and full protective clothing must be worn in case of fire. |
| Fire fighting equipment/instructions | Move containers from fire area if you can do so without risk. |
| Specific methods | Use standard firefighting procedures and consider the hazards of other involved materials. |
| General fire hazards | No unusual fire or explosion hazards noted. |

6. Accidental release measures

| | |
|--|--|
| Personal precautions, protective equipment and emergency procedures | Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS. |
| Methods and materials for containment and cleaning up | This product is miscible in water. Prevent entry into waterways, sewer, basements or confined areas. Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water. Small Spills: Clean surface thoroughly to remove residual contamination. Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Siphon the spilled liquid into a recovery drum for reuse or disposal, depending on the circumstances. |
| Environmental precautions | Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground. |

7. Handling and storage

| | |
|--------------------------------------|---|
| Precautions for safe handling | Do not get in eyes, on skin, or on clothing. Do not taste or swallow. Avoid prolonged exposure. When using, do not eat, drink or smoke. Use only outdoors or in a well-ventilated area. Wear appropriate personal protective equipment. Avoid release to the environment. Wash contaminated clothing before reuse. Observe good industrial hygiene practices. |
|--------------------------------------|---|

Conditions for safe storage, including any incompatibilities

Store locked up. Store in tightly closed container. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS). Keep away from excessive heat. Do not store or transport below 0°C/32°F.

8. Exposure controls/personal protection**Occupational exposure limits**

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

| Components | Type | Value | Form |
|-------------------------------------|------|-----------|------------------|
| Paraquat dichloride (CAS 1910-42-5) | PEL | 0.5 mg/m3 | Respirable dust. |

US. ACGIH Threshold Limit Values

| Components | Type | Value | Form |
|-------------------------------------|------|-----------|---------------------|
| Paraquat dichloride (CAS 1910-42-5) | TWA | 0.5 mg/m3 | Inhalable fraction. |

US. NIOSH: Pocket Guide to Chemical Hazards

| Components | Type | Value | Form |
|-------------------------------------|------|-----------|-------------|
| Paraquat dichloride (CAS 1910-42-5) | TWA | 0.1 mg/m3 | Respirable. |

Biological limit values

No biological exposure limits noted for the ingredient(s).

Exposure guidelines**US - California OELs: Skin designation**

Paraquat dichloride (CAS 1910-42-5) Can be absorbed through the skin.

US - Minnesota Haz Subs: Skin designation applies

Paraquat dichloride (CAS 1910-42-5) Skin designation applies.

US - Tennessee OELs: Skin designation

Paraquat dichloride (CAS 1910-42-5) Can be absorbed through the skin.

US ACGIH Threshold Limit Values: Skin designation

Paraquat dichloride (CAS 1910-42-5) Can be absorbed through the skin.

US NIOSH Pocket Guide to Chemical Hazards: Skin designation

Paraquat dichloride (CAS 1910-42-5) Can be absorbed through the skin.

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Paraquat dichloride (CAS 1910-42-5) Can be absorbed through the skin.

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.

Individual protection measures, such as personal protective equipment**Eye/face protection**

Wear safety glasses with side shields (or goggles) and a face shield. If there is a potential for splashing Goggles or a full face shield should be used.

Skin protection**Hand protection**

Wear appropriate chemical resistant gloves. Viton gloves are recommended.

Other

Wear suitable protective clothing. Long-sleeved shirt and long pants or coveralls, socks and chemical resistant closed toe shoes are required. If there is a possibility of splashing or spillage, a chemical resistant apron or chemical resistant coverall should also be worn.

Respiratory protection

If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn.

Thermal hazards

Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties**Appearance**

| | |
|---|--|
| Physical state | Liquid. |
| Form | Liquid. |
| Color | Dark green. |
| Odor | Strong. Pungent. |
| Odor threshold | Not available. |
| pH | 3.5 - 4 |
| Melting point/freezing point | Not available. |
| Initial boiling point and boiling range | Not available. |
| Flash point | > 212 °F (> 100 °C) |
| Evaporation rate | Not available. |
| Flammability (solid, gas) | Not applicable. |
| Upper/lower flammability or explosive limits | |
| Flammability limit - lower (%) | Not available. |
| Flammability limit - upper (%) | Not available. |
| Explosive limit - lower (%) | Not available. |
| Explosive limit - upper (%) | Not available. |
| Vapor pressure | Not available. |
| Vapor density | Not available. |
| Relative density | 1.135 g/cm ³ |
| Solubility(ies) | |
| Solubility (water) | Miscible |
| Auto-ignition temperature | > 1157 °F (> 625 °C) |
| Decomposition temperature | Not available. |
| Viscosity | Not available. |
| Other information | |
| Bulk density | 9.47 lb/gal |
| Dynamic viscosity | 2.44 centistokes, @ 40°C 3.65 centistokes, @ 20°C |
| Explosive properties | Not explosive. |
| Oxidizing properties | Not oxidizing. |

10. Stability and reactivity

| | |
|---|--|
| Reactivity | The product is stable and non-reactive under normal conditions of use, storage and transport. |
| Chemical stability | Material is stable under normal conditions. |
| Possibility of hazardous reactions | Hazardous polymerization does not occur. |
| Conditions to avoid | Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Contact with incompatible materials. Avoid temperatures below 0°C/32°F. |
| Incompatible materials | Aluminum. 10% permanganate solutions and iron powder. |
| Hazardous decomposition products | No hazardous decomposition products are known. Emits hazardous fumes and smoke of unknown composition when heated to decomposition or burned. |

11. Toxicological information

Information on likely routes of exposure

| | |
|---------------------|--|
| Inhalation | May cause irritation to the respiratory system. Prolonged inhalation may be harmful. |
| Skin contact | Fatal in contact with skin. Causes severe skin burns. |
| Eye contact | Causes serious eye damage. |
| Ingestion | Toxic if swallowed. Causes digestive tract burns. |

Symptoms related to the physical, chemical and toxicological characteristics

Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. May cause respiratory irritation.

Information on toxicological effects

Acute toxicity

Fatal in contact with skin. Toxic if swallowed. Fatal if inhaled. Causes serious eye damage. Causes severe burns. May cause respiratory irritation.

Components

Species

Test Results

Paraquat dichloride (CAS 1910-42-5)

Acute

Dermal

LD50

Rabbit

325 mg/kg

Rat

80 mg/kg

Oral

LD50

Rat

57 mg/kg

Skin corrosion/irritation

Causes severe skin burns and eye damage.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitization

Respiratory sensitization

Not a respiratory sensitizer.

Skin sensitization

Not a skin sensitizer.

Germ cell mutagenicity

No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

Carcinogenicity

Not classifiable as to carcinogenicity to humans.

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicity

This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity - single exposure

May cause respiratory irritation. May cause drowsiness or dizziness.

Specific target organ toxicity - repeated exposure

Causes damage to organs through prolonged or repeated exposure.

Aspiration hazard

Not an aspiration hazard.

Chronic effects

Causes damage to organs through prolonged or repeated exposure. Prolonged inhalation may be harmful.

12. Ecological information

Ecotoxicity

Very toxic to aquatic life. This product is toxic to wildlife. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate surface or ground water by cleaning equipment or disposal of wastes, including equipment wash water. Parazone 3SL is a contact herbicide that desiccates all green plant tissue. Paraquat dichloride, the active ingredient in this product, is toxic to non-target crops and plants if off-target movement occurs because it desiccates all green plant tissue. Extreme care must be taken to ensure that off-target drift is minimized to the greatest extent possible. Refer to the local and state laws, regulations, guidelines, and spray drift information contained in the "Directions for Use" section of the product labeling for proper application to avoid off-target movement. Do not apply under conditions involving possible drift to food, forage, or other plantings that might be damaged or the crops thereof rendered unfit for sale, use, or consumption. Do not apply when weather conditions favor drift from treated areas. To avoid drift, do not make aerial applications during periods of thermal inversion.

| Components | Species | Test Results |
|-------------------------------------|---------|---|
| Paraquat dichloride (CAS 1910-42-5) | | |
| Aquatic | | |
| Algae | EC50 | Green algae (Selenastrum capricornutum) 0.32 mg/l, 72 hours |
| Crustacea | EC50 | Water flea (Daphnia magna) 9.1 - 12.2 mg/l, 48 hours |
| Fish | LC50 | Bluegill (Lepomis macrochirus) 11 - 19 mg/l, 96 hours |

Persistence and degradability No data is available on the degradability of any ingredients in the mixture.

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

Paraquat dichloride -4.5

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Incinerate the material under controlled conditions in an approved incinerator. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations. Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal law. If these wastes cannot be disposed by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA regional office for guidance.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code D002: Waste Corrosive material [pH <=2 or =>12.5, or corrosive to steel]
The waste code should be assigned in discussion between the user, the producer and the waste disposal company.

Waste from residues / unused products Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport information

DOT

UN number UN2922
UN proper shipping name Corrosive liquids, toxic, n.o.s. (Paraquat dichloride)
Transport hazard class(es)
Class 8
Subsidiary risk 6.1(PGIII)
Label(s) 8, 6.1
Packing group III
Special precautions for user Read safety instructions, SDS and emergency procedures before handling.
Special provisions IB3, T7, TP1, TP28
Packaging exceptions 154
Packaging non bulk 203
Packaging bulk 241

IATA

UN number UN2922
UN proper shipping name Corrosive liquids, toxic, n.o.s. (Paraquat dichloride)
Transport hazard class(es)
Class 8
Subsidiary risk 6.1(PGIII)
Label(s) 8, 6.1
Packing group III
Environmental hazards Yes, when transported over large bodies of water
Special precautions for user Read safety instructions, SDS and emergency procedures before handling.
 Read safety instructions, SDS and emergency procedures before handling.

IMDG

UN number UN2922
UN proper shipping name Corrosive liquids, toxic, n.o.s. (Paraquat dichloride), MARINE POLLUTANT
Transport hazard class(es)
Class 8
Subsidiary risk 6.1(PGIII)
Label(s) 8, 6.1
Packing group III
Environmental hazards
Marine pollutant yes
EmS Not available.
Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not established.

DOT



IATA; IMDG



Marine pollutant



General information

IMDG Regulated Marine Pollutant.

15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

This product is registered under EPA/FIFRA Regulations as a RESTRICTED USE PESTICIDE. It is a violation of Federal Law to use this product in any manner inconsistent with its labeling. Read and follow all label directions. This product is excluded from listing requirements under EPA/TSCA.

This is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The hazard information required on the pesticide label is reproduced below. The pesticide label also includes other important information, including directions for use.

HAZARD TO HUMANS AND DOMESTIC ANIMALS.

DANGER -- POISON

May be fatal if swallowed. Fatal if inhaled. Do not breathe spray mist. Wear a dust/mist respirator as specified in the PPE section of this label. Causes irreversible eye damage. Wear protective eyewear. Harmful if absorbed through skin. Do not get in eyes or on clothing. Avoid contact with the skin. IMPORTANT: Inhalation is an unlikely route of exposure due to low vapor pressure and large spray droplet size, but mucosal irritation or nose bleeds may occur. Prolonged contact with this concentrated product can irritate your skin.

ENVIRONMENTAL HAZARDS

This product is toxic to wildlife. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwater.

PHYSICAL AND CHEMICAL HAZARDS

This product is mildly corrosive to aluminum and produces hydrogen gas which may form a highly combustible gas mixture. Do not mix or store in containers, spray tanks, nurse tanks, or such systems made of aluminum or having aluminum fittings. This product is compatible with high-density polyethylene and rubber-lined steel containers.

Toxic Substances Control Act (TSCA)

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

PARAQUAT DICHLORIDE (CAS 1910-42-5) 10 LBS

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

| Chemical name | CAS number | Reportable quantity (pounds) | Threshold planning quantity (pounds) | Threshold planning quantity, lower value (pounds) | Threshold planning quantity, upper value (pounds) |
|---------------------|------------|------------------------------|--------------------------------------|---|---|
| Paraquat dichloride | 1910-42-5 | 10 | | 10 | 10000 |

SARA 311/312 Hazardous chemical

Yes

Classified hazard categories

Acute toxicity (any route of exposure)
Skin corrosion or irritation
Serious eye damage or eye irritation
Specific target organ toxicity (single or repeated exposure)

SARA 313 (TRI reporting)

| Chemical name | CAS number | % by wt. |
|---------------------|------------|-------------|
| Paraquat dichloride | 1910-42-5 | 42.5 - 45.1 |

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act (SDWA) Contains component(s) regulated under the Safe Drinking Water Act.**US state regulations****California Proposition 65**California Safe Drinking Water and Toxic Enforcement Act of 2016 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins. For more information go to www.P65Warnings.ca.gov.**International Inventories**

| Country(s) or region | Inventory name | On inventory (yes/no)* |
|-----------------------------|---|------------------------|
| United States & Puerto Rico | Toxic Substances Control Act (TSCA) Inventory | No |

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision**Issue date** Aug-23-2017**Revision date** Jan-22-2019

References

ACGIH®: American Conference of Governmental Industrial Hygienists
 CERCLA: Comprehensive Environmental Response, Compensation, and Liability Act
 EPA: Environmental Protection Agency
 FIFRA: Federal Insecticide, Fungicide, and Rodenticide Act
 IARC: International Agency for Research on Cancer
 NTP: National Toxicology Program
 OSHA: Occupational Safety and Health Agency
 SARA: Superfund Amendments and Reauthorization Act
 TSCA: Toxic Substances Control Act
 DOT: Department of Transportation
 IMDG: International Maritime Dangerous Goods
 IATA: International Air Transport Association

Version # 2.1

HMIS® ratings

Health: 4*
 Flammability: 0
 Physical hazard: 0

NFPA ratings

Health: 4
 Flammability: 0
 Instability: 0

Disclaimer

This information is provided for the limited guidance to the user. While AMVAC believes that the information is, as of the date hereof, reliable, it is the user's responsibility to determine the suitability of the information for its purposes. The user is advised not to construe the information as absolutely complete since additional information may be necessary or desirable when particular, exceptional, or variable conditions or circumstances exist (like combinations with other materials), or because of applicable regulations. No express or implied warranty of merchantability or fitness for a particular purpose or otherwise is made hereunder with respect to the information or the product to which the information relates.

AMVAC Chemical Corporation cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use.

©2019 AMVAC Chemical Corporation. All Rights Reserved. AMVAC and the AMVAC Logo are trademarks owned by AMVAC Chemical Corporation.
 Parazone is a trademark of Adama that has been subregistered to AMVAC Chemical Corporation for use in the United States.
 ACGIH is a trademark of the American Conference of Governmental Industrial Hygienists.
 CHEMTREC is a trademark of the American Chemistry Council, Inc.
 HMIS is a trademark of the American Coatings Association.
 NFPA is a trademark of the National Fire Protection Association, Inc.

Revision information

Hazard(s) identification: Hazard statement
 Ecological information: Ecotoxicity
 Other information, including date of preparation or last revision: Disclaimer