#### RESTRICTED USE PESTICIDE

DUE TO ACUTE TOXICITY

FOR RETAIL SALE TO AND USE ONLY BY CERTIFIED APPLICATORS OR PERSONS UNDER THEIR DIRECT SUPERVISION AND ONLY FOR THOSE USERS COVERED BY THE CERTIFIED APPLICATOR'S CERTIFICATION.



### FIFRA 24(c) SLN

For distribution and use only within the state of UTAH

### FIFRA 24(c) Special Local Need Label (SLN)

## Parazone 3SL Herbicide DESICCATION OF ALFALFA GROWN FOR SEED TO FACILITATE HARVEST

**EPA REG. NO. 5481-615** 

**EPA SLN NO. UT-18-0010** 





#### KEEP OUT OF REACH OF CHILDREN

# DANGER/PELIGRO POISON

This label expires and must not be distributed or used in accordance with this SLN registration after January 31, 2023.

#### **DIRECTIONS FOR USE**

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- This labeling must be in the possession of the user at the time of pesticide application.
- Read the "Limitation of Warranty and Liability" in the label booklet for PARAZONE 3SL before using.
- Follow all applicable directions, restrictions, Worker Protection Standard requirements, and precautions on the EPA registered label.
- The complete DIRECTIONS FOR USE can be found on the currently registered EPA Stamped Label.

ALFALFA GROWN FOR SEED  Spray Volume: Ground application: Use a minimum spray volume of 20-25 gallons per acre. Always add a nonionic surfactant containing 75% or more surface active agent at 0.125% v/v (1 pint per 100 gallons), OR add a nonionic surfactant containing 50-74% surface-active agent at 0.25% v/v (2 pts/100 gallons) of the finished spray volume for ground applications.  Aerial application: Use a minimum spray volume of 5-10 gallons per acre. Always add a nonionic surfactant at 0.25% v/v (2 pts/100 gallons) of the finished spray volume.  Method of Application: Broadcast Chemigation: Do not apply this product through any type of irrigation system.	CROP	DOSAGE (RATE PER ACRE)	COMMENTS, RESTRICTIONS, PRECAUTIONS
FOIIOW AII "RESTRICTIONS/PRECAUTIONS"	GROWN FOR	4 pints	Ground application: Use a minimum spray volume of 20-25 gallons per acre. Always add a nonionic surfactant containing 75% or more surface active agent at 0.125% v/v (1 pint per 100 gallons), OR add a nonionic surfactant containing 50-74% surface-active agent at 0.25% v/v (2 pts/100 gallons) of the finished spray volume for ground applications.  Aerial application: Use a minimum spray volume of 5-10 gallons per acre. Always add a nonionic surfactant at 0.25% v/v (2 pts/100 gallons) of the finished spray volume.  Method of Application: Broadcast

615-20180906-UT-18-0010 Page 1 of 2

#### RESTRICTIONS/PRECAUTIONS:

- Do not enter or allow worker entry during the restricted-entry interval (REI) of 24 hours.
- Use only on fields in production of alfalfa seed.
- <u>Do not</u> make more than 1 application per crop per year.
- <u>Do not</u> harvest seed until at least 4 days after application.
- Refer to spray drift precautions contained in the "Directions for Use" section of the container label for proper application to avoid off-target movement. <u>Do not</u> apply when weather conditions favor drift from treated areas.
- This product may pose a hazard to endangered aquatic species. <u>Do not</u> apply by ground equipment within 25 ft. or by air within 75 ft. of lakes; reservoirs; rivers; permanent streams, marshes or natural ponds; estuaries; and commercial fish ponds.
- This pesticide does not have established pesticide residue tolerances for this crop.
- Alfalfa seed may not be distributed for human consumption or animal feed.
- <u>No portion</u> of the alfalfa seed plant, including but not limited to green chop, hay, pellets, meal, whole seed, cracked seed, roots, bulbs, leaves and seed screenings may be used or distributed for food or feed purposes.
- <u>Do not</u> graze current year's treated alfalfa seed crops.
- All alfalfa seed screenings must be disposed of in such a way that they cannot be distributed or used for human food or animal feed. The seed conditioner must keep records of screening disposal for 3 years from the date of disposal and shall furnish the records to the director immediately upon request. Conditioner disposal records must consist of documentation of on-farm disposal, disposal at a controlled dumpsite, incinerator, composter, or other equivalent disposal site and must include the lot numbers, amount of material disposed of, its grower(s), and the date of disposal.
- Any seed from a field treated with this pesticide product shall bear specific and conspicuous container labeling, or if shipped in bulk, on the shipment invoice or bill of lading. The labeling shall contain the following statement: "This seed was produced using one or more products for which the United States Environmental Protection Agency has not established pesticide residue tolerances. This seed, in whole, as sprouts, or in any form, may not be used for human consumption or animal feed. Failure to comply with this condition may violate requirements of the Federal Food and Drug Administration and other regulatory agencies.
- The pesticide applicator, the producer of the crop, and the seed conditioner must be aware that use of this product according to this labeling is deemed a non-feed/non-food use.
- If the applicator of this pesticide is not the producer, the applicator must provide a copy of this labeling to the producer of the crop. Producers of this crop who use this product, or cause the product to be used on a field they operate, must provide a copy of this pesticide label to the seed conditioner.

Parazone is a registered trademark of AMVAC Chemical Corporation.

#### 24(C) Registrant:

AMVAC Chemical Corporation 4695 MacArthur Court, Suite 1200, Newport Beach, CA 92660

615-20180906-UT-18-0010 Page 2 of 2