

# PHT Che Plex Zn-Fe-Mn

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture  
Product name : PHT Che Plex Zn-Fe-Mn  
Product code : M77069

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.3. Details of the supplier of the safety data sheet

JR Simplot Company  
P.O. Box 70013  
Boise, ID 83707  
T 1-208-336-2110

#### 1.4. Emergency telephone number

Emergency number : CHEMTREC 1-800-424-9300

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification (GHS-US)

Eye Irrit. 2A H319

Full text of H-phrases: see section 16

#### 2.2. Label elements

##### GHS-US labeling

Hazard pictograms (GHS-US) :



GHS07

Signal word (GHS-US) : Warning  
Hazard statements (GHS-US) : H319 - Causes serious eye irritation  
Precautionary statements (GHS-US) : P264 - Wash hands thoroughly after handling  
P280 - Wear eye protection, face protection  
P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
P337+P313 - If eye irritation persists: Get medical advice/attention

#### 2.3. Other hazards

No additional information available

#### 2.4. Unknown acute toxicity (GHS-US)

Not applicable

### SECTION 3: Composition/information on ingredients

#### 3.1. Substance

Not applicable

#### 3.2. Mixture

# PHT Che Plex Zn-Fe-Mn

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Name	Product identifier	%	Classification (GHS-US)
Diammonium Salt of Zinc Ethylene-Diaminetetraacetic	(CAS No) 67859-51-2		Not classified
Manganese diapotassium EDTA	(CAS No) 68015-77-0		Not classified
Diammonium salt of Copper Ethylenediaminetetraacetic acid	(CAS No) 67989-88-2		Not classified
Anhydrous Ammonia	(CAS No) 7664-41-7		Acute Tox. 3 (Inhalation:gas), H331 Skin Corr. 1A, H314 Aquatic Acute 1, H400
Dipotassium EDTA	(CAS No) 2001-94-7		Not classified

Full text of H-phrases: see section 16

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

- First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
- First-aid measures after inhalation : Allow victim to breathe fresh air. Allow the victim to rest.
- First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.
- First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
- First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

#### 4.2. Most important symptoms and effects, both acute and delayed

- Symptoms/injuries after eye contact : Causes serious eye irritation.

#### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

- Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.
- Unsuitable extinguishing media : Do not use a heavy water stream.

#### 5.2. Special hazards arising from the substance or mixture

No additional information available

#### 5.3. Advice for firefighters

- Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.
- Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### 6.1.1. For non-emergency personnel

- Emergency procedures : Evacuate unnecessary personnel.

##### 6.1.2. For emergency responders

- Protective equipment : Equip cleanup crew with proper protection.
- Emergency procedures : Ventilate area.

#### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

#### 6.3. Methods and material for containment and cleaning up

- Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

#### 6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

# PHT Che Plex Zn-Fe-Mn

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

- Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor.
- Hygiene measures : Wash ... thoroughly after handling.

#### 7.2. Conditions for safe storage, including any incompatibilities

- Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Keep container closed when not in use.
- Incompatible products : Strong bases. Strong acids.
- Incompatible materials : Sources of ignition. Direct sunlight.

#### 7.3. Specific end use(s)

No additional information available

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

PHT Che Plex Zn-Fe-Mn		
ACGIH	Not applicable	
OSHA	Not applicable	
Diammonium Salt of Zinc Ethylene-Diaminetetraacetic (67859-51-2)		
ACGIH	Not applicable	
OSHA	Not applicable	
Manganese diapotassium EDTA (68015-77-0)		
ACGIH	Not applicable	
OSHA	Not applicable	
Diammonium salt of Copper Ethylenediaminetetraacetic acid (67989-88-2)		
ACGIH	Not applicable	
OSHA	Not applicable	
Anhydrous Ammonia (7664-41-7)		
ACGIH	ACGIH TWA (ppm)	25 ppm
ACGIH	ACGIH STEL (ppm)	25 ppm
OSHA	Not applicable	
Dipotassium EDTA (2001-94-7)		
ACGIH	Not applicable	
OSHA	Not applicable	

#### 8.2. Exposure controls

- Personal protective equipment : Avoid all unnecessary exposure.
- Hand protection : Wear protective gloves.
- Eye protection : Chemical goggles or safety glasses.
- Respiratory protection : Wear appropriate mask.
- Other information : Do not eat, drink or smoke during use.

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

- Physical state : Liquid
- Color : clear Maroon

# PHT Che Plex Zn-Fe-Mn

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Odor	: There may be no odour warning properties, odour is subjective and inadequate to warn of overexposure. Mixture contains one or more component(s) which have the following odour(s): Slight ammonia odor Irritating/pungent odour
Odor threshold	: No data available
pH	: 7 - 8
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Vapor pressure	: No data available
Relative density	: No data available
Relative vapor density at 20 °C	: No data available
Specific gravity / density	: 10.62
Solubility	: Water: Solubility in water of component(s) of the mixture : • Anhydrous Ammonia:
Log Pow	: No data available
Log Kow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No additional information available

### 10.2. Chemical stability

Not established.

### 10.3. Possibility of hazardous reactions

Not established.

### 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

### 10.5. Incompatible materials

Strong acids. Strong bases.

### 10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity : Not classified

Anhydrous Ammonia (7664-41-7)	
LD50 oral rat	350 mg/kg
ATE US (oral)	350.000 mg/kg body weight

# PHT Che Plex Zn-Fe-Mn

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Anhydrous Ammonia (7664-41-7)	
ATE US (gases)	700.000 ppmV/4h
Skin corrosion/irritation	: Not classified. pH: 7 - 8
Serious eye damage/irritation	: Causes serious eye irritation. pH: 7 - 8
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
Potential Adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.
Symptoms/injuries after eye contact	: Causes serious eye irritation.

## SECTION 12: Ecological information

### 12.1. Toxicity

Anhydrous Ammonia (7664-41-7)	
LC50 fish 1	0.75 - 3.4 mg/l (96 h; Pimephales promelas; Ammonium ions)
LC50 other aquatic organisms 1	1 - 10 mg/l (96 h)
LC50 fish 2	0.52 mg/l 96 h; Salmo gairdneri (Oncorhynchus mykiss)
TLM fish 1	0.2 - 5, Pisces; Nocivity test
Threshold limit other aquatic organisms 1	1 - 10, 96 h

### 12.2. Persistence and degradability

PHT Che Plex Zn-Fe-Mn	
Persistence and degradability	Not established.
Diammonium Salt of Zinc Ethylene-Diaminetetraacetic (67859-51-2)	
Persistence and degradability	Not established.
Manganese diapotassium EDTA (68015-77-0)	
Persistence and degradability	Not established.
Diammonium salt of Copper Ethylenediaminetetraacetic acid (67989-88-2)	
Persistence and degradability	Not established.
Anhydrous Ammonia (7664-41-7)	
Persistence and degradability	Readily biodegradable in water. Ozonation in water. Biodegradable in the soil. No (test) data on mobility of the components available. Ozonation in the air. Not established.

### 12.3. Bioaccumulative potential

PHT Che Plex Zn-Fe-Mn	
Bioaccumulative potential	Not established.
Diammonium Salt of Zinc Ethylene-Diaminetetraacetic (67859-51-2)	
Bioaccumulative potential	Not established.
Manganese diapotassium EDTA (68015-77-0)	
Bioaccumulative potential	Not established.
Diammonium salt of Copper Ethylenediaminetetraacetic acid (67989-88-2)	
Bioaccumulative potential	Not established.

# PHT Che Plex Zn-Fe-Mn

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### Anhydrous Ammonia (7664-41-7)

Log Pow	-1.14
Bioaccumulative potential	Bioaccumulation: not applicable. Not established.

#### 12.4. Mobility in soil

No additional information available

#### 12.5. Other adverse effects

Effect on the global warming : No known ecological damage caused by this product.

Other information : Avoid release to the environment.

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

Ecology - waste materials : Avoid release to the environment.

### SECTION 14: Transport information

#### Department of Transportation (DOT)

In accordance with DOT

Not regulated for transport

#### Additional information

Other information : No supplementary information available.

#### ADR

No additional information available

#### Transport by sea

No additional information available

#### Air transport

No additional information available

### SECTION 15: Regulatory information

#### 15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory except for:

Manganese diapotassium EDTA	CAS No 68015-77-0	
Diammonium salt of Copper Ethylenediaminetetraacetic acid	CAS No 67989-88-2	
Dipotassium EDTA	CAS No 2001-94-7	

Chemical(s) subject to the reporting requirements of Section 313 or Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR Part 372.

Anhydrous Ammonia	CAS No 7664-41-7	
-------------------	------------------	--

#### Anhydrous Ammonia (7664-41-7)

Listed on United States SARA Section 313

RQ (Reportable quantity, section 304 of EPA's List of Lists) 1000 lb

SARA Section 302 Threshold Planning Quantity (TPQ) 500 lb

#### 15.2. International regulations

##### CANADA

No additional information available

# PHT Che Plex Zn-Fe-Mn

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### EU-Regulations

No additional information available

### Classification according to Regulation (EC) No. 1272/2008 [CLP]

No additional information available

### Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

Not classified

### National regulations

No additional information available

### 15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

### Anhydrous Ammonia (7664-41-7)

U.S. - Massachusetts - Right To Know List

U.S. - New Jersey - Right to Know Hazardous Substance List

U.S. - Pennsylvania - RTK (Right to Know) List

## SECTION 16: Other information

Other information : None.

Full text of H-phrases:

Acute Tox. 3 (Inhalation:gas)	Acute toxicity (inhalation:gas) Category 3
Aquatic Acute 1	Hazardous to the aquatic environment - Acute Hazard Category 1
Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Skin Corr. 1A	Skin corrosion/irritation Category 1A
H314	Causes severe skin burns and eye damage
H319	Causes serious eye irritation
H331	Toxic if inhaled
H400	Very toxic to aquatic life

SDS US (GHS HazCom 2012)

*Disclaimer: This information relates to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is to the best of our knowledge and belief, accurate and reliable as of the date compiled. However, no representation, warranty or guarantee is made as to its accuracy, reliability or completeness. NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, IS MADE CONCERNING THE INFORMATION HEREIN PROVIDED. It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for his own particular use. We do not accept liability for any loss or damage that may occur from the use of this information nor do we offer warranty against patent infringement.*