



GRIP™

Sticker

SPECIMEN

PRINCIPAL FUNCTIONING AGENTS:

	BY WT.
Beta-Pinene Polymer	96.0%
CONSTITUENTS INEFFECTIVE AS A SPRAY ADJUVANT	4.0%

All ingredients are exempt from tolerance requirements under 40 CFR 180.
PHT GRIP™ contains a UV inhibitor to protect crop foliage from sunlight damage.

CA Reg. No. 7001-50032
WA Reg. No. 7001-11001

CAUTION

KEEP OUT OF REACH OF CHILDREN

Harmful if swallowed, inhaled or absorbed through skin. Causes moderate eye irritation. Avoid breathing spray mist. Avoid contact with skin, eyes and clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

FIRST AID: If **swallowed** call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to by a poison control center or doctor. Do not give anything to an unconscious person. If **on skin** take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. If **inhaled** move person to fresh air. If person is not breathing, call 911 or an ambulance then give artificial respiration preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice. If **in eyes** hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for further treatment advice. **PERSONAL PROTECTIVE EQUIPMENT:** Wear chemical-resistant gloves, long-sleeved shirt and long pants, and shoes plus socks.

GENERAL INFORMATION

PHT GRIP™ is a superior, non-ionic sticking agent, intended for use with most crop protection products, in which the label permits the use of a spreader sticker. PHT GRIP™ is compatible in spray solutions with most commercial crop protection and foliar feed micronutrients. A thin coating of PHT GRIP™ solution bonds the pesticide to the crop foliage. This decreases the risk of residue erosion from rainfall or irrigation.

DIRECTIONS FOR USE

Add PHT GRIP™ to the spray tank as it is filling, with the agitator running. Under most circumstances, apply solution with PHT GRIP™ a minimum of one hour, during sun up, before an expected rain. Sunlight during this time frame is necessary to adhere the bond. **This Product Cannot Be Used For Aquatic Applications.**

Use of PHT GRIP™ with tolerance exempt pesticides near or at harvest might produce visible residue. This condition may render the crop(s) unsaleable. If this is a potential problem the PHT GRIP™ rate may be reduced, or the addition of PHT GRIP™ should be suspended at or near harvest.

PHT GRIP™ has NO LIMITATIONS on non-food crops.

CONTINUED ON NEXT PAGE

Manufactured For:

Simplot

J. R. SIMPLOT COMPANY

P.O. Box 70013, Boise, ID 83707
P.O. Box 198, Lathrop, CA 95330

DIRECTIONS FOR USE CONT.

FOR USE WITH	< 50 GALLONS OF WATER PER ACRE RATE	>50 GALLONS PER ACRE WITH AIR BLAST AND HYDRAULIC GUN SPRAYERS
Insecticides	4-6 oz.	Gallons per Acre: 50 75 100 500 1,000 Ounces per Acre: 4 6 8 32-48 64-96
Fungicides	4-6 oz.	
Hormonal Herbicides	4-6 oz.	
Foliar Nutrient Sprayers	4 oz.	
Glyphosate	4-6 oz.	

Fruit and Nut Trees	Insecticides and Fungicides	Use 4-8 oz. per 100 gallons with a maximum application rate of 16 oz. per acre. Concentrate or Air: When applying 100 gallons per acre or less use 16 oz. per acre.
	Growth Regulators and Foliar Feeding	Use 4-6 oz. per acre.
Vegetable, Cotton and Row Crops	Insecticides and Fungicides	Use 4-16 oz. per acre.
	Growth Regulators and Foliar Feeding	Use 4-6 oz. per acre.
Citrus	Insecticides and Fungicides	Dilute: 1000 to 1500 Gallons per acre use 32 oz. per 500 gallons of finished spray volume. Concentrate or Air: When applying 100 gallons per acre or less use 16 oz. per acre.
	Growth Regulators and Foliar Feeding	Use 4-6 oz. per acre.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store above 32°F. Store in original container and keep lid tightly closed.

DISPOSAL: Triple rinse (or equivalent) during mixing and loading. Recycling decontaminated containers is the best option of container disposal. The Agricultural Container Recycling Council (ACRC) operates the national recycling program. To contact your state and local ACRC recycler visit the ACRC web page at www.acrecycle.org. Decontaminated containers may also be disposed of in a sanitary landfill.

GRIP and PHT are registered trademarks of J.R. Simplot Company.

DISCLAIMER OF WARRANTIES: Seller warrants that the chemical composition of this product conforms to the chemical description given on this label. THIS WARRANTY IS EXPRESSLY IN LIEU OF ALL OTHER WARRANTIES AND REPRESENTATIONS EXPRESSED, IMPLIED, OR STATUTORY, INCLUDING WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR USE. Timing, rate and method of application, weather and crop conditions, mixtures with chemicals not specifically recommended on this label or an accompanying written recommendation are beyond the control of seller. Buyer assumes all risks of use, storage and handling of this material not in strict accordance with directions given herewith. Buyer further agrees in the event of damages arising from the use of this product to accept a replacement of the product or a refund of the purchase price of the product, at buyer's option, as full discharge of seller's liability. No one is authorized to make any other warranty, guarantee or directions concerning this product, and no such warranties, guarantees or directions shall be valid or binding upon seller.

Manufactured For:

Simplot

J. R. SIMPLOT COMPANY

P.O. Box 70013, Boise, ID 83707

P.O. Box 198, Lathrop, CA 95330