

SUPPLEMENTAL LABELING



Department of Agriculture
STATE OF HAWAII



LICENSED

PERIOD **2006-2008** LIC. NO.

8352.1

ULTRA

EPA REG NO. 72662-3

**FOR USE ON COFFEE, CACAO, CITRUS AND HERBS
IN HAWAII AND FLORIDA**

ACTIVE INGREDIENT:

Sodium Tetraborohydrate Decahydrate.....	0.99%
OTHER INGREDIENTS.....	99.01%
Total.....	100.00%

**KEEP OUT OF REACH OF CHILDREN
WARNING/AVISO**

DIRECTIONS FOR USE

- It is a violation of Federal law to use this product inconsistent with its labeling.
- This supplemental label must be in the possession of the user at the time of pesticide application.
- This supplemental label contains new or supplemental instructions for use of this product which do not appear on the EPA-registered package label. Follow all instructions on this label and the label on the container carefully.
- Follow all applicable directions, restrictions, Worker Protection Standard requirements, and precautions on this label and the EPA registered label attached to the container.

ORO Agri, Inc. 990 Trophy Club Drive, Trophy Club, Texas 76262

www.oroagri.com

DIRECTIONS FOR APPLICATION:
(PREV-AM can also be used on crops grown for seed)

Recommended Application Rates (ground application to provide sufficient coverage of foliage):		Annual and Row Crops: All other crops:		Use 20-100 gallons per acre Use 20-100 gallons per acre Use 1 to 2 gallons per 1000 square feet	
CROP	TARGET DISEASE	RATE: fl. oz./100 gallons	TARGET PEST:	RATE: fl. oz./100 gallons	REMARKS:
Coffee, Cacao			Mealybug	50	Spray every 7-10 days
Citrus Orange Lemon Grapefruit	Greasy Spot	50	Mite Thrips	50 100	Maximum Gal/acre to be applied according to Tree Row Volume every 7-10 days: Maximum Gal./acre = Tree height (ft.) X Tree width (ft.) X 30.54/(divided by) Distance between rows (ft.).
Tropical Fruit Pineapple Avocado Mango Banana Guava Papaya Awa (kava)	Downy Mildew Powdery Mildew Botrytis	50 50 50	Aphid Whitefly Mite Thrips	100 50 50 100	Maximum Gal/acre to be applied according to Tree Row Volume every 7-10 days: Maximum Gal./acre= Tree height (ft.) X Tree width (ft.) X 30.54/(divided by) Distance between rows (ft.).
Herbs Watercress Basil Oregano Parsley Nasturium Rosemary	Downy Mildew Powdery Mildew	50 50	Aphid Beet Armyworm Cabbage Looper Whitefly	100 50 50 50	Spray every 7-10 days.

ORO Agri, Inc. 990 Trophy Club Drive, Trophy Club, Texas 76262

www.oroagri.com