

PentaMax™

A zinc, manganese, boron, cobalt and copper true solution with PAC** chelation technology

GUARANTEED ANALYSIS:

Boron (B)	0.5%
Cobalt (Co)	0.1%
Copper (Cu)	0.4%
0.4% Chelated Copper	
Manganese (Mn)	2.0%
2.0% Chelated Manganese	
Zinc (Zn)	4.0%
4.0% Chelated Zinc	

Derived from boric acid, cobalt chloride, copper sulfate, manganese sulfate and zinc oxide chelated with PolyAldoCarbosate*.

For use as a fertilizer in foliar applications to supplement zinc, manganese, boron, cobalt, and copper levels on agricultural crops.

Florida Fertilizer License No. F001468

*PAC** refers to NutriAg's "PolyAldoCarbosate" Technology

Information regarding the contents and levels of metals in this product is available on the internet at <http://www.aapfco.org/metals.html>.

DIRECTIONS FOR USE (Use only as Directed):

- Exercise caution with foliar applications in extreme weather conditions such as high temperatures and poor drying conditions.
- Aerial application – minimum of 5 gallons of water/acre. Ground application – minimum of 20 gallons of water/acre. Apply with sufficient water to deliver spray uniformly on leaf surfaces. Higher volumes of water should be used for higher rates of fertilizer.
- Exercise caution when applying to any crop during bloom, as many factors can affect fruit set and final fruit quality.
- PentaMax is compatible with most agricultural chemicals and nutrients. Not compatible with aluminum equipment. Should be applied in conjunction with tissue and/or soil analysis.
- Application rates vary according to specific crop requirements, management objectives, soil nutrient availability and/or environmental conditions.
- Fertilizers vary in analysis and quality and should be jar tested with this product before use.
- Consult a NutriAg representative for specific crop recommendations, application timings and necessity of its use.

Net Contents:

Net Weight:

**Net Weight/
Gallon:**

Batch No.:

SUGGESTED RATES

FOLIAR RATES: For concentrated sprays (in 30 gal water/ac or less), apply up to 1 qt/ac. For dilute sprays (above 30 gal water/ac), apply up to 1.5% (v/v), or up to 4 qt/ac. Multiple applications may be required.

CROPS: Forage Crops: Alfalfa, Clover, Hay Crops; **Field Crops:** Cereals, Corn, Cotton, Sorghum, Sugar cane; **Legumes:** Dry bean, Lentil, Peanut, Pea, Soybean; **Root Vegetables (including, but not limited to):** Beet, Carrot, Garlic, Parsnip, Radish, Rutabaga, Sugar Beet, Sweet Potato, Turnip; **Leafy Vegetables (including but not limited to):** Bok Choy, Celery, Chard, Cilantro, Cole Crops, Lettuce, Parsley, Spinach; **Other Vegetables:** Artichoke, Asparagus, Cucurbits, Eggplant, Okra, Onions (bunching, bulbing), Peppers, Rhubarb, Snap bean, Sweet Corn, Tomato; **Berry Crops:** Blueberry, Caneberry, Cranberry, Elderberry, Gooseberry, Strawberry; **Tree Fruit (including but not limited to):** Apple, Apricot, Avocado, Cherry, Nectarine, Olive, Peach, Pear, Persimmon, Plum, Pomegranate, Prune, Quince; **Other Fruit:** Citrus (all), Fig, Kiwi, Melons; **Nut Trees (including but not limited to):** Almond, Filbert, Hazelnut, Pecan, Pistachio, Walnut; **Grapes:** Currant, Raisin, Table, Wine; **Other Crops:** Herbs, Hops, Mint, Potato, Safflower, Spearmint, Stevia, Sunflower

ATTENTION: This fertilizing material contains boron (B) and cobalt (Co). The use of this fertilizing material on any crops other than those recommended may result in serious injury to crop(s).

KEEP OUT OF REACH OF CHILDREN.

Warranty Statement: Sellers guarantee shall be limited to the terms set out on the label. The buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on this condition. NutriAg warrants that the product conforms to the chemical description on the label and is reasonably fit for purposes stated on such label only when used in accordance with directions under normal use conditions. It is impossible to eliminate all risks inherently associated with the use of this product such as weather conditions, presence of other materials or the manner of use or application, all of which are beyond the control of NutriAg. NutriAg is not liable for consequential, special or indirect damages resulting from the use of or handling of this product. All such risks shall be assumed by the buyer.



DANGER

May cause an allergic skin reaction. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause cancer. May damage fertility or the unborn child. May cause damage to organs through prolonged or repeated exposure. Contains 23.3 to 28.5% of ingredients of unknown toxicity (Inhalation). Contains 17-21% of ingredients of unknown toxicity (Dermal). Contains 14 to 16% of ingredients of unknown toxicity (Oral).

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe mist, vapours, spray. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection. In case of inadequate ventilation wear respiratory protection (NIOSH approved particulate respirator with N95, R95, or P95 filter).

IF ON SKIN: Wash with plenty of water. IF INHALED: If breathing is difficult, remove person to fresh air and keep comfortable for breathing. If exposed or concerned: Get medical advice/attention. Specific treatment (see supplemental first aid instruction on this label). Rinse mouth. If skin irritation or rash occurs: Get medical advice/attention. If experiencing respiratory symptoms: Call a POISON CENTER/doctor. Wash contaminated clothing before reuse.

Store locked up.

Dispose of contents/container in accordance with local, regional, national and international regulations.

Rev: 071823US-CA/US

NutriAg Ltd.

39 Gail Grove, Toronto, ON, Canada, M9M 1M5. Tel: (416) 636-1555 nutriag.com

NUTRIAG Innovators in the field