

1/12

PERMANONE® 10% E.C.

Version 5.0 / USA 102000004015

Revision Date: 09/26/2022 Print Date: 09/28/2022

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product identifier

Trade name PERMANONE® 10% E.C.

Product code (UVP) 05950767

SDS Number 102000004015

EPA Registration No. 432-1132

Relevant identified uses of the substance or mixture and uses advised against

Use Insecticide
Identified uses Insecticide

Restrictions on useSee product label for restrictions.

Information on supplier

Supplier Bayer Environmental Science

A division of Bayer CropScience LP 5000 Centregreen Way, Suite 400

Cary, NC 27513

USA

Responsible Department Email: SDSINFO.BCS-NA@bayer.com

Emergency telephone no.

Emergency Telephone Number (24hr/ 7 days) 1-800-334-7577

Product Information Telephone Number

1-800-331-2867

SECTION 2: HAZARDS IDENTIFICATION

Classification in accordance with regulation HCS 29CFR §1910.1200

Aspiration hazard: Category 1 Skin irritation: Category 2 Flammable liquids: Category 4







PERMANONE® 10% E.C.

Version 5.0 / USA Revision Date: 09/26/2022 102000004015 Print Date: 09/28/2022

Signal word: Danger

Hazard statements

May be fatal if swallowed and enters airways.

Causes skin irritation. Combustible liquid.

Precautionary statements

Wash thoroughly after handling.

Wear protective gloves/ eye protection/ face protection.

Keep away from open flames/hot surfaces. - No smoking.

IF SWALLOWED: Immediately call a POISON CENTER/doctor/ physician.

Do NOT induce vomiting.

IF ON SKIN: Wash with plenty of water/ soap.

Specific treatment (see supplemental first aid instructions on this label).

If skin irritation occurs: Get medical advice/ attention.

Take off contaminated clothing and wash before reuse.

In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

Store locked up.

Store in a well-ventilated place. Keep cool.

Dispose of contents/container in accordance with local regulation.

Hazards Not Otherwise Classified (HNOC)

No physical hazards not otherwise classified.

No health hazards not otherwise classified.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Component Name	CAS-No.	Concentration % by weight
Permethrin	52645-53-1	10.0
Distillates (petroleum), hydrotreated light	64742-47-8	82.0
Nonylphenol ethoxylate	9016-45-9	4.4

SECTION 4: FIRST AID MEASURES

Description of first aid measures

General advice When possible, have the product container or label with you when

calling a poison control center or doctor or going for treatment.

Inhalation Move to fresh air. If person is not breathing, call 911 or an ambulance,

then give artificial respiration, preferably mouth-to-mouth if possible.

Call a physician or poison control center immediately.

Skin contact Wash off immediately with plenty of water for at least 15 minutes. Take

off contaminated clothing and shoes immediately. Call a physician or

poison control center immediately.



PERMANONE® 10% E.C.

Version 5.0 / USA Revision Date: 09/26/2022 102000004015 Print Date: 09/28/2022

Eye contact Hold eye open and rinse slowly and gently with water for 15-20

minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center

immediately.

Ingestion Call a physician or poison control center immediately. Rinse out mouth

and give water in small sips to drink. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Do not leave victim

unattended.

Most important symptoms and effects, both acute and delayed

Symptoms To date no symptoms are known.

Indication of any immediate medical attention and special treatment needed

Risks This product contains a pyrethroid. Contains hydrocarbon solvents.

May pose an aspiration pneumonia hazard.

Treatment Appropriate supportive and symptomatic treatment as indicated by the

patient's condition is recommended.

SECTION 5: FIREFIGHTING MEASURES

Extinguishing media

Suitable Carbon dioxide (CO2), Dry chemical, Foam, Water

Unsuitable High volume water jet

Special hazards arising from the substance or

mixture

Advice for firefighters

Special protective

equipment for firefighters

Dangerous gases are evolved in the event of a fire.

Firefighters should wear NIOSH approved self-contained breathing

apparatus and full protective clothing.

Further information Keep out of smoke. Fight fire from upwind position. Cool closed

containers exposed to fire with water spray. Do not allow run-off from

fire fighting to enter drains or water courses.

Specific hazards from the substance or mixture which can increase the fire

Flash point 85 °C / 185 °F

Auto-ignition temperature No data available

Lower explosion limitNo data availableUpper explosion limitNo data available

Explosivity Not applicable



PERMANONE® 10% E.C.

Version 5.0 / USA 102000004015

Revision Date: 09/26/2022 Print Date: 09/28/2022

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Precautions Remove all sources of ignition. Isolate hazard area. Keep

unauthorized people away. Avoid contact with spilled product or

contaminated surfaces.

Methods and materials for containment and cleaning up

Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid

binder, universal binder, sawdust). Collect and transfer the product

into a properly labelled and tightly closed container. Clean

contaminated floors and objects thoroughly, observing environmental

regulations.

Additional advice Use personal protective equipment. If the product is accidentally

spilled, do not allow to enter soil, waterways or waste water canal.

Reference to other sections Information regarding safe handling, see section 7.

Information regarding personal protective equipment, see section 8.

Information regarding waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Use only in area provided with appropriate exhaust ventilation. Handle

and open container in a manner as to prevent spillage.

Advice on protection against fire and explosion

Keep away from heat and sources of ignition.

Hygiene measures Wash hands thoroughly with soap and water after handling and before

eating, drinking, chewing gum, using tobacco, using the toilet or

applying cosmetics.

Remove Personal Protective Equipment (PPE) immediately after

handling this product. Before removing gloves clean them with soap and water. Remove soiled clothing immediately and clean thoroughly before

using again. Wash thoroughly and put on clean clothing.

Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Store in a cool, dry place and in such a manner as to prevent cross contamination with other crop protection products, fertilizers, food, and

feed. Store in original container and out of the reach of children,

preferably in a locked storage area.



PERMANONE® 10% E.C.

Version 5.0 / USA Revision Date: 09/26/2022 102000004015 Print Date: 09/28/2022

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Permethrin	52645-53-1	5 mg/m3 (TWA)	06 2008	TN OEL
Permethrin	52645-53-1	5 mg/m3 (PEL)	02 2006	OSHA Z1
Permethrin	52645-53-1	5 mg/m3 (TWA PEL)	09 2013	US CA OEL
Permethrin	52645-53-1	5 mg/m3 (REL)	2010	NIOSH
Permethrin	52645-53-1	5 mg/m3 (TWA)	03 2014	ACGIH
Permethrin	52645-53-1	10 mg/m3 (SK-SEN)		OES BCS*
Distillates (petroleum), hydrotreated light	64742-47-8	100 mg/m3 (REL)	2005	NIOSH
Distillates (petroleum), hydrotreated light	64742-47-8	200 mg/m3 (TWA)	2008	ACGIH
(Non-aerosol.)				
Distillates (petroleum), hydrotreated light	64742-47-8	200 mg/m3 (TWA)	2008	ACGIH
(Non-aerosol.)				

^{*}OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

Exposure controls

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection When respirators are required, select NIOSH approved equipment

based on actual or potential airborne concentrations and in

accordance with the appropriate regulatory standards and/or industry

recommendations.

Hand protection Chemical-resistant gloves (barrier laminate, butyl rubber, nitrile

rubber or Viton)

Eye protection Tightly fitting safety goggles

Skin and body protection Wear long-sleeved shirt and long pants and shoes plus socks.

General protective measures Follow manufacturer's instructions for cleaning/maintaining PPE. If

no such instructions for washables, use detergent and warm/tepid

water.

Keep and wash PPE separately from other laundry.



PERMANONE® 10% E.C.

Version 5.0 / USA 102000004015

Revision Date: 09/26/2022 Print Date: 09/28/2022

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Form Liquid

Colour beige to brown

Odour mild

Odour Threshold No data available

pH 7.0 - 8.5

Melting point/rangeNo data availableBoiling PointNo data availableFlash point85 °C / 185 °FFlammabilityNo data availableAuto-ignition temperatureNo data available

Thermal decomposition Not applicable

Minimum ignition energy Not applicable

Self-accelarating

decomposition temperature

(SADT)

Upper explosion limit

Lower explosion limit

No data available

Relative vapour density

No data available

No data available

No data available

Density ca. 0.84 g/cm³ (20 °C)

Water solubility emulsifiable

Partition coefficient: n-

octanol/water

Permethrin: log Pow: 5.95

No data available

Viscosity, dynamic 2.2 mPa.s

Viscosity, kinematic

Oxidizing properties

No data available

Explosivity

Not applicable

Other information Further safety related physical-chemical data are not known.



PERMANONE® 10% E.C.

Version 5.0 / USA 102000004015

Revision Date: 09/26/2022 Print Date: 09/28/2022

SECTION 10: STABILITY AND REACTIVITY

Reactivity Stable under normal conditions.

Chemical stability Stable under recommended storage conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Extremes of temperature and direct sunlight.

Heat, flames and sparks.

Incompatible materials Strong oxidizing agents

Hazardous decomposition

products

No decomposition products expected under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION

Exposure routes Eye contact, Skin contact, Inhalation, Ingestion

Immediate Effects

Eye May cause temporary eye irritation.

Skin Causes skin irritation. May cause sensitisation by skin contact.

Ingestion Small amounts of the solvent in this product aspirated into the respiratory system during ingestion or vomiting may cause mild to

severe pulmonary injury.

Inhalation Harmful if inhaled.

Information on toxicological effects

Acute oral toxicity LD50 (Rat) > 5,000 mg/kg

Acute inhalation toxicity LC50 (Rat) > 1.6 mg/l

Exposure time: 4 h

Determined in the form of liquid aerosol.

Highest attainable concentration.

No deaths

Acute dermal toxicity LD50 (Rabbit) > 5,050 mg/kg

Skin corrosion/irritation Severe skin irritation. (Rabbit)

Serious eye damage/eye

irritation

Mild eye irritation. (Rabbit)

Respiratory or skin Non-sensitizing. (Guinea pig)



PERMANONE® 10% E.C.

Version 5.0 / USA 102000004015

Revision Date: 09/26/2022 Print Date: 09/28/2022

sensitisation

Assessment STOT Specific target organ toxicity - single exposure

Permethrin: Based on available data, the classification criteria are not met.

Assessment STOT Specific target organ toxicity - repeated exposure

Permethrin did not cause specific target organ toxicity in experimental animal studies.

Assessment mutagenicity

Permethrin was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

Assessment carcinogenicity

Permethrin caused at high dose levels an increased incidence of tumours in mice in the following organ(s): Liver, Lungs. The mechanism that triggers tumours in rodents is not relevant for the low exposures encountered under normal use conditions.

ACGIH

Permethrin	52645-53-1	Group A4
Distillates (petroleum), hydrotreated light	64742-47-8	Group A3

NTP

None.

IARC

Permethrin	52645-53-1	Overall evaluation: 3
Distillates (petroleum), hydrotreated light	64742-47-8	Overall evaluation: 3

Assessment toxicity to reproduction

Permethrin did not cause reproductive toxicity in a two-generation study in rats.

Assessment developmental toxicity

Permethrin did not cause developmental toxicity in rats and rabbits.

Aspiration hazard

May be fatal if swallowed and enters airways.

Further information

Only acute toxicity studies have been performed on the formulated product.

The non-acute information pertains to the active ingredient(s).

SECTION 12: ECOLOGICAL INFORMATION

Toxicity to fish LC50 (Poecilia reticulata (guppy)) 0.0076 mg/l

Exposure time: 96 h

The value mentioned relates to the active ingredient permethrin.

Toxicity to aquatic

EC50 (Daphnia magna (Water flea)) 0.00017 mg/l invertebrates

Exposure time: 48 h

The value mentioned relates to the active ingredient permethrin.



PERMANONE® 10% E.C.

 Version 5.0 / USA
 Revision Date: 09/26/2022

 102000004015
 Print Date: 09/28/2022

Toxicity to aquatic plants EC50 (algae) 0.5 mg/l

Exposure time: 72 h

The value mentioned relates to the active ingredient permethrin.

Biodegradability Permethrin:

Not rapidly biodegradable

Koc Permethrin: Koc: 100000

Bioaccumulation Permethrin: Bioconcentration factor (BCF) 300

Does not bioaccumulate.

Mobility in soil Permethrin: Immobile in soil

Results of PBT and vPvB assessment

PBT and vPvB assessment Permethrin: This substance is not considered to be persistent,

bioaccumulative and toxic (PBT). This substance is not considered to be

very persistent and very bioaccumulative (vPvB).

Environmental precautions Do not apply directly to water, to areas where surface water is present

or to intertidal areas below the mean high water mark.

Do not contaminate surface or ground water by cleaning equipment or

disposal of wastes, including equipment wash water. Do not apply when weather conditions favor runoff or drift.

Apply this product as specified on the label.

Do not apply this product or allow it to drift to blooming crops or weeds if

bees are visiting the treatment area.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Product Do not contaminate water, food, or feed by disposal.

Pesticide, spray mixture or rinse water that cannot be used according to label instructions may be disposed of on site or at an approved waste

disposal facility.

Contaminated packaging Triple rinse containers.

Puncture container to avoid re-use.

Dispose of empty container in a sanitary landfill or by incineration, or, if

allowed by State/Provincial and local authorities, by burning.

If burned, stay out of smoke.

Follow advice on product label and/or leaflet.

RCRA Information Characterization and proper disposal of this material as a special or

hazardous waste is dependent upon Federal, State and local laws and

are the user's responsibility. RCRA classification may apply.



10/12

PERMANONE® 10% E.C.

Version 5.0 / USA Revision Date: 09/26/2022 102000004015 Print Date: 09/28/2022

49CFR

NA-Number 1993 Packaging group III

Proper shipping name COMBUSTIBLE LIQUID, N.O.S.

(PETROLEUM DISTILLATES)

IMDG

UN number 3082
Class 9
Packaging group III
Marine pollutant YES

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(PERMETHRIN SOLUTION)

IATA

UN number 3082
Class 9
Packaging group III
Environm. Hazardous Mark YES

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(PERMETHRIN SOLUTION)

This transportation information is not intended to convey all specific regulatory information relating to this product. It does not address regulatory variations due to package size or special transportation requirements.

Freight Classification: INSECTICIDES OR FUNGICIDES, N.O.I., OTHER THAN

POISON

SECTION 15: REGULATORY INFORMATION

EPA Registration No. 432-1132

US Federal Regulations

TSCA list

Distillates (petroleum), hydrotreated light
Nonylphenol ethoxylate
Sorbitan, tri-(9Z)-9-octadecenoate,

64742-47-8
9016-45-9
9005-70-3

poly(oxy-1,2-ethanediyl) derivs.

US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)

Yes. Export notification needs to be made.

SARA Title III - Section 302 - Notification and Information

Not applicable.

SARA Title III - Section 313 - Toxic Chemical Release Reporting

Yes Yes



PERMANONE® 10% E.C.

Version 5.0 / USA Revision Date: 09/26/2022 102000004015 Print Date: 09/28/2022

US States Regulatory Reporting CA Prop65

This product does not contain any substances known to the State of California to cause cancer.

This product does not contain any substances known to the State of California to cause reproductive harm.

US State Right-To-Know Ingredients

Distillates (petroleum), hydrotreated light 64742-47-8 CT, IL, NJ, RI

Permethrin 52645-53-1 CA, CT, IL, MN, NJ, RI

Nonylphenol ethoxylate 9016-45-9 IL, NJ

Environmental CERCLA

Yes

Distillates (petroleum), hydrotreated light 64742-47-8

Yes

Permethrin 52645-53-1

Yes

Nonylphenol ethoxylate 9016-45-9

Included in the regulation but with no data values. See regulation for further details

Clean Water Section 307(a)(1)

None.

Safe Drinking Water Act Maximum Contaminant Levels

Yes

Permethrin 52645-53-1

EPA/FIFRA Information:

This chemical is a pesticide product regulated by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information required on the pesticide label:

Signal word: Warning!

Hazard statements: Causes skin irritation.

Causes moderate eye irritation.

Harmful if inhaled.

Prolonged or frequently repeated skin contact may cause allergic

reactions in some individuals.

SECTION 16: OTHER INFORMATION

Abbreviations and acronyms

49CFR Code of Federal Regulations, Title 49



PERMANONE® 10% E.C.

Version 5.0 / USA Revision Date: 09/26/2022 102000004015 Print Date: 09/28/2022

ACGIH US. ACGIH Threshold Limit Values

ATE Acute toxicity estimate

CAS-Nr. Chemical Abstracts Service number

CERCLA Comprehensive Environmental Response, Compensation, and Liability Act

EINECS European inventory of existing commercial substances

ELINCS European list of notified chemical substances
IARC International Agency for Research on Cancer
IATA International Air Transport Association
IMDG International Maritime Dangerous Goods

N.O.S. Not otherwise specified

NTP US. National Toxicology Program (NTP) Report on Carcinogens OECD Organization for Economic Co-operation and Development

TDG Transportation of Dangerous Goods

TWA Time weighted average

UN United Nations

WHO World health organisation

NFPA 704 (National Fire Protection Association):

Health - 2 Flammability - 2 Instability - 0 Others - none

HMIS (Hazardous Materials Identification System, based on the Third Edition Ratings Guide)

Health - 2 Flammability - 2 Physical Hazard - 0 PPE -

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

Reason for Revision: Reviewed and updated for general editorial purposes. Section 1: Chemical Product and Company Information. Section 2: Hazards Identification. Section 8: Exposure Controls / Personal Protection. Section 9: Physical and Chemical Properties. Section 10. Stability and reactivity. Section 11: Toxicological Information. Section 15: Regulatory information.

Revision Date: 09/26/2022

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.