

SAFETY DATA SHEET

1. Product and Company Identification

Product identifier ProAcqua[™] Pulse

Profol Tonus, ProAcqua Pulse Ni Other means of identification

Synonyms Not available.

Source of plant nutrients for food and non-food crops Recommended use

Recommended restrictions None known.

Manufacturer information Compass Minerals USA Inc.

> 9900 West 109th Street, Suite 100 Overland Park, KS 66210 US Phone (913) 344-9200

Compass Minerals Manitoba Inc. Supplier

> 6700 Century Avenue Mississauga L5N 6A4 CA

http://www.compassminerals.com/

Phone (905) 567-0231

techservices requests @compassminerals.com

CHEMTREC 1-800-424-9300 **CANUTEC** 1-613-996-6666

2. Hazards Identification

Physical hazards Not classified.

Health hazards Acute toxicity, oral Category 4

> Serious eye damage/eye irritation Category 2 Sensitization, respiratory Category 1 Sensitization, skin Category 1 Carcinogenicity Category 2

Environmental hazards Not classified. WHMIS 2015 defined hazards

Label elements

Not classified



Signal word Danger

Hazard statement Harmful if swallowed.

Causes serious eye irritation.

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

May cause an allergic skin reaction. Suspected of causing cancer.

Precautionary statement

Prevention Do not handle until all safety precautions have been read and understood.

Do not eat, drink or smoke when using this product.

Avoid breathing dust. Wear respiratory protection. Wash thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection. Contaminated work clothing should not be allowed out of the workplace.

IF ON SKIN: Wash with plenty of water. If skin irritation or rash occurs: Get medical Response

advice/attention. Take off contaminated clothing and wash it before reuse. Specific treatment (see

information on this label).

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If experiencing

respiratory symptoms: Call a POISON CENTER/doctor.

IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. Rinse mouth.

IF exposed or concerned: Get medical advice/attention.

Store locked up. Storage

#28003 Page: 1 of 9 Issue date 16-October-2017 **Disposal**

Dispose of contents/container in accordance with local/regional/national/international regulations.

WHMIS 2015: Health Hazard(s)

not otherwise classified

(HHNOC)

WHMIS 2015: Physical Hazard(s) not otherwise classified (PHNOC)

None known

None known

Hazard(s) not otherwise classified (HNOC)

None known.

Supplemental information

26.89% of the mixture consists of component(s) of unknown acute oral toxicity.

3. Composition/Information on Ingredients

Mixture	,
---------	---

Chemical name	Common name and synonyms	CAS number	%
Metal amine chelate #1		HMIRA 11554	HMIRA 11554
Metal amine chelate #2		HMIRA 11554	HMIRA 11554
Metal salt		HMIRA 11554	HMIRA 11554
Organic acid		HMIRA 11554	HMIRA 11554

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

Composition comments

The filing date associated with this trade secret exemption is 2017-05-26

4. First Aid Measures

Inhalation IF INHALED: Remove person to fresh air and keep comfortable for breathing. If experiencing

respiratory symptoms: Call a POISON CENTER or doctor/physician.

Skin contact IF ON SKIN: Wash with plenty of water. If skin irritation or rash occurs: Get medical

advice/attention. Take off contaminated clothing and wash it before reuse. Specific treatment (see

information on this label).

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present Eye contact

and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred

IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. Rinse mouth. Ingestion

Most important

symptoms/effects, acute and

delayed

vision.

Difficulty in breathing. May cause an allergic skin reaction. Dermatitis. Rash.

Indication of immediate medical attention and special

treatment needed

Symptoms may be delayed.

General information

IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Wash contaminated clothing before reuse. Avoid contact with eyes and skin. Keep out of reach of children.

5. Fire Fighting Measures

Suitable extinguishing media

Unsuitable extinguishing media

Specific hazards arising from

the chemical

Special protective equipment

and precautions for firefighters

Fire-fighting equipment/instructions

Specific methods General fire hazards

Hazardous combustion

products

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Not available.

Not available.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Use water spray to cool unopened containers.

Use standard firefighting procedures and consider the hazards of other involved materials.

No unusual fire or explosion hazards noted.

May include and are not limited to: Oxides of sodium.

#28003 Page: 2 of 9 Issue date 16-October-2017

6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS

Methods and materials for containment and cleaning up

Before attempting clean up, refer to hazard data given above. Use broom or dry vacuum to collect material for proper disposal without raising dust. Rinse area with water. Prevent large spills from entering sewers or waterways. Contact emergency services and supplier for advice. For waste disposal, see section 13 of the SDS.

Environmental precautions

Do not discharge into lakes, streams, ponds or public waters.

7. Handling and Storage

Precautions for safe handling Do not handle until all safety precautions have been read and understood.

Avoid contact with eyes, skin, and clothing.

Do not taste or swallow. Do not breathe dust.

Provide adequate ventilation.

Observe good industrial hygiene practices.

Wash thoroughly after handling. When using do not eat or drink.

Conditions for safe storage, including any incompatibilities

Store in original tightly closed container.

Store away from incompatible materials (see Section 10 of the SDS).

Keep out of reach of children.

Store locked up.

8. Exposure Controls/Personal Protection

Occupational exposure limits

Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2)

Components	Туре	Value	Form
Metal amine chelate #2 (CAS HMIRA 11554)	TWA	0.02 mg/m3	
Metal salt (CAS HMIRA 11554)	TWA	0.5 mg/m3	Respirable.

Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended)

Components	Туре	Value	Form
Metal amine chelate #2 (CAS HMIRA 11554)	TWA	0.02 mg/m3	
Metal salt (CAS HMIRA	TWA	0.5 mg/m3	Respirable.

Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act)

Components	туре	value	FOIIII
Metal amine chelate #2 (CAS HMIRA 11554)	TWA	0.02 mg/m3	
Metal salt (CAS HMIRA	TWA	0.5 mg/m3	Respirable fraction.

Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents)

Components	Туре	Value	Form
Metal amine chelate #2 (CAS HMIRA 11554)	TWA	0.02 mg/m3	
Metal salt (CAS HMIRA 11554)	TWA	0.5 mg/m3	Respirable fraction.

Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment)

Components	Туре	Value	
Metal amine chelate #2 (CAS HMIRA 11554)	TWA	0.02 mg/m3	
Metal salt (CAS HMIRA 11554)	TWA	5 mg/m3	

#28003 Page: 3 of 9 Issue date 16-October-2017

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value	
Metal salt (CAS HMIRA 11554)	PEL	5 mg/m3	
LIC ACCULTING the state in the Value			

US. ACGIH Threshold Limit Values

Components	Туре	Value	Form
Metal amine chelate #2 (CAS HMIRA 11554)	TWA	0.02 mg/m3	
Metal salt (CAS HMIRA 11554)	TWA	0.5 mg/m3	Respirable fraction.

Biological limit values

ACGIH Biological Exposure Indices

Components	Value	Determinant	Specimen	Sampling Time
Metal amine chelate #2 (CAS HMIRA 11554)	15 μg/l	Cobalt	Urine	*

^{* -} For sampling details, please see the source document.

Appropriate engineering

Ensure adequate ventilation.

controls

Individual protection measures, such as personal protective equipment

Eye/face protection Wear chemical goggles.

Skin protection

Wear suitable gloves. Confirm with a reputable supplier first. **Hand protection**

Other As required by employer code.

Respiratory protection Wear dust mask. Thermal hazards Not applicable.

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks

and immediately after handling the product. When using, do not eat, drink or smoke.

9. Physical and Chemical Properties

	9. Physical and Chemical Properties
Appearance	Powder
Physical state	Solid.
Form	Solid.
Color	Purple
Odor	Not available.
Odor threshold	Not available.
рН	4.1 (10% solution)
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Pour point	Not applicable.
Specific gravity	Not available.
Partition coefficient (n-octanol/water)	Not available.
Flash point	Not available.
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or exp	losive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not applicable.
Vapor density	Not applicable.
Relative density	Not available.

Solubility(ies)Not available.Auto-ignition temperatureNot available.Decomposition temperatureNot available.ViscosityNot applicable.

Other information

Density 0.70 g/cm³

Explosive limit Not applicable.

Explosive properties Not explosive.

Oxidizing properties Not oxidizing.

Solubility (other) 400 g/l

10. Stability and Reactivity

Reactivity May react with incompatible materials.

Possibility of hazardous

reactions

Hazardous polymerization does not occur.

Chemical stability Material is stable under normal conditions.

Conditions to avoid Do not mix with other chemicals.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

products

May include and are not limited to: Oxides of sodium.

11. Toxicological Information

Routes of exposure Eye, Skin contact, Inhalation, Ingestion.

Information on likely routes of exposure

Ingestion Harmful if swallowed. May cause stomach distress, nausea or vomiting.Inhalation Prolonged inhalation may be harmful. May cause sensitization by inhalation.

Skin contact May cause an allergic skin reaction.

Eye contact Causes serious eye irritation.

Symptoms related to the physical, chemical and

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred

vision.

toxicological characteristics

Difficulty in breathing.

May cause an allergic skin reaction. Dermatitis. Rash.

Information on toxicological effects

Acute toxicity Harmful if swallowed.

Components Species Test Results

Metal amine chelate #1 (CAS HMIRA 11554)

Acute

Dermal LD50

.D50 Not available

Inhalation

LC50 Not available

Oral

LD50 Rat 1600 mg/kg, Produquimica Industry and

Trade S.A.

1244 mg/kg, ipr-mus, RTECS

Metal amine chelate #2 (CAS HMIRA 11554)

Acute

Dermal

LD50 Rat 8127.5 mg/kg, Produquímica Industry and

Trade S.A.

Inhalation

LC50 Not available

Oral

LD50 Mouse 1244 mg/kg, Produquímica Industry and

Trade S.A.

Test Results Components **Species** Metal salt (CAS HMIRA 11554) **Acute** Dermal LD50 Not available Rat > 2000 mg/kg, 24 Hours Inhalation LC50 > 1.9 mg/L, 4 Hours Rat 2080 mg/m3 Oral LD50 Not available Rat 3883 mg/kg Organic acid (CAS HMIRA 11554) **Acute** Dermal LD50 Rat > 2000 mg/kg, 24 Hours, ECHA Inhalation LC50 Not available Oral LD50 Mouse 5400 mg/kg, ECHA 5040 mg/kg, HSDB 11700 mg/kg, ECHA Rat 6730 mg/kg, HSDB Skin corrosion/irritation Prolonged skin contact may cause temporary irritation. **Exposure minutes** Not available. Erythema value Not available. Not available. Oedema value Serious eye damage/eye Causes serious eye irritation. irritation Not available. Corneal opacity value

Iris lesion value Not available. Conjunctival reddening Not available.

value

Not available. Conjunctival oedema value Not available. Recover days

Respiratory or skin sensitization

Canada - Alberta OELs: Irritant

Irritant Metal salt (CAS HMIRA 11554)

Respiratory sensitization May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Skin sensitization May cause an allergic skin reaction.

Mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity See below.

ACGIH Carcinogens

Metal amine chelate #2 (CAS HMIRA 11554) A3 Confirmed animal carcinogen with unknown relevance to

humans.

Metal salt (CAS HMIRA 11554) A3 Confirmed animal carcinogen with unknown relevance to

humans.

Canada - Manitoba OELs: carcinogenicity

Canada - Quebec OELs: Carcinogen category

Cobalt and inorganic compounds, as Co (CAS HMIRA

11554)

MOLYBDENUM, SOLUBLE COMPOUNDS, AS MO,

RESPIRABLE FRACTION (CAS HMIRA 11554)

Detected carcinogenic effect in animals.

Confirmed animal carcinogen with unknown relevance to humans.

Confirmed animal carcinogen with unknown relevance to humans.

Metal amine chelate #2 (CAS HMIRA 11554) IARC Monographs. Overall Evaluation of Carcinogenicity

Volume 52 - 2B Possibly carcinogenic to humans. Metal amine chelate #2 (CAS HMIRA 11554)

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Reproductive toxicityThis product is not expected to cause reproductive or developmental effects.

Teratogenicity

Specific target organ toxicity -

single exposure

Not available.

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard

Not an aspiration hazard.

Chronic effects

Prolonged inhalation may be harmful.

12. Ecological Information

Ecotoxicity See below

Ecotoxicological data

	Species	Test Results
S HMIRA 11554)	оролог	
LC50	Fish	> 100 mg/L, 96 hours
EC50	Tubificid worm (Tubifex tubifex)	42.48 - 65.64 mg/L, 48 hours
LC50	Striped bass (Morone saxatilis)	> 79.8 mg/L, 96 hours
EC50	Daphnia magna	120 mg/L, 72 hr
LC50	Bluegill (Lepomis macrochirus)	1516 mg/L, 96 hr
	EC50 LC50 EC50	EC50 Fish EC50 Tubificid worm (Tubifex tubifex) LC50 Striped bass (Morone saxatilis) EC50 Daphnia magna

Persistence and degradability

No data is available on the degradability of this product.

Bioaccumulative potentialNo data available.Mobility in soilNo data available.Mobility in generalNot available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, global warming potential) are expected from this component.

13. Disposal Considerations

Disposal instructions
Local disposal regulations

Dispose of contents/container in accordance with local/regional/national/international regulations.

ations Dispos

Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste disposal company.

Waste from residues / unused

products

Empty containers or liners may retain some product residues. This material and its container must

be disposed of in a safe manner (see: Disposal instructions).

Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport Information

Transport of Dangerous Goods (TDG) Proof of Classification

In accordance with Part 2.2.1 (SOR/2014-152) of the Transportation of Dangerous Goods Regulations, we certify that the classification of this product is correct as of the SDS date of issue.

U.S. Department of Transportation (DOT)

Not regulated as dangerous goods.

Transportation of Dangerous Goods (TDG - Canada)

Not regulated as dangerous goods.

IATA/ICAO (Air)

Not regulated as dangerous goods.

IMDG (Marine Transport)

Not regulated as dangerous goods.

15. Regulatory Information

Canadian federal regulations

This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all the information required by the HPR.

#28003 Page: 7 of 9 Issue date 16-October-2017

Export Control List (CEPA 1999, Schedule 3)

Not listed.

Greenhouse Gases

Not listed.

Precursor Control Regulations

Not regulated.

WHMIS 2015 Exemptions Co

Controlled

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Metal amine chelate #2 (CAS HMIRA 11554) Liste

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

Delayed Hazard - Yes Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely

Nο

hazardous substance

SARA 311/312 Hazardous

Nο

chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Metal amine chelate #2 (CAS HMIRA 11554)

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

US state regulations See below

US - California Hazardous Substances (Director's): Listed substance

Metal amine chelate #2 (CAS HMIRA 11554) Listed.

Metal salt (CAS HMIRA 11554) Listed.

US - Illinois Chemical Safety Act: Listed substance

Metal amine chelate #2 (CAS HMIRA 11554)

US - Louisiana Spill Reporting: Listed substance

Metal amine chelate #2 (CAS HMIRA 11554) Listed.

US - Minnesota Haz Subs: Listed substance

Metal amine chelate #2 (CAS HMIRA 11554) Listed.

Metal salt (CAS HMIRA 11554) Listed.

US - New Jersey RTK - Substances: Listed substance

Metal amine chelate #2 (CAS HMIRA 11554)

US - Texas Effects Screening Levels: Listed substance

Metal salt (CAS HMIRA 11554) Listed.
Organic acid (CAS HMIRA 11554) Listed.

US - Washington Chemical of High Concern to Children: Listed substance

Metal amine chelate #2 (CAS HMIRA 11554)

Metal salt (CAS HMIRA 11554)

US. Massachusetts RTK - Substance List

Not regulated.

US. New Jersey Worker and Community Right-to-Know Act

Metal amine chelate #2 (CAS HMIRA 11554)

US. Pennsylvania Worker and Community Right-to-Know Law

Metal amine chelate #2 (CAS HMIRA 11554)

US. Rhode Island RTK

Not regulated.

US. California Proposition 65

WARNING: This product contains a chemical known to the State of California to cause cancer.

Inventory status


Country(s) or regionInventory nameOn inventory (yes/no)*CanadaDomestic Substances List (DSL)NoCanadaNon-Domestic Substances List (NDSL)NoUnited States & Puerto RicoToxic Substances Control Act (TSCA) InventoryNo

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

16. Other Information

_		
	LEGEND	
	Severe Serious Moderate Slight Minimal	4 3 2 1





Disclaimer

Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document.

Issue date 16-October-2017

Version # 03

Effective date 16-October-2017

Prepared by Dell Tech Laboratories, Ltd. Phone: (519) 858-5021

Other information For an updated SDS, please contact the supplier/manufacturer listed on the first page of the

document.