

# ProApex

SPREADER-PENETRANT-  
ACIDIFIER

**Principal Functioning Agents:**

**Alkylaryl polyoxyethylene Glycols, Isopropanol,  
Phosphoric Acid:**.....80.0%  
**Constituents Ineffective as Spray Adjuvant:**.....20.0%  
**Total:** ..... 100.00%

**KEEP OUT OF REACH OF CHILDREN**

**DANGER**



**Precautionary Statements:**

**DANGER:** Hazardous to humans and animals. Causes severe skin burns and eye damage. Causes serious eye damage. Harmful if swallowed. May cause damage to organs through prolonged or repeated exposure. May be harmful if inhaled. When mixing or applying agricultural sprays, always wear spray goggles and impervious gloves plus protective clothing as recommended on pesticide labels. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or smoking tobacco products. Do not eat drink or smoke when using this product. Wash contaminated clothing before reuse.



Manufactured for:

**Net Contents: 1 Gallon (3.79 L)**

**Integrated Agribusiness Professionals**

7108 N Fresno St., Suite 150  
Fresno, CA 93720

# ProApex

## GENERAL INFORMATION

ProApex is designed to increase wetting and give a more uniform coverage. When used with systemic or translocated material, ProApex increases absorption and aids in the translocation of certain herbicides, insecticides and miticides. ProApex is a combination spreader, activator, and buffer with non-foaming properties. ProApex is an 80% active non-ionic surfactant and is 8% active as a buffer. ProApex provides wetting, pH adjustment and also acts as an anti-foam agent.

## DIRECTIONS FOR USE

This product may be used in dilute or concentrate sprays. Add ProApex to spray tank first.

Rates Per 100 gallons or less of spray mix.

For use with Pesticides, Acaracides, Insecticides, Fungicides Herbicides, and Defoliants:

Use 1/2 pt. To 2 qts. per 100 gals. of spray solution.

Note: The above use recommendations are considered to be adequate for most uses. Some pesticides, however, may require higher rates for optimum effect. Follow the pesticide label directions when this occurs. However, do not add this product at a rate which exceeds 5% of the finished spray volume.

NOTE: Rates vary with the pH of the spray water. Spray water pH levels can be lowered by adding ProApex until the most effective pH level as recommended by the chemical manufacturer is achieved. If these levels are not known, consult the chemical manufacturer.

**COMPATIBILITY:** This product may be used with wettable powder, emulsifiable concentrate or solution formulations of most of the pesticides and insecticides now on the market.

**CONDITIONS OF SALE:** Seller warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use. Weather, crop conditions, timing and methods of applications, mixture with other chemicals not specifically recommended and other influencing factors in the use of this product are beyond the control of the seller. Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

**STORAGE AND DISPOSAL:** Do not contaminate water, food or feed by storage or disposal. Follow proper procedures for the disposal of spray solutions. Rinse and dispose of empty containers according to approved local practices.

## FIRST AID:

**IF IN EYES:**-Immediately flush eyes with plenty of water, lifting the eyelids and rinse for 15-20 minutes. Remove contact lenses, if present, then continue rinsing. If eye irritation persists get medical attention or call Poison Control Center for advise.

**IF ON SKIN OR HAIR:**-Take off contaminated clothing. Rinse skin immediately with plenty of water for 10-15 minutes. Get medical attention if irritation develops or persists. Wash contaminated clothing before reuse.

**IF INHALED:**-Move person to fresh air and keep at rest in a position comfortable for breathing if they feel unwell. If person is not breathing, call 911 or an ambulance, then give artificial respiration, mouth to mouth if possible Call poison control center or doctor for treatment advice.

**IF SWALLOWED:**-Call a poison control center or doctor immediately for treatment advice. Rinse Mouth. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything to an unconscious person.

## PERSONAL PROTECTIVE EQUIPMENT

### PERSONAL PROTECTIVE EQUIPMENT

Applicators and other handlers must wear long sleeved shirt and long pants, impermeable or chemical resistant gloves, protective eye wear (goggles or face shield), and shoes plus socks. Follow manufacturer's instructions for cleaning and maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry. User should wash hands before eating, drinking, chewing gum, using tobacco or using toilet. Remove clothing immediately if pesticide gets inside. Wash thoroughly and put on clean clothing. Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

## MANUFACTURED FOR IAP:

7108 N. Fresno St., Suite 150  
Fresno, CA 93720  
559-440-1980 • www.iapros.com

rev. 3/20