

THIS RECOMMENDATION IS MADE AS PERMITTED UNDER FIFRA SECTION 2(ee) AND HAS NOT BEEN SUBMITTED TO OR APPROVED BY THE EPA.

2(ee) Recommendation:

Grapes: Reduced Water Volume Requirement for Electrostatic Sprayers & High Efficiency Low Volume Air Blast



IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER
INCONSISTENT WITH ITS LABELING

This Product Bulletin Contains New or Additional Directions For Use Which Are
Recommended By Sym-Agro, Inc. Under FIFRA Section 2(ee)

FOR DISTRIBUTION AND USE ONLY IN
Arizona, California, Idaho, Georgia, Oregon, Texas, Utah, Washington

EPA REG. No. 84876-2

CROP	PEST	RATE OF APPLICATION
Grape (Crop Group 13)	Botrytis gray mold (<i>Botrytis cinerea</i>) Powdery mildew (<i>Erysiphe necator</i> Schw.) Anthracnose (<i>Elsinoe</i> spp.)	18.1 to 45.7 fl oz/A (0.3 - 0.75 lb ai/A)
DIRECTIONS FOR USE: Apply in a minimum of 15 gallons of spray solution per acre. When using electrostatic or high efficiency low value air blast Sprayers, increase spray volume as vine growth increases in order to provide thorough coverage of vines and fruit for optimum disease control.		
RESTRICTIONS: Do not make more than two sequential applications of ProBlad® Verde Fungicide before alternating or tank mixing with another labeled fungicide with a different mode of action. Do not make more than 5 applications of ProBlad® Verde Fungicide per harvest cycle. PHI: 1 Day		
ALL APPLICABLE DIRECTIONS, RESTRICTIONS, WORKER PROTECTION STANDARDS REQUIREMENTS AND PRECAUTIONS ON THE EPA REGISTERED PROBLAD VERDE® FUNGICIDE (EPA REG. No. 84876-2) LABEL MUST BE FOLLOWED. THIS RECCOMENDATION MUST BE IN THE POSSESSION OF THE USER AT THE TIME OF PESTICIDE APPLICATION.		

ProBlad is a trademark of CEV S.A.
ProBlad Verde_2ee_Grape Low Water Vol. 2-12-2023