ProSpred

OSS SPREADER

Principal Functioning Agents:

in 40 CFR 180.

KEEP OUT OF REACH OF CHILDREN WARNING



Precautionary Statements:

WARNING:Hazardous to humans and animals. Causes serious eye irritation. Harmful to aquatic life. May be harmful if swallowed. May be harmful in contact with skin. When mixing or apply agricultural sprays, always wear protective spray goggles and impervious gloves plus protective clothing as recommended on pesticide labels. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or smoking tobacco products.

Net Contents: 1 Gallon (3.79 L)

Manufactured for:



Integrated Agribusiness Professionals

7108 N Fresno St., Suite 150 Fresno, CA 93720

ProSpred

GENERAL INFORMATION

ProSpred is a non-ionic organosilicone wetting agent useful in the application of fungicides, insecticides, plant nutritional, microbial products, fertilizers and plant growth regulators in horticultural and arable crops.

IMPORTANT: Before spraying any previously untried mixtures with ProSpred, always test the mixture before-hand for crop phytotoxicity. **DIRECTIONS FOR USE:**

ProSpred will give best results in low volume spraying around 50% or less of the normal volume of water when sprayed to run-off. High water volumes with ProSpred will result in excessive run-off of spray liquid and may lead

to poor efficiency. Adjust either the rates of ProSpred or the water volumes to obtain through coverage without excessive run-off.

MIXING INSTRUCTIONS:

Fill spray tank half full with water and begin agitation. If foaming is expected add a silicone based antifoam to the tank before adding the pesticides. Add pesticides / foliar nutrients etc. as directed on their respective labels. Maintain agitation. Continue filling with water until the tank is 90% full. Add the required amount of ProSpred and mix thoroughly. Add the remaining water to 100% full. For optimum results, spray mixes should be applied within 24 hours after mixing.

RECOMMENDATIONS:

use of surfactants but do not exceed 5% of finished spray volume; however where no recommendation is given, and addition of a nonionic surfactant is permitted use ProSpred between 0.025% - 0.1% (3.2 - 13 fl.oz. per 100 gallons) for ground applications and between 0.05%-0.15% (12- 19 fl. oz. per 100 gallons) for aerial sprays. Water rates should be adjusted accordingly to avoid excessive run-off. COMPATIBILITY:ProSpred is compatible with most commonly used nutritionals and pesticides, however it will break down when mixed with highly acidic (below pH 4) or highly alkaline (above pH9) chemicals, which may result in poor wetting and spray coverage.

IF IN EYES:-Immediately flush eyes with plenty of water, lifting the eyelids and rinse for 15-20 minutes. Remove contact lenses, if present, then continue rinsing. If eye irritation persists get medical attention or call Poison Control Center for advise.

IF ON SKIN OR HAIR:-Take off contaminated clothing. Rinse skin immediately with plenty of water for 10-15 minutes. Get medical attention if irritation develops or persists. Wash contaminated clothing before reuse.

IF INHALED:-Move person to fresh air and keep at rest in a position comfortable for breathing if they feel unwell. If person is not breathing, call 911 or an ambulance, then give artificial respiration, mouth to mouth if possible Call poison control center or doctor for treatment advice.

IF SWALLOWED:-Call a poison control center or doctor immediately for treatment advice. Rinse Mouth, Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything to an unconscious person.

STORAGE AND DISPOSAL: Do not contaminate water, food or feed by storage or disposal. Follow proper procedures for the disposal of spray solutions. Rinse and dispose of empty containers according to approved local practices

CONDITIONS OF SALE: Seller warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of Always follow the pesticide manufacturer's label for use. Weather, crop conditions, timing and methods of applications, mixture with other chemicals not specifically recommended and other influencing factors in the use of this product are beyond the control of the seller. Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

> NOT FOR AQUATIC USE MANUFACTURED FOR IAP: 7108 N. Fresno St., Suite 150 Fresno, CA 93720 559-440-1980 • www.iapros.com

> > rev. 3/20