

PROSTAR® 70 WG FUNGICIDE

Version 3.0 / USA
102000024689

Revision Date: 11/30/2023
Print Date: 12/04/2023

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product identifier

Trade name PROSTAR® 70 WG FUNGICIDE

Product code (UVP) 80022484

SDS Number 102000024689

EPA Registration No. 432-1223

Relevant identified uses of the substance or mixture and uses advised against

Use Fungicide

Restrictions on useSee product label for restrictions.

Information on supplier

Supplier Bayer CropScience LP

800 North Lindbergh Blvd. St. Louis, MO 63167

USA

Responsible Department Email: SDSINFO.BCS-NA@bayer.com

Emergency telephone no.

Emergency Telephone Number (24hr/ 7 days)

1-800-334-7577

Product Information Telephone Number

1-866-99BAYER (1-866-992-2937)

SECTION 2: HAZARDS IDENTIFICATION

Classification in accordance with regulation HCS 29CFR §1910.1200

Carcinogenicity: Category 1B

Labelling in accordance with regulation HCS 29CFR §1910.1200



Signal word: Danger

Hazard statements

May cause cancer.



PROSTAR® 70 WG FUNGICIDE

Version 3.0 / USA Revision Date: 11/30/2023 102000024689 Print Date: 12/04/2023

Precautionary statements

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Wear protective gloves/ protective clothing/ eye protection/ face protection.

IF exposed or concerned: Get medical advice/ attention.

Store locked up.

Dispose of contents/container in accordance with local regulation.

Hazards Not Otherwise Classified (HNOC)

No physical hazards not otherwise classified. No health hazards not otherwise classified.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

| Hazardous Component Name | CAS-No. | Concentration % by weight |
|--|------------|---------------------------|
| Flutolanil | 66332-96-5 | 70.0 |
| Reaction product of naphthalene, butanol, sulfonated and neutralized by caustic soda | | 3.0 |
| Fatty acid chlorides, C18 unsatd., reaction products with sodium N-methyltaurinate | 137-20-2 | 1.5 |
| Crystalline quartz (respirable) | 14808-60-7 | 0.7 |
| Cristobalite | 14464-46-1 | 0.2 |

SECTION 4: FIRST AID MEASURES

Description of first aid measures

General advice When possible, have the product container or label with you when

calling a poison control center or doctor or going for treatment.

Inhalation Move to fresh air. If person is not breathing, call 911 or an ambulance,

then give artificial respiration, preferably mouth-to-mouth if possible.

Call a physician or poison control center immediately.

Skin contact Take off contaminated clothing and shoes immediately. Wash off

immediately with plenty of water for at least 15 minutes. Call a

physician or poison control center immediately.

Eye contact Hold eye open and rinse slowly and gently with water for 15-20

minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center

immediately.

Ingestion Call a physician or poison control center immediately. DO NOT induce

vomiting unless directed to do so by a physician or poison control center. Rinse out mouth and give water in small sips to drink. Never give anything by mouth to an unconscious person. Do not leave victim

unattended.

Most important symptoms and effects, both acute and delayed



PROSTAR® 70 WG FUNGICIDE

Version 3.0 / USA Revision Date: 11/30/2023 102000024689 Print Date: 12/04/2023

Symptoms To date no symptoms are known.

Indication of any immediate medical attention and special treatment needed

Treatment Appropriate supportive and symptomatic treatment as indicated by the

patient's condition is recommended.

SECTION 5: FIREFIGHTING MEASURES

Extinguishing media

Suitable Use water spray, alcohol-resistant foam, dry chemical or carbon

dioxide.

Unsuitable High volume water jet

Special hazards arising from the substance or

mixture

Dangerous gases are evolved in the event of a fire.

Advice for firefighters

Special protective

equipment for firefighters

Firefighters should wear NIOSH approved self-contained breathing apparatus and full protective clothing. In the event of fire and/or

explosion do not breathe fumes.

Further information Keep out of smoke. Fight fire from upwind position. Cool closed

containers exposed to fire with water spray. Do not allow run-off from

fire fighting to enter drains or water courses.

Specific hazards from the substance or mixture which can increase the fire

Flash point Not applicable

Auto-ignition temperature No data available

Lower explosion limit Not applicable

Upper explosion limit Not applicable

Explosivity No data available



PROSTAR® 70 WG FUNGICIDE

Version 3.0 / USA Revision Date: 11/30/2023 102000024689 Print Date: 12/04/2023

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Precautions Keep unauthorized people away. Isolate hazard area. Avoid contact

with spilled product or contaminated surfaces.

Methods and materials for containment and cleaning up

Methods for cleaning upAvoid dust formation. Sweep up or vacuum up spillage and collect in

suitable container for disposal. Clean contaminated floors and objects

thoroughly, observing environmental regulations.

Additional advice Use personal protective equipment. If the product is accidentally

spilled, do not allow to enter soil, waterways or waste water canal.

Reference to other sections Information regarding safe handling, see section 7.

Information regarding personal protective equipment, see section 8.

Information regarding waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle and open container in a manner as to prevent spillage. Avoid

dust formation. Use only in area provided with appropriate exhaust

ventilation.

Hygiene measures Wash hands thoroughly with soap and water after handling and before

eating, drinking, chewing gum, using tobacco, using the toilet or

applying cosmetics.

Remove Personal Protective Equipment (PPE) immediately after handling this product. Remove soiled clothing immediately and clean thoroughly before using again. Wash thoroughly and put on clean

clothing.

Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Store in a cool, dry place and in such a manner as to prevent cross contamination with other crop protection products, fertilizers, food, and feed. Store in original container and out of the reach of children, preferably in a locked storage area. Keep away from direct sunlight.

Advice on common storage Keep away from food, drink and animal feedingstuffs.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

| Components | CAS-No. | Control parameters | Update | Basis |
|---------------------------------|------------|--------------------|--------|-------|
| Crystalline quartz (respirable) | 14808-60-7 | 0.1 mg/m3 (TWA) | 2000 | Z3 |



5/13

PROSTAR® 70 WG FUNGICIDE

 Version 3.0 / USA
 Revision Date: 11/30/2023

 102000024689
 Print Date: 12/04/2023

| (Respirable.) | | | | |
|---------------------------------|---------------|--|---------|-----------|
| Crystalline quartz (respirable) | 14808-60-7 | 2.4millions of particles per cubic foot of air (TWA) | 2000 | Z3 |
| (Respirable.) | | | | |
| Crystalline quartz (respirable) | 14808-60-7 | 0.05 mg/m3 (TWA PEL) | 10 2016 | US CA OEL |
| (Respirable dust.) | | | | |
| Crystalline quartz (respirable) | 14808-60-7 | 0.025 mg/m3 (TWA) | 01 2022 | ACGIH |
| (Respirable fraction.) | | | | |
| Crystalline quartz (respirable) | 14808-60-7 | 0.05 mg/m3 (TWA) | 03 2016 | OSHA |
| Crystalline quartz (respirable) | 14808-60-7 | 0.05 mg/m3 (REL) | 2016 | NIOSH |
| (Respirable dust.) | 44000 00 7 | 0.005 | 00.0040 | 00114 |
| Crystalline quartz (respirable) | 14808-60-7 | 0.025 mg/m3 (OSHA_ACT) | 03 2016 | OSHA |
| Crystalline quartz (respirable) | 14808-60-7 | 0.050 mg/m3 (TWA) | 01 2019 | TN OEL |
| (Respirable dust.) | | | | |
| Crystalline quartz (respirable) | 14808-60-7 | 0.05 mg/m3 (PEL) | 03 2016 | OSHA Z1 |
| (Respirable dust.) | | | | |
| Cristobalite | 14464-46-1 | 0.05 mg/m3 (TWA) | 1989 | OSHA Z1A |
| (Respirable dust.) | 4.4.0.4.4.0.4 | 0.05 | 0000 | 70 |
| Cristobalite | 14464-46-1 | 0.05 mg/m3 (TWA) | 2000 | Z3 |
| (Respirable.) | | ` ' | | |
| Cristobalite | 14464-46-1 | 0.05 mg/m3 (REL) | 2016 | NIOSH |
| (Respirable dust.) | | | | |
| Cristobalite | 14464-46-1 | 1.2millions of particles per cubic foot of air | 2000 | Z3 |
| (Respirable.) | 14464 46 4 | (TWA) | 00.2006 | LIS CA OF |
| Cristobalite | 14464-46-1 | 0.05 mg/m3 (TWA PEL) | 09 2006 | US CA OEL |
| (Respirable dust.) Cristobalite | 14464-46-1 | 0.025 mg/m3 | 2008 | ACGIH |
| (Respirable fraction.) | 17704-40-1 | (TWA) | 2000 | AOOIII |
| Cristobalite | 14464-46-1 | 0.050 mg/m3 (TWA) | 01 2019 | TN OEL |



PROSTAR® 70 WG FUNGICIDE

 Version 3.0 / USA
 Revision Date: 11/30/2023

 102000024689
 Print Date: 12/04/2023

| (Respirable dust.) | | | | |
|---------------------------------|------------|---------------------------|---------|----------|
| Cristobalite | 14464-46-1 | 0.025 mg/m3 (OSHA_ACT) | 03 2016 | OSHA |
| Cristobalite (Respirable dust.) | 14464-46-1 | 0.05 mg/m3 (PEL) | 03 2016 | OSHA Z1 |
| <u> </u> | | | | |
| Cristobalite | 14464-46-1 | 0.05 mg/m3 (TWA) | 03 2016 | OSHA |
| Cristobalite | 14464-46-1 | 0.025 mg/m3 (TLV) | | OES BCS* |
| (Respirable fraction.) | | , , | | |

^{*}OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

Exposure controls

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection When respirators are required, select NIOSH approved equipment

based on actual or potential airborne concentrations and in

accordance with the appropriate regulatory standards and/or industry

recommendations.

Hand protection Chemical-resistant gloves (barrier laminate, butyl rubber, nitrile

rubber or Viton)

Eye protection Tightly fitting safety goggles

Skin and body protection Wear long-sleeved shirt and long pants and shoes plus socks.

General protective measures Follow manufacturer's instructions for cleaning/maintaining PPE. If

no such instructions for washables, use detergent and warm/tepid

water

Keep and wash PPE separately from other laundry.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Form water-dispersible granules

Colour light grey
Odour odourless

Odour ThresholdNo data availablepH7.5 - 8.5 (10 %)Melting point/rangeNo data available

Boiling Point

Not applicable



PROSTAR® 70 WG FUNGICIDE

Version 3.0 / USA Revision Date: 11/30/2023 102000024689 Print Date: 12/04/2023

Flash point Not applicable **Flammability** No data available **Auto-ignition temperature** No data available Thermal decomposition No data available

Minimum ignition energy No data available **Self-accelarating** No data available

decomposition temperature

(SADT)

Upper explosion limit Not applicable Lower explosion limit Not applicable Vapour pressure No data available **Evaporation rate** No data available Relative vapour density No data available Relative density No data available **Density** No data available

Bulk density 0.513 - 0.609 g/ml (loose)

Water solubility dispersible

Partition coefficient: n-

octanol/water

Flutolanil: log Pow: 3.17

Viscosity, dynamic No data available Viscosity, kinematic No data available **Oxidizing properties** No data available **Explosivity** No data available

Other information Further safety related physical-chemical data are not known.

SECTION 10: STABILITY AND REACTIVITY

Reactivity Stable under normal conditions.

Chemical stability Stable under recommended storage conditions.

Possibility of hazardous

reactions

No hazardous reactions when stored and handled according to

prescribed instructions.



PROSTAR® 70 WG FUNGICIDE

Version 3.0 / USA Revision Date: 11/30/2023 102000024689 Print Date: 12/04/2023

Conditions to avoid Extremes of temperature and direct sunlight.

Incompatible materials No incompatible materials known.

Hazardous decomposition

products

No decomposition products expected under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION

Exposure routes Skin contact, Eye contact, Ingestion, Inhalation

Immediate Effects

Eye May cause temporary eye irritation. Skin May be harmful in contact with skin.

Ingestion Not expected to produce significant adverse effects when

recommended use instructions are followed.

Inhalation Not expected to produce significant adverse effects when

recommended use instructions are followed.

Information on toxicological effects

Acute oral toxicity LD50 (Rat) > 5,000 mg/kg

Acute inhalation toxicity LC50 (Rat) > 7.4 mg/l

Exposure time: 4 h

Determined in the form of dust.

Acute dermal toxicity LD50 (Rat) > 5,000 mg/kg

Skin corrosion/irritation No skin irritation (Rabbit) Serious eye damage/eye slight irritation (Rabbit)

irritation

Respiratory or skin

sensitisation

Skin: Non-sensitizing. (Guinea pig)

Assessment STOT Specific target organ toxicity - repeated exposure

Flutolanil did not cause specific target organ toxicity in experimental animal studies.

Assessment mutagenicity

Flutolanil was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.

Assessment carcinogenicity

Flutolanil was not carcinogenic in lifetime feeding studies in rats and mice.

ACGIH

Crystalline quartz (respirable) Group A2 14808-60-7 Cristobalite 14464-46-1 Group A2



PROSTAR® 70 WG FUNGICIDE

Version 3.0 / USA Revision Date: 11/30/2023 102000024689 Print Date: 12/04/2023

NTP

Crystalline quartz (respirable) 14808-60-7 Cristobalite 14464-46-1

IARC

Crystalline quartz (respirable) 14808-60-7 Overall evaluation: 1 Cristobalite 14464-46-1 Overall evaluation: 1

Assessment toxicity to reproduction

Flutolanil did not cause reproductive toxicity in a two-generation study in rats.

Assessment developmental toxicity

Flutolanil did not cause developmental toxicity in rats and rabbits.

Aspiration hazard

Based on available data, the classification criteria are not met.

Further information

Only acute toxicity studies have been performed on the formulated product.

The non-acute information pertains to the active ingredient(s).

No further toxicological information is available.

SECTION 12: ECOLOGICAL INFORMATION

Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)) 5.4 mg/l

Exposure time: 96 h

The value mentioned relates to the active ingredient flutolanil.

Toxicity to aquatic plants EC50 (Raphidocelis subcapitata (freshwater green alga)) 0.97 mg/l

Biomass; Exposure time: 72 h

The value mentioned relates to the active ingredient flutolanil.

EC50 (algae) 0.92 mg/l Exposure time: 72 h

The value mentioned relates to the active ingredient flutolanil.

Biodegradability Flutolanil:

Not rapidly biodegradable

Koc Flutolanil: Koc: 457 - 1340

Bioaccumulation Flutolanil: Bioconcentration factor (BCF) 100

Does not bioaccumulate.

Mobility in soil Flutolanil: Slightly mobile in soils

Results of PBT and vPvB assessment

PBT and vPvB assessment Flutolanil: This substance is not considered to be persistent,

bioaccumulative and toxic (PBT). This substance is not considered to be

very persistent and very bioaccumulative (vPvB).

Environmental precautions Do not contaminate surface or ground water by cleaning equipment or



PROSTAR® 70 WG FUNGICIDE

Version 3.0 / USA Revision Date: 11/30/2023 102000024689 Print Date: 12/04/2023

disposal of wastes, including equipment wash water.

Do not apply when weather conditions favor runoff or drift.

Drift and runoff from treated areas may be hazardous to aquatic

organisms in adjacent sites.

Apply this product as specified on the label.

Do not allow to get into surface water, drains and ground water.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Product Dispose in accordance with all local, state/provincial and federal

regulations.

Contaminated packaging Consult state and local regulations regarding the proper disposal of

container.

Follow advice on product label and/or leaflet.

RCRA Information Characterization and proper disposal of this material as a special or

hazardous waste is dependent upon Federal, State and local laws and

are the user's responsibility. RCRA classification may apply.

SECTION 14: TRANSPORT INFORMATION

49CFR Not dangerous goods / not hazardous material

IMDG

UN number 3077
Class 9
Packaging group III
Marine pollutant YES

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(FLUTOLANIL MIXTURE)

IATA

UN number 3077
Class 9
Packaging group III
Environm. Hazardous Mark YES

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(FLUTOLANIL MIXTURE)

This transportation information is not intended to convey all specific regulatory information relating to this product. It does not address regulatory variations due to package size or special transportation requirements.



PROSTAR® 70 WG FUNGICIDE

Version 3.0 / USA Revision Date: 11/30/2023 102000024689 Print Date: 12/04/2023

Freight Classification: INSECTICIDES OR FUNGICIDES O/T POISON

INSECTICIDES OR FUNGICIDES, N.O.I., OTHER THAN

POISON

SECTION 15: REGULATORY INFORMATION

EPA Registration No. 432-1223

US Federal Regulations

TSCA list

Bentonite 1302-78-9 Reaction product of naphthalene, butanol, 25417-20-3

sulfonated and neutralized by caustic

soda

Fatty acid methyl tauride sodium salt 137-20-2

US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)

No export notification needs to be made.

SARA Title III - Section 302 - Notification and Information

Not applicable.

SARA Title III - Section 313 - Toxic Chemical Release Reporting

None.

US States Regulatory Reporting CA Prop65

This product does not contain any substances known to the State of California to cause cancer.

WARNING: This product contains a chemical known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Crystalline quartz (respirable) 14808-60-7 Carcinogenic. Cristobalite 14464-46-1 Carcinogenic.

US State Right-To-Know Ingredients

Synthetic amorphous silica 112926-00-8 CA, MN, RI

Environmental

CERCLA

None.

Clean Water Section 307(a)(1)

None.

Safe Drinking Water Act Maximum Contaminant Levels

None.

EPA/FIFRA Information:

This chemical is a pesticide product regulated by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information required on the pesticide label:



PROSTAR® 70 WG FUNGICIDE

Version 3.0 / USA Revision Date: 11/30/2023 102000024689 Print Date: 12/04/2023

Signal word: Caution!

Hazard statements: Causes moderate eye irritation.

Harmful if absorbed through skin.

SECTION 16: OTHER INFORMATION

Abbreviations and acronyms

49CFR Code of Federal Regulations, Title 49
ACGIH US. ACGIH Threshold Limit Values

ATE Acute toxicity estimate

CAS-Nr. Chemical Abstracts Service number

CERCLA Comprehensive Environmental Response, Compensation, and Liability Act

EINECS European inventory of existing commercial substances

ELINCS European list of notified chemical substances
IARC International Agency for Research on Cancer
IATA International Air Transport Association
IMDG International Maritime Dangerous Goods

N.O.S. Not otherwise specified

NTP US. National Toxicology Program (NTP) Report on Carcinogens
OECD Organization for Economic Co-operation and Development

TDG Transportation of Dangerous Goods

TWA Time weighted average

UN United Nations

WHO World health organisation

NFPA 704 (National Fire Protection Association):

Health - 2 Flammability - 1 Instability - 0 Others - none

HMIS (Hazardous Materials Identification System, based on the Fourth Edition Ratings Guide)

Health - 1* Flammability - 1 Physical Hazard - 0 PPE -

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard,

* = chronic health hazard

Reason for Revision: The following sections have been revised: Section 2: Hazards Identification. Section 3: Composition / Information on Ingredients. Section 8: Exposure Controls / Personal Protection. Section 11: Toxicological Information. Section 14: Transport Information. Section 15: Regulatory information. Section 16: Other Information. Reviewed and updated for general editorial purposes.

Revision Date: 11/30/2023

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are



PROSTAR® 70 WG FUNGICIDE

Version 3.0 / USA 102000024689

13/13Revision Date: 11/30/2023
Print Date: 12/04/2023

registered trademarks of Bayer.