



Bayer CropScience LP  
P.O. Box 12014  
2 T.W. Alexander Drive  
Research Triangle Park, North Carolina 27709  
1-866-99BAYER (1-866-992-2937)

## PROPULSE®

For control of Nematodes and Diseases in  
peanut (in-furrow).

EPA Reg. No. 264-1084

### FIFRA 2(ee) Recommendation

### FOR DISTRIBUTION AND USE ONLY WITHIN THE STATE(S) OF ARKANSAS, GEORGIA, FLORIDA, MISSISSIPPI, NORTH CAROLINA, OKLAHOMA, SOUTH CAROLINA and VIRGINIA

This recommendation is valid until December 31, 2022

**FIFRA Section 2(ee) Recommendation:** This recommendation is made as permitted under FIFRA Section 2(ee) and has not been submitted to or approved by the EPA. This product bulletin should be in the possession of the user at the time of application of the product. All applicable directions, restrictions and precautions on the EPA registered label are to be followed.

#### DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its label.

Peanut		
Disease/Pest Control	Application Rate	Application Instructions
Nematodes Rhizoctonia Limb Rot, Peg Rot, Pod Rot ( <i>Rhizoctonia solani</i> )	13.6 fl oz/acre	May be applied in-furrow
Disease Suppression	Application Rate	Application Instructions
Early Leaf Spot ( <i>Cercospora arachidicola</i> ) Late Leaf Spot ( <i>Cercosporidium personatum</i> ) Cylindrocladium Black Rot ( <i>Cylindrocladium crotalariae</i> ) Sclerotium Rot, White Mold, Sothern Blight, Southern Stem Rot ( <i>Sclerotium rolfsii</i> )	13.6 fl oz/acre	May be applied in-furrow

#### Restrictions:

- Do not make more than 2 applications or apply more than 34.2 fl oz of PROPULSE/acre per year.
- Regardless of formulation or method of application, do not apply more than 0.446 lbs fluopyram or 0.712 lbs prothioconazole per acre per year, including seed treatment, soil and foliar uses.
- Apply by ground, aerial, or chemigation application equipment.
- Pre-Harvest Interval (PHI): 14 days
- Do not feed hay or threshings or allow livestock to graze in treated areas.
- To limit the potential for development of disease resistance to this fungicide, do not make more than 2 sequential applications of PROPULSE or any Group 7 or Group 3 containing fungicide before rotating with a fungicide from a different Group. Do not apply more than 34.2 fl oz/acre per year.

For MEDICAL And TRANSPORTATION Emergencies ONLY Call 24 Hours A Day 1-800-334-7577.  
For PRODUCT USE Information Call 1-866-99BAYER (1-866-992-2937).

*As with any crop-protection product, always read and follow label directions.  
For additional information call toll-free 1-866-99BAYER (1-866-992-2937).*