

# FIFRA Sec. 24(c) Special Local Need Label

Pendimethalin	Group	3	Herbicide
---------------	-------	---	-----------

For distribution and use only in the state of Oregon

# Prowl<sup>®</sup> H2O

## Herbicide

EPA Reg. No. 241-418

EPA SLN No. OR-140006

### For weed control in clover grown for seed production

This label is valid until December 31, 2024, or until otherwise amended, withdrawn, canceled, or suspended.

#### Active Ingredient\*:

pendimethalin: N-(1-ethylpropyl)-3,4-dimethyl-2,6-dinitrobenzenamine..... 38.7%

Other Ingredients: ..... 61.3%

Total: ..... 100.0%

\*1 gallon contains 3.8 pounds of pendimethalin formulated as an aqueous capsule suspension.

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION/PRECAUTION**

### Directions For Use

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

**Refer to the Prowl<sup>®</sup> H<sub>2</sub>O herbicide main label, EPA Reg. No. 241-418, for complete Directions For Use and all applicable restrictions and precautions. When following the instructions on this Special Local Need (SLN) label, the user must have this SLN label and the entire Prowl H<sub>2</sub>O container label in possession at the time of pesticide application.**

### Environmental Hazards

This product is toxic to fish. **DO NOT** apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Drift and runoff from treated areas may be hazardous to aquatic organisms in adjacent aquatic sites. **DO NOT** contaminate water when disposing of equipment washwater or rinsate.

### Endangered Species Protection

If endangered plant species occur in proximity to the application site, the following mitigation measures are required:

- Leave an untreated buffer zone of 200 feet. The product must be applied using a low boom (20 inches above the ground) and ASAE fine to medium/coarse nozzles.

### Product Information

**Prowl H<sub>2</sub>O** is a selective preemergence herbicide for controlling most annual grass weeds and certain broadleaf weeds as they germinate. **Prowl H<sub>2</sub>O** will not control established weeds. Refer to the **Prowl H<sub>2</sub>O** container label for a complete list of weeds controlled.

**Prowl H<sub>2</sub>O** is most effective when mechanically incorporated, or when incorporated in the weed germination zone by rainfall or irrigation.



We create chemistry

---

## Application Instructions

---

Uniformly apply **Prowl® H<sub>2</sub>O herbicide** in 10 or more gallons of water per acre with ground equipment.

### Use Methods, Timings, and Rates

Apply **Prowl H<sub>2</sub>O** to established clover grown for seed production. Uniformly apply **Prowl H<sub>2</sub>O** at a broadcast rate of 1.0 to 4.0 quarts per acre at optimum application timing for dodder control or other weed control before weed germination. For optimum dodder control, apply 3.0 to 4.0 quarts of **Prowl H<sub>2</sub>O** per acre.

Apply **Prowl H<sub>2</sub>O** before clover exceeds 6 inches in height.

---

## Restrictions and Limitations

---

- **DO NOT** exceed 4.0 quarts of **Prowl H<sub>2</sub>O** per acre in any one crop season.
- **DO NOT** apply this product through any type of irrigation system or by air.
- **DO NOT** apply to seedling clover.
- Refer to product container label for rotational crop restrictions.
- **Some stunting and chlorosis of the clover may occur with postemergence applications.**
- **Applications when clover exceeds 6 inches in height may result in poor weed control because of possible reduced spray coverage to the soil.**

## SPECIAL CROP USE RESTRICTIONS

The pesticide applicator, the producer of the crop, and the seed conditioner must be aware that use of this product according to this labeling is deemed a nonfeed/nonfood use by the Oregon Department of Agriculture, and is regulated by Oregon Administrative Rule (OAR) 603-057-0535, Pesticide Use on Crops Grown for Seed. If the applicator of this pesticide is not the producer, the applicator must provide a copy of this labeling to the producer of the crop. Producers of this crop who use this product, or cause the product to be used on a field they operate, must provide a copy of this pesticide label to the seed conditioner.

This pesticide does not have an established pesticide residue tolerance for this crop. Consequently, no portion of this seed may be used or distributed for food or feed for 1 year (365 days) after the last application of this product. This restriction pertains to, but is not limited to, green chop, forage, hay, pellets, meal, whole seed, cracked seed, straw, roots, bulbs, foliage or seed screenings, and to the grazing of the crop field, stubble or regrowth. All seed screenings shall be disposed of in such a manner that the screenings

cannot be distributed or used for food or feed purposes, as indicated in OAR 603-057-0535. Additional regulations concerning seed screenings are stated in OAR 603-057-0535.

Any seed from a field treated with this pesticide product shall bear specific and conspicuous container labeling, or if shipped bulk, on the shipment invoice or bill of lading. The labeling shall contain the following statement:

“This seed was produced using one or more products for which the United States Environmental Protection Agency has not established pesticide residue tolerances. This seed, in whole, as sprouts, or in any form may not be used for human consumption or animal feed. Failure to comply with this condition may violate requirements of the Federal Food and Drug Administration, the Oregon Department of Agriculture and other regulatory agencies.”

## Conditions of Sale and Warranty

The **Directions For Use** of this product reflect the opinion of experts based on field use and tests. The directions are believed to be reliable and must be followed carefully. However, it is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or use of the product in a manner inconsistent with its labeling, all of which are beyond the control of BASF CORPORATION ("BASF") or the Seller. To the extent consistent with applicable law, all such risks shall be assumed by the Buyer.

BASF warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the **Directions For Use**, subject to the inherent risks, referred to above.

**TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BASF MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR MERCHANTABILITY OR ANY OTHER EXPRESS OR IMPLIED WARRANTY.**

**TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BUYER'S EXCLUSIVE REMEDY AND BASF'S EXCLUSIVE LIABILITY, WHETHER IN CONTRACT, TORT, NEGLIGENCE, STRICT LIABILITY, OR OTHERWISE, SHALL BE LIMITED TO REPAYMENT OF THE PURCHASE PRICE OF THE PRODUCT.**

**TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BASF AND THE SELLER DISCLAIM ANY LIABILITY FOR CONSEQUENTIAL, EXEMPLARY, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.**

BASF and the Seller offer this product, and the Buyer and User accept it, subject to the foregoing **Conditions of Sale and Warranty** which may be varied only by agreement in writing signed by a duly authorized representative of BASF.

1108

*Prowl is a registered trademark of BASF.*

© 2019 BASF Corporation  
All rights reserved.

000241-00418.20191210b.NVA 2019-04-195-0244  
Supersedes: NVA 2014-04-195-0158

**24(c) registrant:**  
BASF Corporation  
26 Davis Drive  
Research Triangle Park, NC 27709



We create chemistry