

PUMA® 1EC HERBICIDE

Version 8.0 / USA Revision Date: 06/20/2023 102000000828 Print Date: 06/23/2023

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product identifier

Trade name PUMA® 1EC HERBICIDE

Product code (UVP) 05939054

SDS Number 102000000828

EPA Registration No. 264-666

Relevant identified uses of the substance or mixture and uses advised against

Use Herbicide

Restrictions on useSee product label for restrictions.

Information on supplier

Supplier Bayer CropScience LP

800 North Lindbergh Blvd. St. Louis, MO 63167

USA

Responsible Department Email: SDSINFO.BCS-NA@bayer.com

Emergency telephone no.

Emergency Telephone Number (24hr/ 7 days) 1-800-334-7577

Product Information Telephone Number

1-866-99BAYER (1-866-992-2937)

SECTION 2: HAZARDS IDENTIFICATION

Classification in accordance with regulation HCS 29CFR §1910.1200

Aspiration hazard: Category 1
Eye irritation: Category 2A
Skin irritation: Category 2
Carcinogenicity: Category 2

Specific target organ toxicity - repeated exposure: Category 2

Labelling in accordance with regulation HCS 29CFR §1910.1200







PUMA® 1EC HERBICIDE

Version 8.0 / USA 102000000828

Revision Date: 06/20/2023 Print Date: 06/23/2023

Signal word: Danger

Hazard statements

May be fatal if swallowed and enters airways.

Causes serious eye irritation.

Causes skin irritation.

May cause damage to organs through prolonged or repeated exposure.

Suspected of causing cancer.

Precautionary statements

Wear protective gloves/ protective clothing/ eye protection/ face protection.

Wash thoroughly after handling.

Do not breathe gas/ mist/vapours/ spray.

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

IF SWALLOWED: Immediately call a POISON CENTER/doctor/ physician.

Do NOT induce vomiting.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/ attention.

IF ON SKIN: Wash with plenty of water/ soap.

Specific measures (see supplemental first aid instructions on this label).

If skin irritation occurs: Get medical advice/ attention.

IF exposed or concerned: Get medical advice/ attention.

Take off contaminated clothing and wash before reuse.

Store locked up.

Dispose of contents/container in accordance with local regulation.

Hazards Not Otherwise Classified (HNOC)

No physical hazards not otherwise classified.

No health hazards not otherwise classified.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Component Name	CAS-No.	Concentration % by weight
Fenoxaprop-P-ethyl	71283-80-2	11.53
Mefenpyr-diethyl	135590-91-9	3.20
Alcohols, C11-14-iso-, C13-rich, ethoxylated	78330-21-9	16.95
Solvent Naphtha (petroleum), heavy aromatic	64742-94-5	49.65
Naphthalene	91-20-3	8.09

SECTION 4: FIRST AID MEASURES

Description of first aid measures

General advice When possible, have the product container or label with you when calling a poison control center or doctor or going for treatment.



PUMA® 1EC HERBICIDE

Version 8.0 / USA Revision Date: 06/20/2023 102000000828 Print Date: 06/23/2023

Inhalation Move to fresh air. If person is not breathing, call 911 or an ambulance,

then give artificial respiration, preferably mouth-to-mouth if possible.

Call a physician or poison control center immediately.

Skin contact Take off contaminated clothing and shoes immediately. Wash off

immediately with plenty of water for at least 15 minutes. Call a

physician or poison control center immediately.

Eye contact Hold eye open and rinse slowly and gently with water for 15-20

minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center

immediately.

Ingestion Call a physician or poison control center immediately. Rinse out mouth

and give water in small sips to drink. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Do not leave victim

unattended.

Most important symptoms and effects, both acute and delayed

Symptoms If large amounts are ingested, the following symptoms may occur:

Headache, Nausea, Dizziness, Somnolence

Ingestion may cause gastrointestinal irritation, nausea, vomiting and

diarrhoea.

Aspiration may cause pulmonary oedema and pneumonitis.

Inhalation may provoke the following symptoms: Cough, Shortness of breath, Cyanosis, Fever Symptoms and hazards refer to the solvent.

Indication of any immediate medical attention and special treatment needed

Risks Contains hydrocarbon solvents. May pose an aspiration pneumonia

hazard.

Treatment Appropriate supportive and symptomatic treatment as indicated by the

patient's condition is recommended. Gastric lavage is not normally required. However, if a significant amount (more than a mouthful) has been ingested, administer activated charcoal and sodium sulphate. In

case of aspiration intubation and bronchial lavage should be

considered. Monitor: kidney, liver and pancreas function. There is no

specific antidote. Contraindication: derivatives of adrenaline.

SECTION 5: FIREFIGHTING MEASURES

Extinguishing media

Suitable Water spray, Carbon dioxide (CO2), Foam, Sand

Unsuitable High volume water jet



PUMA® 1EC HERBICIDE

Version 8.0 / USA Revision Date: 06/20/2023 102000000828 Print Date: 06/23/2023

Special hazards arising from the substance or

mixture

In the event of fire the following may be released:, Hydrogen chloride (HCI), Hydrogen cyanide (hydrocyanic acid), Nitrogen oxides (NOx),

Carbon monoxide (CO), Carbon dioxide (CO2)

Advice for firefighters

Special protective equipment for firefighters

Firefighters should wear NIOSH approved self-contained breathing

apparatus and full protective clothing.

Further information Keep out of smoke. Fight fire from upwind position. Cool closed

containers exposed to fire with water spray. Do not allow run-off from

fire fighting to enter drains or water courses.

Specific hazards from the substance or mixture which can increase the fire

Flash point 108 °C / 226.4 °F

Auto-ignition temperature No data available

Lower explosion limit No data available

Upper explosion limit No data available

Explosivity Not explosive

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Precautions Isolate hazard area. Keep unauthorized people away. Avoid contact

with spilled product or contaminated surfaces.

Methods and materials for containment and cleaning up

Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid

binder, universal binder, sawdust). Collect and transfer the product

into a properly labelled and tightly closed container. Clean

contaminated floors and objects thoroughly, observing environmental

regulations.

Additional advice Use personal protective equipment. If the product is accidentally

spilled, do not allow to enter soil, waterways or waste water canal. Do

not allow product to contact non-target plants.

This substance contains 10% or more of an oil as defined in 49 CFR

130.5 when it is shipped in a package of 3,500 gallons or more.

Reference to other sections Information regarding safe handling, see section 7.

Information regarding personal protective equipment, see section 8.

Information regarding waste disposal, see section 13.



PUMA® 1EC HERBICIDE

Version 8.0 / USA Revision Date: 06/20/2023 102000000828 Print Date: 06/23/2023

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling

and open container in a manner as to prevent spillage.

Advice on protection against fire and explosion

Keep away from heat and sources of ignition.

Hygiene measures Wash hands thoroughly with soap and water after handling and before

eating, drinking, chewing gum, using tobacco, using the toilet or

applying cosmetics.

Remove Personal Protective Equipment (PPE) immediately after handling this product. Before removing gloves clean them with soap and water. Remove soiled clothing immediately and clean thoroughly before

using again. Wash thoroughly and put on clean clothing.

Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Store in a cool, dry place and in such a manner as to prevent cross contamination with other crop protection products, fertilizers, food, and

feed. Store in original container and out of the reach of children, preferably in a locked storage area. Protect from freezing.

Advice on common storage Keep away from food, drink and animal feedingstuffs.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Components	CAS-No.	Control parameters	Update	Basis	
Fenoxaprop-P-ethyl	71283-80-2	2.6 mg/m3 (TWA)		OES BCS*	
Mefenpyr-diethyl	135590-91-9	10 mg/m3 (TWA)		OES BCS*	
Solvent Naphtha (petroleum), heavy aromatic (Non-aerosol.)	64742-94-5	200 mg/m3 (TWA)	01 2021	ACGIH	
Solvent Naphtha (petroleum), heavy aromatic	64742-94-5	1,600 mg/m3/400 ppm (TWA PEL)	09 2006	US CA OEL	
Solvent Naphtha (petroleum), heavy aromatic	64742-94-5	100 mg/m3 (REL)	2010	NIOSH	
Solvent Naphtha (petroleum), heavy aromatic	64742-94-5	200 mg/m3 (TWA)	03 2014	ACGIH	
(Non-aerosol.)					
Naphthalene	91-20-3	10 ppm (TWA)	02 2012	ACGIH	



PUMA® 1EC HERBICIDE

Version 8.0 / USA Revision Date: 06/20/2023 102000000828 Print Date: 06/23/2023

Naphthalene	91-20-3	50 mg/m3/10 ppm (REL)	2010	NIOSH
Naphthalene	91-20-3	75 mg/m3/15 ppm (STEL)	2010	NIOSH
Naphthalene	91-20-3	50 mg/m3/10 ppm (PEL)	02 2006	OSHA Z1
Naphthalene	91-20-3	75 mg/m3/15 ppm (STEL)	06 2008	TN OEL
Naphthalene	91-20-3	50 mg/m3/10 ppm (TWA)	06 2008	TN OEL
Naphthalene	91-20-3	0.5 mg/m3/0.1 ppm (TWA PEL)	10 2014	US CA OEL
Naphthalene	91-20-3	10 ppm (TLV)		OES BCS*

^{*}OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

Biological occupational exposure limits

Components	CAS-No.	Parameters	Biological specimen	Sampling time	Conc.	Basis
Naphthalene	91-20-3	1-Naphthol, with hydrolysis + 2-Naphthol, with hydrolysis		Sampling time: End of shift.		ACGIH BEI

Exposure controls

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection When respirators are required, select NIOSH approved equipment

based on actual or potential airborne concentrations and in

accordance with the appropriate regulatory standards and/or industry

recommendations.

Hand protection Chemical-resistant gloves (barrier laminate, butyl rubber, nitrile

rubber or Viton)

Eye protection Tightly fitting safety goggles

Skin and body protection Wear long-sleeved shirt and long pants and shoes plus socks.

General protective measures Follow manufacturer's instructions for cleaning/maintaining PPE. If

no such instructions for washables, use detergent and warm/tepid

water.

Keep and wash PPE separately from other laundry. Eye wash facility and safety shower should be available.



PUMA® 1EC HERBICIDE

Version 8.0 / USA 102000000828

Revision Date: 06/20/2023 Print Date: 06/23/2023

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Form Liquid
Colour light yellow
Odour aromatic

Odour Threshold No data available

pH ca. 6.7 (1 %) (23 °C) (deionized water)

Melting point/range No data available **Boiling Point** No data available 108 °C / 226.4 °F Flash point **Flammability** No data available **Auto-ignition temperature** No data available Thermal decomposition No data available ca. 435 °C / 815 °F Ignition temperature Minimum ignition energy No data available Self-accelarating No data available

decomposition temperature

(SADT)

Upper explosion limit

Lower explosion limit

Vapour pressure

Evaporation rate

Relative vapour density

Relative density

No data available

Water solubility emulsifiable

Partition coefficient: n-

octanol/water

Fenoxaprop-P-ethyl: log Pow: 4.58 (30 °C)

Mefenpyr-diethyl: log Pow: 3.83 (21 °C)

Viscosity, dynamic 10.1 mPa.s (40 °C)

Viscosity, kinematic ca. 9.8 mm²/s (40 °C)

Surface tension 32.5 mN/m (40 °C)

Impact sensitivity Not impact sensitive.

Oxidizing properties No oxidizing properties



PUMA® 1EC HERBICIDE

Version 8.0 / USA Revision Date: 06/20/2023 102000000828 Print Date: 06/23/2023

Explosivity Not explosive

Other information Further safety related physical-chemical data are not known.

SECTION 10: STABILITY AND REACTIVITY

Reactivity Stable under normal conditions.

Chemical stability Stable under recommended storage conditions.

Possibility of hazardous

reactions

No hazardous reactions when stored and handled according to

prescribed instructions.

Conditions to avoid Heat, flames and sparks.

Extremes of temperature and direct sunlight.

Incompatible materials No incompatible materials known.

Hazardous decomposition

products

Thermal decomposition can lead to release of:

Carbon monoxide Hydrogen chloride (HCl)

Nitrogen oxides (NOx) Sulphur oxides

SECTION 11: TOXICOLOGICAL INFORMATION

Exposure routes Eye contact, Skin contact, Inhalation, Ingestion

Immediate Effects

Eye Causes serious eye irritation.

Skin Causes skin irritation.

Ingestion May be harmful if swallowed.

Inhalation Not expected to produce significant adverse effects when

recommended use instructions are followed.

Information on toxicological effects

Acute oral toxicity LD50 (Rat) 3,254 mg/kg

Acute inhalation toxicity LC50 (Rat) > 5.4 mg/l

Exposure time: 4 h

Determined in the form of liquid aerosol.

Acute dermal toxicity LD50 (Rat) > 5,000 mg/kg

Skin corrosion/irritation Severe skin irritation. (Rabbit)



PUMA® 1EC HERBICIDE

Version 8.0 / USA Revision Date: 06/20/2023 102000000828 Print Date: 06/23/2023

Serious eye damage/eye

irritation

Severe eye irritation. (Rabbit)

Respiratory or skin Skin: Non-sensitizing. (Guinea pig) sensitisation OECD Test Guideline 406. Buehler test

Assessment STOT Specific target organ toxicity - single exposure

Fenoxaprop-P-ethyl: Based on available data, the classification criteria are not met. Mefenpyr-diethyl: Based on available data, the classification criteria are not met.

Assessment STOT Specific target organ toxicity - repeated exposure

Fenoxaprop-P-ethyl did not cause specific target organ toxicity in rats. Fenoxaprop-P-ethyl caused specific target organ toxicity in experimental animal studies in mice in the following organ(s): Kidney. Mefenpyr-diethyl did not cause specific target organ toxicity in experimental animal studies.

Assessment mutagenicity

Fenoxaprop-P-ethyl was not mutagenic or genotoxic in a battery of in vitro and in vivo tests. Mefenpyr-diethyl was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

Assessment carcinogenicity

Fenoxaprop-P-ethyl demonstrated no carcinogenic potential in a lifetime feeding study in rats. Fenoxaprop-P-ethyl caused an increased incidence of liver tumours in mice at high doses. Fenoxaprop-P-ethyl causes tumours through peroxisome proliferation. The mechanism that triggers tumours in rodents and the type of tumours observed are not relevant to humans. Mefenpyr-diethyl was not carcinogenic in lifetime feeding studies in rats and mice.

ACGIH

Solvent Naphtha (petroleum), heavy aromatic Naphthalene	64742-94-5 91-20-3	Group A3 Group A3
NTP		
Naphthalene	91-20-3	
IARC		
Solvent Naphtha (petroleum), heavy aromatic	64742-94-5	Overall evaluation: 3
Solvent Naphtha (petroleum), heavy aromatic	64742-94-5	Overall evaluation: 3
Solvent Naphtha (petroleum), heavy aromatic	64742-94-5	Overall evaluation: 3
Naphthalene	91-20-3	Overall evaluation: 2B

Assessment toxicity to reproduction

Fenoxaprop-P-ethyl did not cause reproductive toxicity in a two-generation study in rats. Mefenpyr-diethyl did not cause reproductive toxicity in a two-generation study in rats.

Assessment developmental toxicity

Fenoxaprop-P-ethyl did not cause developmental toxicity in rats and rabbits. Mefenpyr-diethyl caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Mefenpyr-diethyl are related to maternal toxicity.

Aspiration hazard

May be fatal if swallowed and enters airways.

Further information



PUMA® 1EC HERBICIDE

Version 8.0 / USA Revision Date: 06/20/2023 102000000828 Print Date: 06/23/2023

Only acute toxicity studies have been performed on the formulated product.

The non-acute information pertains to the active ingredient(s).

SECTION 12: ECOLOGICAL INFORMATION

Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)) 1.9 mg/l

Exposure time: 96 h

Test conducted with a similar formulation.

Toxicity to aquatic

EC50 (Daphnia magna (Water flea)) 4.2 mg/l

invertebrates

Exposure time: 48 h

Test conducted with a similar formulation.

Toxicity to aquatic plants EC50 (Raphidocelis subcapitata (freshwater green alga)) 1.47 mg/l

Exposure time: 72 h

Test conducted with a similar formulation.

Biodegradability Fenoxaprop-P-ethyl:

Not rapidly biodegradable

Mefenpyr-diethyl:

Not rapidly biodegradable

Koc Fenoxaprop-P-ethyl: Koc: 11354

Mefenpyr-diethyl: Koc: 625

Bioaccumulation Fenoxaprop-P-ethyl: Bioconcentration factor (BCF) 338

Does not bioaccumulate.

Mefenpyr-diethyl: Bioconcentration factor (BCF) 232

Does not bioaccumulate.

Mobility in soil Fenoxaprop-P-ethyl: Immobile in soil

Mefenpyr-diethyl: Slightly mobile in soils

Results of PBT and vPvB assessment

PBT and vPvB assessment Fenoxaprop-P-ethyl: This substance is not considered to be persistent,

bioaccumulative and toxic (PBT). This substance is not considered to be

very persistent and very bioaccumulative (vPvB).

Mefenpyr-diethyl: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be

very persistent and very bioaccumulative (vPvB).

Additional ecological

information

No other effects to be mentioned.

Environmental precautions Drift or runoff from treated areas may adversely affect non-target plants.

Do not apply directly to water, to areas where surface water is present

or to intertidal areas below the mean high water mark.

Do not contaminate surface or ground water by cleaning equipment or

disposal of wastes, including equipment wash water.

Apply this product as specified on the label.



PUMA® 1EC HERBICIDE

Version 8.0 / USA Revision Date: 06/20/2023 102000000828 Print Date: 06/23/2023

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Product Dispose in accordance with all local, state/provincial and federal

regulations.

Contaminated packaging Consult state and local regulations regarding the proper disposal of

container.

Follow advice on product label and/or leaflet.

RCRA Information Characterization and proper disposal of this material as a special or

hazardous waste is dependent upon Federal, State and local laws and

are the user's responsibility. RCRA classification may apply.

SECTION 14: TRANSPORT INFORMATION

49CFR

UN number 3082 Class 9 Packaging group III

Marine pollutant Marine pollutant

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCES, LIQUID,

N.O.S.

(FENOXAPROP-P-ETHYL, NAPHTHALENE)

RQ Reportable Quantity is reached with 1,236 lb of product.

IMDG

UN number 3082
Class 9
Packaging group III
Marine pollutant YES

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(FENOXAPROP-P-ETHYL SOLUTION)

IATA

UN number 3082
Class 9
Packaging group III
Environm. Hazardous Mark YES

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S

(FENOXAPROP-P-ETHYL SOLUTION)

This transportation information is not intended to convey all specific regulatory information relating to this product. It does not address regulatory variations due to package size or special transportation requirements.



PUMA® 1EC HERBICIDE

Version 8.0 / USA Revision Date: 06/20/2023 102000000828 Print Date: 06/23/2023

Further Information

This substance contains 10% or more of an oil as defined in 49 CFR 130.5 when it is shipped in a package of 3,500 gallons or more.

SECTION 15: REGULATORY INFORMATION

EPA Registration No. 264-666

US Federal Regulations

TSCA list

Solvent Naphtha (petroleum), heavy 64742-94-5

aromatic

Alcohols, C11-14-iso-, C13-rich, 78330-21-9

ethoxylated

Soybean oil, epoxidized 8013-07-8
Butoxypolyethylene-/propylene glycol 9038-95-3
Mefenpyr-diethyl 135590-91-9
Castor oil, ethoxylated 61791-12-6
Naphthalene 91-20-3

US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)

No export notification needs to be made.

SARA Title III - Section 302 - Notification and Information

Not applicable.

SARA Title III - Section 313 - Toxic Chemical Release Reporting

Yes

US States Regulatory Reporting

CA Prop65

WARNING: This product contains a chemical known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

Naphthalene 91-20-3

WARNING: This product contains a chemical known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Diethanolamine 111-42-2 Carcinogenic.

US State Right-To-Know Ingredients

Solvent Naphtha (petroleum), heavy 64742-94-5 CT, IL, NJ, RI

aromatic

Naphthalene 91-20-3 CA, CT, IL, MN, NJ, RI

Environmental CERCLA

Yes

Solvent Naphtha (petroleum), heavy 64742-94-5

aromatic



13/14

PUMA® 1EC HERBICIDE

 Version 8.0 / USA
 Revision Date: 06/20/2023

 102000000828
 Print Date: 06/23/2023

Yes

Naphthalene 91-20-3

Listed.

Clean Water Section 307(a)(1)

Yes

Naphthalene 91-20-3 **Safe Drinking Water Act Maximum Contaminant Levels**

Yes

Naphthalene 91-20-3

EPA/FIFRA Information:

This chemical is a pesticide product regulated by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information required on the pesticide label:

Signal word: Warning!

Hazard statements: Causes substantial but temporary eye injury.

Causes skin irritation. Harmful if swallowed.

SECTION 16: OTHER INFORMATION

Abbreviations and acronyms

49CFR Code of Federal Regulations, Title 49
ACGIH US. ACGIH Threshold Limit Values

ATE Acute toxicity estimate

CAS-Nr. Chemical Abstracts Service number

CERCLA Comprehensive Environmental Response, Compensation, and Liability Act

EINECS European inventory of existing commercial substances

ELINCS European list of notified chemical substances IARC International Agency for Research on Cancer IATA International Air Transport Association IMDG International Maritime Dangerous Goods

N.O.S. Not otherwise specified

NTP US. National Toxicology Program (NTP) Report on Carcinogens
OECD Organization for Economic Co-operation and Development

TDG Transportation of Dangerous Goods

TWA Time weighted average

UN United Nations

WHO World health organisation



PUMA® 1EC HERBICIDE

Version 8.0 / USA 102000000828

Revision Date: 06/20/2023 Print Date: 06/23/2023

NFPA 704 (National Fire Protection Association):

Health - 2 Flammability - 0 Instability - 0 Others - none

HMIS (Hazardous Materials Identification System, based on the Fourth Edition Ratings Guide)

Health - 2* Flammability - 0 Physical Hazard - 0 PPE -

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard,

* = chronic health hazard

Reason for Revision: The following sections have been revised: Section 6. Accidental Release Measures. Section 14: Transport Information. Reviewed and updated for general editorial purposes.

Revision Date: 06/20/2023

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.