# syngenta

#### MATERIAL SAFETY DATA SHEET

Syngenta Crop Protection, Inc. Post Office Box 18300 Greensboro, NC 27419 Emergencies Call: 1-800-888-8372 Non-Emergencies Call: 1-800-334-9481

# Quadris Ridomil Gold SL Co-pack

(EPA # 100-1311)

See Attached MSDS's for:

# Quadris Flowable Ridomil Gold SL

Questions concerning the safe handling of these products should be referred to:

Syngenta Crop Protection

Health, Safety and Environmental Department
1-800-334-9481

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed of implied, is made with respect to the information contained herein.



# MATERIAL SAFETY DATA SHEET

Syngenta Crop Protection, Inc. Post Office Box 18300

In Case of Emergency, Call 1-800-888-8372

Greensboro, NC 27419

1. PRODUCT IDENTIFICATION

Product Name: QUADRIS FLOWABLE Product No.: A12705A

EPA Signal Word: Caution

Active Ingredient(%): Azoxystrobin (22.9%) CAS No.: 131860-33-8

Chemical Name: Methyl (E)-2-{2-[6-(2-cyanophenoxy)pyrimidin-4-yloxy]phenyl}-3-methoxyacrylate

Chemical Class: A beta-methyoxyacrylate fungicide

EPA Registration Number(s): 100-1098 Section(s) Revised: 2, 3, 8

2. HAZARDS IDENTIFICATION

Health and Environmental

Causes mild eye irritation. May be harmful in contact with skin.

**Hazardous Decomposition Products** 

May decompose at high temperatures forming toxic gases.

**Physical Properties** 

Appearance: Off-white to yellow-orange suspension

Odor: Not determined

Unusual Fire, Explosion and Reactivity Hazards

During a fire, irritating and possibly toxic gases may be generated by thermal decomposition or combustion.

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Material	OSHA PEL	ACGIH TLV	Other	NTP/IARC/OSHA Carcinogen No		
Propylene Glycol	Not Established	Not Established	10 mg/m³ TWA AIHA WEEL ****			
Bentonite	15 mg/m³ TWA (total); 5 mg/m³ TWA (respirable)	10 mg/m³ TWA (total); 3 mg/m³ TWA (respirable)	Not Established	No		
Azoxystrobin (22.9%)	Not Established	Not Established	2 mg/m³ TWA ***	No		

\*\*\* Syngenta Occupational Exposure Limit (OEL)

\*\*\*\* Recommended by AIHA (American Industrial

Hygiene Association)

Ingredients not precisely identified are proprietary or non-hazardous. Values are not product specifications. Syngenta Hazard Category: B

# 4. FIRST AID MEASURES

Have the product container, label or Material Safety Data Sheet with you when calling Syngenta (800-888-8372), a poison contol center or doctor, or going for treatment.

Ingestion: If swallowed: Call Syngenta (800-888-8372), a poison control center or doctor immediately for treatment

advice. Have the person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so after calling 800-888-8372 or by a poison control center or doctor. Do not give anything by mouth to an

unconscious person.

Eye Contact: If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if

present, after 5 minutes, then continue rinsing eye. Call Syngenta (800-888-8372), a poison control center or

doctor for treatment advice.

Skin Contact: If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20

minutes. Call Syngenta (800-888-8372), a poison control center or doctor for treatment advice.

Inhalation: If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial

respiration, preferably mouth-to-mouth if possible. Call Syngenta (800-888-8372), a poison control center or

doctor for further treatment advice.

#### Notes to Physician

There is no specific antidote if this product is ingested.

Treat symptomatically.

#### Medical Condition Likely to be Aggravated by Exposure

None known.

#### 5. FIRE FIGHTING MEASURES

#### Fire and Explosion

Flash Point (Test Method):

Does not flash

Flammable Limits (% in Air):

Lower: Not Applicable

Upper: Not Applicable

Autoignition Temperature:

Not Available

Flammability:

Not Applicable

# Unusual Fire, Explosion and Reactivity Hazards

During a fire, irritating and possibly toxic gases may be generated by thermal decomposition or combustion.

#### In Case of Fire

Use dry chemical, foam or CO2 extinguishing media. Wear full protective clothing and self-contained breathing apparatus. Evacuate nonessential personnel from the area to prevent human exposure to fire, smoke, fumes or products of combustion. Prevent use of contaminated buildings, area, and equipment until decontaminated. Water runoff can cause environmental damage. If water is used to fight fire, dike and collect runoff.

# 6. ACCIDENTAL RELEASE MEASURES

#### In Case of Spill or Leak

Control the spill at its source. Contain the spill to prevent from spreading or contaminating soil or from entering sewage and drainage systems or any body of water. Clean up spills immediately, observing precautions in Protective Equipment Section. Cover entire spill with absorbing material and place into compatible disposal container. Scrub area with hard water detergent (e.g. commercial products such as Tide, Joy, Spic and Span). Pick up wash liquid with additional absorbent and place into compatible disposal container. Once all material is cleaned up and placed in a disposal container, seal container and arrange for disposition.

#### 7. HANDLING AND STORAGE

Store the material in a well-ventilated, secure area out of reach of children and domestic animals. Do not store food, beverages or tobacco products in the storage area. Prevent eating, drinking, tobacco use, and cosmetic application in areas where there is a potential for exposure to the material. Wash thoroughly with soap and water after handling.

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION, PACKAGING AND USE OF THIS PRODUCT.

FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS CONSULT THE PRODUCT LABEL.

Ingestion: Prevent eating, drinking, tobacco usage and cosmetic application in areas where there is a potential for

exposure to the material. Wash thoroughly with soap and water after handling.

Eye Contact: Where eye contact is likely, use chemical splash goggles.

Skin Contact: Where contact is likely, wear chemical-resistant gloves (such as barrier laminate, butyl rubber, nitrile rubber,

neoprene rubber, polyvinyl chloride [PVC] or Viton), coveralls, socks and chemical-resistant footwear.

Inhalation: A respirator is not normally required when handling this substance. Use effective engineering controls to

comply with occupational exposure limits.

In case of emergency spills, use a NIOSH approved respirator with any N, R, P or HE filter.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance:

Off-white to yellow-orange suspension

Odor:

Not determined Not Applicable

Melting Point: Boiling Point:

Boiling Point: Not Available Specific Gravity/Density: 1.10 g/ml

pH:

7

Solubility in H2O

Azoxystrobin:

6 mg/l in water @ 68°F (20°C)

Vapor Pressure

Azoxystrobin:

8.25 x 10(-13) mmHg @ 68°F (20°C)

# 10. STABILITY AND REACTIVITY

Stability:

Stable under normal use and storage conditions.

Hazardous Polymerization:

Will not occur.
None known.

Conditions to Avoid: Materials to Avoid:

Oxidizing agents.

Hazardous Decomposition Products:

May decompose at high temperatures forming toxic gases.

#### 11. TOXICOLOGICAL INFORMATION

#### Acute Toxicity/Irritation Studies (Finished Product)

Ingestion:

Oral (LD50 Rat):

> 5000 mg/kg body weight

Dermal:

Dermal (LD50 Rat):

> 4000 mg/kg body weight

Inhalation:

Inhalation (LC50 Rat):

> 6.32 mg/l air - 4 hours

Eye Contact: Skin Contact: Mildly Irritating (Rabbit)

on the state of

Non-Irritating (Rabbit)

Skin Sensitization:

Not a Sensitizer (Guinea Pig)

# Reproductive/Developmental Effects

Azoxystrobin: Shows weak chromosomal damage in mammalian cells at cytotoxic levels. Negative in whole animal assays for chromosomal and DNA damage at high dosages (> or = 2000 mg/kg).

In rabbits, no effect was observed up to the highest dose level (500 mg/kg/day). In rats, developmental effects were seen only at maternally toxic doses (100 mg/kg/day).

#### Chronic/Subchronic Toxicity Studies

Azoxystrobin: In a rat 90-day feeding study, liver toxicity was observed at 2000 ppm. This was manifest as gross

distension of the bile duct, increased numbers of lining cells and inflammation of the duct. No toxicologically significant effects were seen in repeat dose dog studies.

Data reviews do not indicate any potential for endocrine disruption.

There is no evidence of neurotoxicity in any of the studies conducted with azoxystrobin.

#### Carcinogenicity

Azoxystrobin: No carcinogenic effects observed in rats or mice at doses up to the maximum tolerated dose.

#### Other Toxicity Information

None

#### Toxicity of Other Components

#### Bentonite

Test results reported in Section 11 for the final product take into account any acute hazards related to the bentonite in the formulation.

#### Propylene Glycol

Test results reported in Section 11 for the final product take into account any acute hazards related to the propylene glycol in the formulation.

Reported to cause central nervous system depression (anesthesia, dizziness, confusion), headache and nausea.

Chronic dietary exposure caused kidney and liver injury in experimental animals.

#### Target Organs

# Active Ingredients Azoxystrobin: Liver Inert Ingredients

Bentonite: Not Applicable

Propylene Glycol: CNS, kidney, liver

# 12. ECOLOGICAL INFORMATION

#### Summary of Effects

Azoxystrobin:

Very toxic to aquatic life.

#### **Ecotoxicity Effects**

Azoxystrobin:

Fish (Rainbow Trout) 96-hour LC50 470 ppb

Green Algae 5-day EC50 106 ppb

Invertebrate (Water Flea) 48-hour EC50 259 ppb

Bird (Mallard Duck) 14-day LD50 > 250 mg/kg

#### **Environmental Fate**

#### Azoxystrobin:

The information presented here is for the active ingredient, azoxystrobin.

Low bioaccumulation potential. Not persistent in soil. Stable in water. Moderate mobility in soil. Sinks in water (after 24 h).

# 13. DISPOSAL CONSIDERATIONS

#### **Disposal**

Do not reuse product containers. Dispose of product containers, waste containers, and residues according to local, state, and federal health and environmental regulations.

Characteristic Waste: Not Applicable

Listed Waste:

Not listed

# 14. TRANSPORT INFORMATION

#### **DOT Classification**

Ground Transport - NAFTA

Not regulated.

Air Transport - NAFTA

Not regulated.

#### **B/L Freight Classification**

Fungicides, NOI, O/T Poison

#### Comments

Water Transport - International

Proper Shipping Name: Environmentally Hazardous Substance, Liquid, N.O.S. (Azoxystrobin), Marine Pollutant

Hazard Class or Division: Class 9 Identification Number: UN 3082

Packing Group: PG III IMDG EMS #: F-A, S-F

Air Transport - International

Proper Shipping Name: Environmentally Hazardous Substance, Liquid, N.O.S. (Azoxystrobin)

Hazard Class or Division: Class 9 Identification Number: UN 3082

Packing Group: PG III Packing Auth.: 914

Note: Max. inner packages 5 liters Max. single packages 450 liters

# 15. REGULATORY INFORMATION

# EPCRA SARA Title III Classification

Section 311/312 Hazard Classes: Acute Health Hazard

Section 313 Toxic Chemicals: Not Applicable

#### California Proposition 65

Not Applicable

#### CERCLA/SARA 302 Reportable Quantity (RQ)

None

#### RCRA Hazardous Waste Classification (40 CFR 261)

Not Applicable

#### TSCA Status

Exempt from TSCA, subject to FIFRA

#### 16. OTHER INFORMATION

NFPA Hazard Ratings		HMIS Hazard Ratings		0	Minimal
Health:	1	Health:	1	1	Slight
Flammability:	1	Flammability:	1	2	Moderate
Instability:	0	Reactivity:	0	3	Serious
<u> </u>	-	<b>,</b>		4	Extreme

For non-emergency questions about this product call:

1-800-334-9481

Original Issued Date:

1/30/1997

Revision Date:

6/30/2008

Replaces:

2/8/2005

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein.

End of MSDS



# MATERIAL SAFETY DATA SHEET

Syngenta Crop Protection, Inc.

Post Office Box 18300

Greensboro, NC 27419

In Case of Emergency, Call 1-800-888-8372

# 1. PRODUCT IDENTIFICATION

Product Name:

RIDOMIL GOLD SL

Product No.: A13947A

EPA Signal Word:

Caution

Active Ingredient(%):

Mefenoxam (45.3%)

CAS No.:

70630-17-0 & 69516-34-3

Chemical Name:

(R,S)-2-[(2,6-dimethylphenyl)-methoxyacetylamino]-propionic acid methyl ester

Chemical Class:

Phenylamide Fungicide

EPA Registration Number(s): 100-1202

Section(s) Revised: 2, 8, 13

#### 2. HAZARDS IDENTIFICATION

#### Health and Environmental

Harmful if swallowed. May be harmful in contact with skin.

#### Hazardous Decomposition Products

May decompose at high temperatures forming toxic gases.

#### **Physical Properties**

Appearance:

Yellow to orange clear liquid

Odor:

Ketone-like

#### Unusual Fire, Explosion and Reactivity Hazards

Combustible liquid. Can release vapors that form explosive mixtures at temperatures at or above the flash point. Heavy vapors can flow along surfaces to distant ignition sources and flash back.

During a fire, irritating and possibly toxic gases may be generated by thermal decomposition or combustion.

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Material	OSHA PEL	ACGIH TLV	Other	NTP/IARC/OSHA Carcinogen	
Propylene Glycol	Not Established	Not Established	10 mg/m³ TWA AIHA WEEL ****	No	
Acetophenone (<= 16%)	Not Established	10 ppm TWA	Not Established	No	
2-Heptanone	100 ppm TWA	50 ppm TWA	100 ppm TWA **	No	
Mefenoxam (45.3%)	Not Established	Not Established	10 mg/m³ TWA ***	No	

<sup>\*\*</sup> recommended by NIOSH

Ingredients not precisely identified are proprietary or non-hazardous. Values are not product specifications. Syngenta Hazard Category: B

Product Name: RIDOMIL GOLD SL

Page: 1

<sup>\*\*\*</sup> Syngenta Occupational Exposure Limit (OEL)

<sup>\*\*\*\*</sup> Recommended by AIHA (American Industrial Hygiene Association)

#### 4. FIRST AID MEASURES

Have the product container, label or Material Safety Data Sheet with you when calling Syngenta (800-888-8372), a poison contol center or doctor, or going for treatment.

Ingestion: If swallowed: Call Syngenta (800-888-8372), a poison control center or doctor immediately for treatment

advice. Have the person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so after calling 800-888-8372 or by a poison control center or doctor. Do not give anything by mouth to an

unconscious person.

Eye Contact: If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if

present, after 5 minutes, then continue rinsing eye. Call Syngenta (800-888-8372), a poison control center or

doctor for treatment advice.

Skin Contact: If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20

minutes. Call Syngenta (800-888-8372), a poison control center or doctor for treatment advice.

Inhalation: If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial

respiration, preferably mouth-to-mouth if possible. Call Syngenta (800-888-8372), a poison control center or

doctor for further treatment advice.

# Notes to Physician

There is no specific antidote if this product is ingested.

Treat symptomatically.

Medical Condition Likely to be Aggravated by Exposure

None known.

#### 5. FIRE FIGHTING MEASURES

#### Fire and Explosion

Flash Point (Test Method):

>=158°F (Pensky-Martens CC)

Flammable Limits (% in Air):

Lower: Not Applicable

Upper: Not Applicable

Autoignition Temperature:

Not Available

Flammability:

Combustible liquid

#### Unusual Fire, Explosion and Reactivity Hazards

Combustible liquid. Can release vapors that form explosive mixtures at temperatures at or above the flash point. Heavy vapors can flow along surfaces to distant ignition sources and flash back.

During a fire, irritating and possibly toxic gases may be generated by thermal decomposition or combustion.

#### In Case of Fire

Use appropriate extinguishing media for combustibles in the area. Wear full protective clothing and self-contained breathing apparatus. Evacuate nonessential personnel from the area to prevent human exposure to fire, smoke, fumes or products of combustion. Prevent use of contaminated buildings, area, and equipment until decontaminated. Water runoff can cause environmental damage. If water is used to fight fire, dike and collect runoff.

# 6. ACCIDENTAL RELEASE MEASURES

#### In Case of Spill or Leak

Control the spill at its source. Contain the spill to prevent from spreading or contaminating soil or from entering sewage and drainage systems or any body of water. Clean up spills immediately, observing precautions outlined in Section 8. Cover entire spill with absorbing material and place into compatible disposal container. Scrub area with hard water detergent (e.g. commercial products such as Tide, Joy, Spic and Span). Pick up wash liquid with additional absorbent and place into compatible disposal container. Once all material is cleaned up and placed in a disposal container, seal container and arrange for disposition.

#### 7. HANDLING AND STORAGE

Store the material in a well-ventilated, secure area out of reach of children and domestic animals. Do not store food, beverages

Product Name: RIDOMIL GOLD SL Page: 2

or tobacco products in the storage area. Prevent eating, drinking, tobacco use, and cosmetic application in areas where there is a potential for exposure to the material. Wash thoroughly with soap and water after handling.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION, PACKAGING AND USE OF THIS PRODUCT.

# FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS CONSULT THE PRODUCT LABEL.

Ingestion:

Prevent eating, drinking, tobacco usage and cosmetic application in areas where there is a potential for

exposure to the material. Wash thoroughly with soap and water after handling.

Eye Contact:

Where eye contact is likely, use chemical splash goggles.

Skin Contact:

Where contact is likely, wear chemical-resistant gloves (such as barrier laminate, butyl rubber, nitrile rubber,

neoprene rubber, polyvinyl chloride [PVC] or Viton), coveralls, socks and chemical-resistant footwear.

Inhalation:

A respirator is not normally required when handling this substance. Use effective engineering controls to

comply with occupational exposure limits.

In case of emergency spills, use a NIOSH approved respirator with any N, R, P or HE filter.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance:

Yellow to orange clear liquid

Odor:

Ketone-like

Melting Point:

Not Applicable

Boiling Point:

Not Available

Specific Gravity/Density:

1.04 - 1.08 g/cm<sup>3</sup> @ 68°F (20°C)

pH:

6 - 10 (1% in deionized water)

Solubility in H2O

Mefenoxam:

26g/l @ 77°F (25°C)

Vapor Pressure

Mefenoxam:

2.5 x 10(-5) mmHg @ 77°F (25°C)

#### 10. STABILITY AND REACTIVITY

Stability:

Stable under normal use and storage conditions.

Hazardous Polymerization:

Will not occur.

Conditions to Avoid:

None known.

Materials to Avoid:

None known.

Hazardous Decomposition Products:

May decompose at high temperatures forming toxic gases.

# 11. TOXICOLOGICAL INFORMATION

#### Acute Toxicity/Irritation Studies (Finished Product)

Ingestion:

Oral (LD50 Rat):

550 mg/kg body weight

Dermal:

Dermal (LD50 Rat):

> 2000 mg/kg body weight

Inhalation:

Inhalation (LC50 Rat):

> 5.58 mg/l air - 4 hours

Eye Contact:

Non-Irritating (Rabbit)

Skin Contact:

Non-Irritating (Rabbit)

Skin Sensitization:

Not a Sensitizer (Guinea Pig)

Product Name: RIDOMIL GOLD SL

Page: 3

## Reproductive/Developmental Effects

Mefenoxam: None observed.

#### Chronic/Subchronic Toxicity Studies

Mefenoxam: Liver effects at high dose animal tests.

#### Carcinogenicity

Mefenoxam: None observed.

#### Other Toxicity Information

None

#### **Toxicity of Other Components**

#### 2-Heptanone

Test results reported in Section 11 for the final product take into account any acute hazards related to the 2-heptanone in the formulation.

# Acetophenone (<= 16%)

Test results reported in Section 11 for the final product take into account any acute hazards related to the acetophenone in the formulation.

#### Propylene Glycol

Test results reported in Section 11 for the final product take into account any acute hazards related to the propylene glycol in the formulation.

Reported to cause central nervous system depression (anesthesia, dizziness, confusion), headache and nausea. Chronic dietary exposure caused kidney and liver injury in experimental animals.

#### Target Organs

Active Ingredients
Mefenoxam: Liver
Inert Ingredients
2-Heptanone: Eye

Acetophenone: Not Applicable Propylene Glycol: CNS, kidney, liver

# 12. ECOLOGICAL INFORMATION

#### Summary of Effects

Mefenoxam:

Harmful to aquatic life.

# Ecotoxicity Effects

Mefenoxam:

Fish (Rainbow Trout) 96-hour LC50 > 121 ppm

Invertebrate (Water Flea) Daphnia magna 48-hour EC50 > 113 ppm

Bird (Bobwhite Quail) 14-day LD50 981 mg/kg

## Environmental Fate

#### Mefenoxam:

The information presented here is for the active ingredient, mefenoxam.

Does not bioaccumulate. Not persistent in soil or water. Moderate mobility in soil. Mixes/sinks (after 24 h).

# 13. DISPOSAL CONSIDERATIONS

#### <u>Disposal</u>

Product Name: RIDOMIL GOLD SL Page: 4

Do not reuse product containers. Dispose of product containers, waste containers, and residues according to local, state, and federal health and environmental regulations.

Characteristic Waste: Not Applicable

Listed Waste: Contains Acetophenone U004

#### 14. TRANSPORT INFORMATION

#### **DOT Classification**

Ground Transport - NAFTA

Containers < 119 gallons: Not DOT regulated.

Containers > 119 gallons: Combustible Liquid, N.O.S. (Tetrahydrofurfuryl Alcohol)

Containers > 3500 gallons: RQ Combustible Liquid, N.O.S. (contains Tetrahydrofurfuryl Alcohol) (Acetophenone)

Hazard Class or Division: Combustible Liquid

Identification Number: NA 1993

Packing Group: PG III

Air Transport - NAFTA

Containers < 450 liters: Not regulated. Containers > 450 liters: Prohibited.

**B/L Freight Classification** 

Fungicides, NOIBN, O/T Poison

#### Comments

Water Transport - International

Not IMDG regulated. Shipments to/from the US must comply with US DOT classification.

Air Transport - International

Not IATA regulated. Shipments to/from the US must comply with US DOT classification.

# 15. REGULATORY INFORMATION

#### **EPCRA SARA Title III Classification**

Section 311/312 Hazard Classes:

Acute Health Hazard

Fire Hazard

Section 313 Toxic Chemicals:

Acetophenone (<= 16%) (CAS No. 98-86-2)

# California Proposition 65

Not Applicable

## CERCLA/SARA 302 Reportable Quantity (RQ)

Report product spills > 3500 gal. (based on acetophenone [RQ = 5000 lbs.] content in the formulation)

#### RCRA Hazardous Waste Classification (40 CFR 261)

Not Applicable

#### **TSCA Status**

Exempt from TSCA, subject to FIFRA

#### 16. OTHER INFORMATION

NFPA Hazard Ratings		HMIS Hazard Ratings		0	Minimal
Health:	1	Health:	1	1	Slight
Flammability:	2	Flammability:	2	2	Moderate
Instability:	0	Reactivity:	0	3	Serious
		•		4	Extreme

For non-emergency questions about this product call:

Product Name: RIDOMIL GOLD SL Page: 5

#### 1-800-334-9481

Original Issued Date:

7/13/2005

Revision Date:

6/30/2008

Replaces:

7/18/2005

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein.

End of MSDS

Product Name: RIDOMIL GOLD SL