



## Section 2(ee) Recommendation

Date: May 5, 2014

Product: Quadris Top<sup>®</sup> Fungicide  
EPA Reg. No. 100-1313

Use: For control of *Botryosphaeria* panicle and shoot blight in walnuts

States: California

This is a recommendation of FIFRA Section 2(ee) as it relates to the use of Quadris Top<sup>®</sup> Fungicide in walnuts. The user must refer to the federally approved label for Quadris Top<sup>®</sup> Fungicide and read and follow all directions for use, restrictions, and precautions.

### **DIRECTIONS FOR USE**

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

**Botryosphaeria panicle and shoot blight:** Apply 12 – 14 oz/A of Quadris Top<sup>®</sup> Fungicide to control *Botryosphaeria* panicle and shoot blight. Make a second application 14-21 days later then alternate to another fungicide with a non-QoI (Group 11) mode of action.

Follow all use directions under the tree nuts group section of the Quadris Top<sup>®</sup> Fungicide container label.

Do not apply more than 56 oz product of Quadris Top<sup>®</sup> Fungicide per crop/year.

Do not apply within 45 days of harvest (45 day PHI).

---

**The user must refer to the federally approved Quadris Top<sup>®</sup> Fungicide label and read and follow all directions for use, restrictions, and precautions.**

**It is a violation of federal law to use this product in a manner inconsistent with its labeling.**

**The user should have this recommendation in its possession at the time of use.**

**This recommendation is made as permitted by Section 2(ee) of FIFRA, as amended, and has not been submitted to or approved by the EPA.**

Syngenta Crop Protection, LLC  
Greensboro, NC 27419

Quadris Top<sup>®</sup> is a trademark of a Syngenta group company

Expiration Date: May 8, 2019

Label Code: CA1313170AC0514