



FIFRA

Section 2(ee) Recommendation

Date: July 27, 2022

Product: Quilt Xcel® Fungicide
EPA Reg. No. 100-1324

Use: For Control of Tar Spot on Corn

State: AR, AZ, CO, DE, FL, GA, IA, ID, IL, IN, KS, LA, MD, ME, MI, MN, MO, MS, MT, NC, ND, NE, NH, NM, NV, OH, OK, PA, SC, SD, TN, UT, VA, VT, WA, WI, WV, WY

Directions for Use

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- The user must refer to the federally approved labels for the above noted product and read and follow all directions for use, restrictions, and precautions.
- The user should have this recommendation in its possession at the time of use.
- Use of this product according to this bulletin has not been reviewed or endorsed by the Office of the Indiana State Chemist.
- This recommendation for use of this product is permitted under Section 2(ee) of FIFRA and has not been submitted to or been approved by EPA.

For control of tar spot (*Phyllachora maydis*) apply 10.5 fl oz/A of Quilt Xcel either as an early application timing at the V4-V8 growth stages or apply 10.5 - 14 fl oz/A as a late-season application. Under heavy disease pressure or if conditions are favorable for disease, apply Quilt Xcel at 10.5 fl oz/A (early-season) and Quilt Xcel at 10.5 – 14 fl oz/A (late-season).

Do not make more than two applications of Quilt Xcel or other Group 3 or 11 fungicides before alternation with a fungicide that is not in Group 3 or 11.

Follow all other directions for use, restrictions and precautions given on the Quilt Xcel Section 3 label.

Quilt Xcel® and the Syngenta logo are trademarks of a Syngenta Group Company.

©2022 Syngenta

2(ee) Registrant:
Syngenta Crop Protection, LLC
P. O. Box 18300
Greensboro, NC 27419-8300

Label Code: AR1324048BC0722