

Supplemental Labeling



Dow AgroSciences LLC

9330 Zionsville Road

Indianapolis, IN 46268-1054 USA

Radiant™ SC

EPA Reg. No. 62719-545

2(ee) Recommendation†

FOR USE AND DISTRIBUTION IN THE STATE OF TEXAS ONLY

Provisional Overhead Sprinkler Chemigation Use on Certain Crops

ATTENTION

† This recommendation is made as permitted under FIFRA Section 2(ee) and has not been submitted to or approved by the EPA.

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- Read and follow all applicable directions for use, precautions and limitations on the product label attached to the container for Radiant™ SC insecticide.

Directions for Use

Note: This product bulletin is intended for use only under the direction of a Dow AgroSciences' representative or approved cooperator.

Sprinkler Irrigation: In addition to corn and potatoes, Radiant SC may be applied through overhead sprinkler irrigation systems to the following crops and crop groups listed on the Radiant SC product label: Asparagus, Bulb vegetables (Crop Group 3), Cole crops (Crop Group 5), Cucurbits (Crop Group 9), Fruiting vegetables (Crop Group 8), Herbs (Crop Group 19-A), Leafy vegetables (Crop Group 4), Legume vegetables (Crop Group 6), Root vegetables (Crop Group 1-A), and Strawberry.

Follow the Directions for Use and the directions for Application by Chemigation listed on the Radiant SC product label. Application by overhead sprinkler chemigation to a crop listed above must be made at the recommended broadcast rates specified on the product label. Follow all other specific requirements and restrictions for each crop as indicated on the Radiant SC product label.

For continuously moving systems, the mixture containing Radiant SC must be injected continuously and uniformly into the irrigation water line as the sprinkler is moving. If continuously moving irrigation equipment is used, apply in no more than 0.25 inch of water. For sprinkler systems that do not move during operation, apply in no more than 0.25 inch of irrigation immediately before the end of the irrigation cycle.

The level of pest control achieved when Radiant SC is applied through overhead sprinkler irrigation systems may be lower than the level that can be achieved when Radiant SC is applied with properly calibrated and well maintained ground sprayer equipment.

™Trademark of Dow AgroSciences LLC

R358-005

Issued: 09/17/08

Initial printing