

# Product Bulletin



Corteva Agriscience LLC

9330 Zionsville Road

Indianapolis, IN 46268-1054 USA

## Radiant SC

EPA Reg. No. 62719-545

### 2(ee) Recommendation†

**For Distribution and Use Only in the States of Alabama, Arkansas, Arizona, California, Florida, Georgia, Missouri, Nevada, New Mexico, Oklahoma, Oregon, Tennessee, Utah, Washington, and West Virginia**

### Provisional Overhead Sprinkler Chemigation Use on Certain Crops

#### ATTENTION

† This recommendation is made as permitted under FIFRA 2(ee) and has not been submitted to or approved by the EPA.

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- Read and follow all applicable directions for use, precautions, and limitations on the product label attached to the container for this product.
- Except as specified in this product bulletin, use of Radiant SC is subject to all use precautions and limitations imposed by the label affixed to the container for Radiant SC

#### Directions for Use

**Note: This product bulletin is intended for use only under the direction of a Corteva Agriscience representative or approved cooperator.**

**In the state of Georgia**, do not apply Radiant SC to: broccoli raab, Chinese cabbage (bok choy), collards, kale, mizuna, mustard greens, mustard spinach, rape greens

In addition to corn and potatoes, Radiant SC may be applied through sprinkler irrigation systems to the following crops and crop groups listed on the product label affixed to the container: asparagus, *Brassica* (cole) leafy vegetables (crop group 5), bulb vegetables (crop group 3), cucurbit vegetables (crop group 9), fruiting vegetables (crop group 8), herbs (subgroup 19A), leafy vegetables (except *Brassica*) (crop group 4), legume vegetables (succulent and dried beans and peas) (crop group 6), root and tuber vegetables (crop group 1), strawberry and watercress.

Follow the directions for use and the directions for Chemigation Application listed on the product label affixed to the container. Application by sprinkler chemigation to a crop listed above must be made at the rates specified on the product label. Follow all other specific requirements and restrictions for each crop as indicated on the product label.

For continuously moving systems, the mixture containing Radiant SC must be injected continuously and uniformly into the irrigation water line as the sprinkler is moving. If continuously moving irrigation equipment is used, apply in no more than 0.25 inch of water. For sprinkler systems that do not move during operation, apply in no more than 0.25 inch of irrigation immediately before the end of the irrigation cycle.

The level of pest control achieved when Radiant SC is applied through sprinkler irrigation systems may be lower than the level that can be achieved when Radiant SC is applied with properly calibrated and well maintained ground sprayer equipment.

™®Trademarks of Corteva Agriscience and its affiliated companies

R358-042  
Issued: 05/24/2023  
Replaces R358-014