

Supplemental Labeling



This Supplemental Label Expires on 9/12/15 and must not be used or distributed after this date.

EPA Reg. No. 71512-3-279

FOR CONTROL OF LISTED DISEASES ON BASIL

Directions for Use:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

NOTE: Follow all applicable directions, restrictions, and precautions on the Ranman Fungicide label.

NOTE: This labeling must be in the possession of the user at the time of pesticide application.

CROP: BASIL	
DISEASE	RATE PER ACRE
Downy mildew <i>Peronospora belbahrii</i>	2.75 to 3.0 fl oz (0.071 to 0.078 lb a.i./A)
APPLICATION DIRECTIONS	
Resistance Management: DO NOT apply more than 9 applications of RANMAN Fungicide per crop. Alternate sprays of RANMAN Fungicide with a fungicide with a different mode of action. DO NOT make more than three consecutive applications of RANMAN Fungicide followed by at least three applications of fungicides having different modes of action before applying additional RANMAN Fungicide.	
Application Instructions: For control of downy mildew on basil make the applications on a 7- to 10-day schedule beginning when disease conditions are favorable for disease development. Use the lower rate and longest interval as disease preventative sprays or when disease conditions are low. Increase to the highest rate and shortest interval under moderate to heavy disease pressure. RANMAN Fungicide can be applied on basil grown in a greenhouse. RANMAN Fungicide should be tank-mixed with an organosilicone surfactant when the disease infection is severe, or a non-ionic surfactant or a blend of an organosilicone and a non-ionic surfactant when disease infection is moderate or light, at the manufacturer's label recommendations for water volumes up to 60 gallons per acre. Normal water volumes are 50 to 75 gallons per acre. RANMAN Fungicide may be applied through sprinkler irrigation equipment. See calibration directions following this section.	
Restrictions: DO NOT apply more than 27 fluid ounces (0.7 lb a.i.) per acre per crop growing season. The Pre-Harvest Interval (PHI) for this crop is 0-day. Crops on this label may be planted immediately after the last treatment. Do not plant other crops not registered for this product within 30 days after the last application.	

WARRANTY AND LIMITATION OF DAMAGES

Seller warrants to those persons lawfully acquiring title to this product that at the time of first sale of this product by Seller that this product conformed to its chemical description and was reasonably fit for the purposes stated on the label when used in accordance with Seller's directions under normal conditions of use. To the extent consistent with applicable law, Buyers and users of this product assume the risk of any use contrary to such directions.

EXCEPT AS PROVIDED ELSEWHERE IN WRITING CONTAINING AN EXPRESS REFERENCE TO THIS WARRANTY AND LIMITATION OF DAMAGES, SELLER MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OR GUARANTY, INCLUDING ANY OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR OF MERCHANTABILITY, AND NO AGENT OF SELLER IS AUTHORIZED TO DO SO.

In no event shall Seller's liability for any breach of warranty or guaranty exceed the purchase price of the product as to which a claim is made. To the extent consistent with applicable law, Buyers and users of this product are responsible for all loss or damage from use or handling of this product which results from conditions beyond the control of Seller, including, but not limited to, incompatibility with other products unless otherwise expressly provided in Directions for Use of this product, weather conditions, cultural practices, moisture conditions or other environmental conditions outside of the ranges that are generally recognized as being conducive to good agricultural and/or horticultural practices.



FMC Corporation
Agricultural Products Group
1735 Market Street
Philadelphia PA 19103

09/14/12